Test Run Report




Test Run Overview

Started 23 Sep 2024, 12:29:28 Ended 23 Sep 2024, 12:29:58


Duration (mm:ss) 00:29.943

Test Results Summary

Passed 2 Failed 0 Skipped 0



Test Case Summary



Main_Task.testcase

Summary

Started 23 Sep 2024, 12:29:28 Ended 23 Sep 2024, 12:29:51

Duration (mm:ss) 00:23.177
Outcome successful

- (i) Loading data from Parameter Value Source ...
- (i) Loading Parameter Value Source row 1:
- 1 ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> Email = PrimitiveValueImpl [value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V52owQAB, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zCm1QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loading Parameter Value Source row 2:
- 1 ==Column=> Name = PrimitiveValueImpl [value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Phone = PrimitiveValueImpl [value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Email = PrimitiveValueImpl [value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V5NJyQAN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

0 12:29:28(00:00.016)

0 12:29:36(00:08.369)

- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zCndQAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 2 rows from Parameter Value Source.

Output

- Salesforce Connect: SalesforceConnection (Test)
 - (i) AutoRetry overrides:
 - ① AutoRetry overrides:
 - (i) Connecting to Salesforce as SalesforceConnection
 - ① Successfully connected to Salesforce as SalesforceConnection
- Read Excel
 - (1) Loading data from Parameter Value Source ...
 - 1 Loading Parameter Value Source row 1:
 - ① ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> Rating = PrimitiveValueImpl [value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Phone = PrimitiveValueImpl [value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ==Column=> Email = PrimitiveValueImpl [value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V52owQAB, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zCm1QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 Loading Parameter Value Source row 2:
 - ① ==Column=> Name = PrimitiveValueImpl [value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> Phone = PrimitiveValueImpl [value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> Email = PrimitiveValueImpl [value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V5NJyQAN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zCndQAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 Loaded 2 rows from Parameter Value Source. 0 12:29:36(00:08.456) Steps 0 12:29:36(00:08.465) SOQL Query: select Name from Account=>AccountRows 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Query: select Name from Account (i) Query successful. Row Count: 26. 0 12:29:36(00:08.670) Set Values: AccountNames Setting value AccountNames to 26 ① Successfully set AccountNames to 26 0 12:29:36(00:08.706) Compare: {AccountRows}=>{AccountRows} (i) Comparing List 1 row 1. Match key: (i) Matched List 1 row 1 to List 2 row 1., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Edge Communications, List 2 value: Edge Communications (i) List 1 row 1 was successfully compared against List 2 row 1 ① Comparing List 1 row 2. Match key: (i) Matched List 1 row 2 to List 2 row 2., Match key: (1) Comparing column Id. List 1 value: null, List 2 value: null 1 Comparing column Name. List 1 value: Burlington Textiles Corp of America, List 2 value: Burlington Textiles Corp of America i List 1 row 2 was successfully compared against List 2 row 2 (i) Comparing List 1 row 3. Match key: 1 Matched List 1 row 3 to List 2 row 3., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Pyramid Construction Inc., List 2 value: Pyramid Construction Inc. 1 List 1 row 3 was successfully compared against List 2 row 3 (i) Comparing List 1 row 4. Match key: (i) Matched List 1 row 4 to List 2 row 4., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Dickenson plc, List 2 value: Dickenson plc i List 1 row 4 was successfully compared against List 2 row 4 ① Comparing List 1 row 5. Match key: (i) Matched List 1 row 5 to List 2 row 5., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Grand Hotels & Resorts Ltd, List 2 value: Grand Hotels & Resorts Ltd ① List 1 row 5 was successfully compared against List 2 row 5 (i) Comparing List 1 row 6. Match key: (i) Matched List 1 row 6 to List 2 row 6., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: United Oil & Gas Corp., List 2 value: United Oil & Gas Corp. 1 List 1 row 6 was successfully compared against List 2 row 6 (i) Comparing List 1 row 7. Match key:

(i) Matched List 1 row 7 to List 2 row 7., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Express Logistics and Transport, List 2 value: Express Logistics and Transport
- ① List 1 row 7 was successfully compared against List 2 row 7
- (i) Comparing List 1 row 8. Match key:
- (i) Matched List 1 row 8 to List 2 row 8., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: University of Arizona, List 2 value: University of Arizona
- (i) List 1 row 8 was successfully compared against List 2 row 8
- ① Comparing List 1 row 9. Match key:
- (i) Matched List 1 row 9 to List 2 row 9., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, UK, List 2 value: United Oil & Gas, UK
- 1 List 1 row 9 was successfully compared against List 2 row 9
- (i) Comparing List 1 row 10. Match key:
- (i) Matched List 1 row 10 to List 2 row 10., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, Singapore, List 2 value: United Oil & Gas, Singapore
- ① List 1 row 10 was successfully compared against List 2 row 10
- (i) Comparing List 1 row 11. Match key:
- (1) Matched List 1 row 11 to List 2 row 11., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: GenePoint, List 2 value: GenePoint
- 1 List 1 row 11 was successfully compared against List 2 row 11
- ① Comparing List 1 row 12. Match key:
- ① Matched List 1 row 12 to List 2 row 12., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: sForce, List 2 value: sForce
- 1 List 1 row 12 was successfully compared against List 2 row 12
- (i) Comparing List 1 row 13. Match key:
- (1) Matched List 1 row 13 to List 2 row 13., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- 1 Comparing column Name. List 1 value: Sample Account for Entitlements, List 2 value: Sample Account for Entitlements
- ① List 1 row 13 was successfully compared against List 2 row 13
- ① Comparing List 1 row 14. Match key:
- ① Matched List 1 row 14 to List 2 row 14., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: OM & co., List 2 value: OM & co.
- 1 List 1 row 14 was successfully compared against List 2 row 14
- ① Comparing List 1 row 15. Match key:
- 1 Matched List 1 row 15 to List 2 row 15., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Anubhav & co., List 2 value: Anubhav & co.
- 1 List 1 row 15 was successfully compared against List 2 row 15
- ① Comparing List 1 row 16. Match key:
- ① Matched List 1 row 16 to List 2 row 16., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Strider Bank (ref : LZ9OXXCUNAVX), List 2 value: Strider Bank (ref : LZ9OXXCUNAVX)
- 1 List 1 row 16 was successfully compared against List 2 row 16
- ① Comparing List 1 row 17. Match key:
- ① Matched List 1 row 17 to List 2 row 17., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 17 was successfully compared against List 2 row 17
- ① Comparing List 1 row 18. Match key:
- (i) Matched List 1 row 18 to List 2 row 18., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- (i) List 1 row 18 was successfully compared against List 2 row 18
- ① Comparing List 1 row 19. Match key:
- 1 Matched List 1 row 19 to List 2 row 19., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 19 was successfully compared against List 2 row 19
- (i) Comparing List 1 row 20. Match key:
- (i) Matched List 1 row 20 to List 2 row 20., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: Anubhav, List 2 value: Anubhav
- (i) List 1 row 20 was successfully compared against List 2 row 20
- ① Comparing List 1 row 21. Match key:
- (i) Matched List 1 row 21 to List 2 row 21., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 21 was successfully compared against List 2 row 21
- (i) Comparing List 1 row 22. Match key:
- (1) Matched List 1 row 22 to List 2 row 22., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 22 was successfully compared against List 2 row 22
- ① Comparing List 1 row 23. Match key:
- ① Matched List 1 row 23 to List 2 row 23., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- ① List 1 row 23 was successfully compared against List 2 row 23
- ① Comparing List 1 row 24. Match key:
- (i) Matched List 1 row 24 to List 2 row 24., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 24 was successfully compared against List 2 row 24
- ① Comparing List 1 row 25. Match key:
- ① Matched List 1 row 25 to List 2 row 25., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 25 was successfully compared against List 2 row 25
- (i) Comparing List 1 row 26. Match key:
- (i) Matched List 1 row 26 to List 2 row 26., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 26 was successfully compared against List 2 row 26
- For Each: {SourceData}=>Row
 - ① Start of iteration 1 of 2.
 - ① Start of iteration 2 of 2.
 - i Reached the end of the List.
- Iteration 1
 - Call CallableAccountCreation
 - (i) Handling managed resource. Name: SalesforceConnection
 - (1) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 23 Sep 2024, 12:29:37 Ended 23 Sep 2024, 12:29:44

Duration 00:07.866 (mm:ss) Outcome successful

Output

- Salesforce Connect: SalesforceConnection (Test)
 - 0 12:29:37(00:08.797)
 - (i) Connecting to Salesforce as SalesforceConnection
 - 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
 - A Failed to connect to Master Lock Manager assuming dead. Host: localhost, port: 62483, cause: Connection refused: no further information
 - Setting fields:
 - 1 =Field=> SLASerialNumber_c = ABCDE
 - i =Field=> Phone = 7078466107
 - i =Field=> Rating = Cold
 - i =Field=> Name = Anubhav & co.
 - Account created successfully. Object Id: 001dL00000V5BXpQAN, Result Name: AccountId
 - ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V5BXpQAN
- Call CallableCreateContact

0 12:29:44(00:16.650)

0 12:29:37(00:08 814)

0 12:29:37(00:08.781)

0 12:29:37(00:08.781)

0 12:29:37(00:08.781)

- (i) Handling managed resource. Name: SalesforceConnection
- (1) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 23 Sep 2024, 12:29:44 Ended 23 Sep 2024, 12:29:45

Duration (mm:ss) 00:00.588
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 12:29:44(00:16.650)

- (i) Connecting to Salesforce as SalesforceConnection
- (1) Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 12:29:44(00:16.673)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- Setting fields:
- 1 =Field=> AccountId = 001dL00000V5BXpQAN
- i =Field=> Email = om_11@gmail.com
- i =Field=> FirstName = Om
- (i) =Field=> Phone = 7078466107
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL000008zF2LQAU, Result Name: ContactId
- 1 Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zF2LQAU
- Read Object: Contact = 003dL000008zF2LQAU

0 12:29:45(00:17.238)

- ⑤ Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zF2LQAU, field count: 3
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'om_11@gmail.com' = 'om_11@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000V5BXpQAN' = '001dL00000V5BXpQAN'
- Result assertion 'Check Phone' successful: '7078466107' = '7078466107'
- Set Values: Var.SLA SerialNo

0 12:29:45(00:17.585)

- Setting value Var.AccountID to 001dL00000V5BXpQAN
- Successfully set Var.AccountID to 001dL00000V5BXpQAN
- Setting value Var.ContactID to 003dL000008zF2LQAU
- Successfully set Var.ContactID to 003dL000008zF2LQAU
- Setting value Var.SLA_SerialNo to ABCDE
- (i) Successfully set Var.SLA_SerialNo to ABCDE
- Write: {Var}=>templates/DATA.xlsx

0 12:29:45(00:17.604)

- (i) Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- ① Workbook location: C:\Users\anubhav.gupta\Provar\Workspace_2\LearningProvar\templates\DATA.xlsx
- ① Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "ABCDE"}
- i) The match locator matched 1 row(s).
- ① Updating data in excel sheet: Day-01
- Updated data in excel sheet: Day-01
- Delete Object: 003dL000008zF2LQAU

0 12:29:48(00:20.131)

- 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zF2LQAU
- ① Object deleted successfully. Object Id: 003dL000008zF2LQAU

- Delete Object: 001dL00000V5BXpQAN
 - ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V5BXpQAN
 - ① Object deleted successfully. Object Id: 001dL00000V5BXpQAN
- Iteration 2

0 12:29:49(00:21.000)

0 12:29:48(00:20.525)

Call CallableAccountCreation

0 12:29:49(00:21.000)

- (i) Handling managed resource. Name: SalesforceConnection
- (1) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 23 Sep 2024, 12:29:49 Ended 23 Sep 2024, 12:29:49

Duration (mm:ss) 00:00.489
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 12:29:49(00:21.016)

- (i) Connecting to Salesforce as SalesforceConnection
- ① Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

- 0 12:29:49(00:21.024)
- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- Setting fields:
- 1 =Field=> SLASerialNumber_c = FGHIJ
- (i) =Field=> Phone = 7451046311
- i =Field=> Rating = Hot
- 1 =Field=> Name = OM & co.
- Account created successfully. Object Id: 001dL00000V625JQAR, Result Name: AccountId
- 1 Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V625JQAR
- Call CallableCreateContact

0 12:29:49(00:21.489)

- ① Handling managed resource. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 23 Sep 2024, 12:29:49 Ended 23 Sep 2024, 12:29:50

Duration (mm:ss) 00:00.568
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 12:29:49(00:21.505)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection

Create Object: Contact=>ContactId 0 12:29:49(00:21.505) ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6 Setting fields: i =Field=> AccountId = 001dL00000V625JQAR 1 =Field=> Email = anubhav_12@gmail.com i =Field=> FirstName = Om 1 =Field=> Phone = 7451046311 i =Field=> LastName = Gupta i =Field=> Salutation = Mr. Contact created successfully. Object Id: 003dL000008zF3xQAE, Result Name: ContactId Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zF3xQAE 0 12:29:50(00:22.057) Read Object: Contact = 003dL000008zF3xQAE 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zF3xQAE, field count: 3 (i) Object read successfully. Result Name: ContactRead Result assertion 'Check Email' successful: 'anubhav 12@gmail.com' = 'anubhav 12@gmail.com' Result assertion 'Check AccountId' successful: '001dL00000V625JQAR' = '001dL00000V625JQAR' Result assertion 'Check Phone' successful: '7451046311' = '7451046311' 12:29:50(00:22.371) Set Values: Var.SLA_SerialNo (i) Setting value Var.AccountID to 001dL00000V625JQAR Successfully set Var.AccountID to 001dL00000V625JQAR Setting value Var.ContactID to 003dL000008zF3xQAE Successfully set Var.ContactID to 003dL000008zF3xQAE (i) Setting value Var.SLA_SerialNo to FGHIJ (i) Successfully set Var.SLA_SerialNo to FGHIJ Write: {Var}=>templates/DATA.xlsx ① 12:29:50(00:22.380) Writing to URL templates/DATA.xlsx ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none] Workbook location: C:\Users\anubhav.gupta\Provar\Workspace_2\LearningProvar\templates\DATA.xlsx ① Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "FGHIJ"} 1 The match locator matched 1 row(s). Updating data in excel sheet: Day-01 ① Updated data in excel sheet: Day-01 Delete Object: 003dL000008zF3xQAE 0 12:29:50(00:22.474) 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zF3xQAE

(i) Object deleted successfully. Object Id: 003dL000008zF3xQAE

Delete Object: 001dL00000V625JQAR

0 12:29:51(00:22.844)

- 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V625JQAR
- (i) Object deleted successfully. Object Id: 001dL00000V625JQAR

TableTesting.testcase

Summary

Started 23 Sep 2024, 12:29:51 23 Sep 2024, 12:29:58 Ended

Duration (mm:ss) 00:06.637 Outcome successful

Output

- Salesforce Connect: SalesforceConnection (Test)

 ① Connecting to Salesforce as SalesforceConnection
 ② Successfully connected to Salesforce as SalesforceConnection

 M UI Connect: HTML_Tables

 ③ 12:29:57(00:29.619)
 ④ Set Values: a
 ④ 12:29:57(00:29.620)

 M SOUL Query: SELECT COUNT(Id), Name FROM Account GROUP

 BY Name=>AccountRows
 ④ 12:29:57(00:29.620)
 - ① Reading a Salesforce object. Connection Name: SalesforceConnection, Query: SELECT COUNT(Id), Name FROM Account GROUP BY Name
 - ① Query successful. Row Count: 18.
- ♠ For Each: {AccountRows}=>AccountName
 ♠ 12:29:58(00:29.942)