# Test Run Report




## **Test Run Overview**

Started 23 Sep 2024, 13:59:35 Ended 23 Sep 2024, 14:00:54


Duration (mm:ss) 01:18.860

## **Test Results Summary**

Passed 2 Failed 0 Skipped 0



## **Test Case Summary**



# ■ Main\_Task.testcase

## Summary

Started 23 Sep 2024, 13:59:35 Ended 23 Sep 2024, 13:59:57

Duration (mm:ss) 00:22.721
Outcome successful

- (i) Loading data from Parameter Value Source ...
- (i) Loading Parameter Value Source row 1:
- 1 ==Column=> Name = PrimitiveValueImpl [ value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [ value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [ value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA\_SerialNo = PrimitiveValueImpl [ value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> Email = PrimitiveValueImpl [ value: om\_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000V6Z4UQAV, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008zO41QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 2:
- ① ==Column=> Name = PrimitiveValueImpl [ value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [ value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [ value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA\_SerialNo = PrimitiveValueImpl [ value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Email = PrimitiveValueImpl [ value: anubhav\_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000V5fwFQAR, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008zK23QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 2 rows from Parameter Value Source.

#### **Output**

- Salesforce Connect: SalesforceConnection (Test)
  - AutoRetry overrides:
  - -Provar global variable, provar\_autoretry\_timeout : 30
  - -Provar global variable, provar\_autoretry\_override : ENABLE\_ALL
  - ① AutoRetry overrides:
  - (i) Connecting to Salesforce as SalesforceConnection
  - ▼ Connection details. Connection name: SalesforceConnection, result name: SalesforceConnection, result scope: Test, urlString: sf:user=anubhav.gupta@sandbox.com;password={password};securityToken={securityToken};environment=PROD\_DEV;lightningMode=true, environment: QA, userName: anubhav.gupta@sandbox.com, password: [supplied] securityToken: [supplied]
  - \* Create object id log file.
  - Opening Partner connection
  - Opening SOAP connection
  - Opening Metadata connection
  - (i) Successfully connected to Salesforce as SalesforceConnection
- Read Excel

0 13:59:46(00:11.487)

0 13:59:35(00:00.015)

- (i) Loading data from Parameter Value Source ...
- ① Loading Parameter Value Source row 1:
- 🗓 ==Column=> Name = PrimitiveValueImpl [ value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

```
1 ==Column=> Rating = PrimitiveValueImpl [ value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Phone = PrimitiveValueImpl [ value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [ value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Email = PrimitiveValueImpl [ value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1
   1 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000V6Z4UQAV, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008zO41QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   (i) Loading Parameter Value Source row 2:
    1 ==Column=> Name = PrimitiveValueImpl [ value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> Rating = PrimitiveValueImpl [ value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Phone = PrimitiveValueImpl [ value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> SLA_SerialNo = PrimitiveValueImpl [ value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Email = PrimitiveValueImpl [ value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000V5fwFQAR, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008zK23QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 Loaded 2 rows from Parameter Value Source.
                                                                                                                               0 13:59:46(00:11.519)
    Steps
                                                                                                                               0 13:59:46(00:11.519)
  SOQL Query: select Name from Account=>AccountRows
   1 Reading a Salesforce object. Connection Name: SalesforceConnection, Query: select Name from Account
   (i) Query successful. Row Count: 26.
                                                                                                                               0 13:59:46(00:11.651)
Set Values: AccountNames
   ① Setting value AccountNames to 26
    Configuration: ValueScope:Test

    Successfully set AccountNames to 26

                                                                                                                               0 13:59:46(00:11.665)
  Compare: {AccountRows}=>{AccountRows}
   (i) Comparing List 1 row 1. Match key:
    1 Matched List 1 row 1 to List 2 row 1., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
   ① Comparing column Name. List 1 value: Edge Communications, List 2 value: Edge Communications
   1 List 1 row 1 was successfully compared against List 2 row 1
   (i) Comparing List 1 row 2. Match key:
    (i) Matched List 1 row 2 to List 2 row 2., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
    🗓 Comparing column Name. List 1 value: Burlington Textiles Corp of America, List 2 value: Burlington Textiles Corp of America
   i List 1 row 2 was successfully compared against List 2 row 2
   (i) Comparing List 1 row 3. Match key:
   (i) Matched List 1 row 3 to List 2 row 3., Match key:
    (1) Comparing column Id. List 1 value: null, List 2 value: null
   (i) Comparing column Name. List 1 value: Pyramid Construction Inc., List 2 value: Pyramid Construction Inc.
   i List 1 row 3 was successfully compared against List 2 row 3
    (i) Comparing List 1 row 4. Match key:
   (1) Matched List 1 row 4 to List 2 row 4., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
   ① Comparing column Name. List 1 value: Dickenson plc, List 2 value: Dickenson plc
   1 List 1 row 4 was successfully compared against List 2 row 4
   (i) Comparing List 1 row 5. Match key:
    (i) Matched List 1 row 5 to List 2 row 5., Match key:
```

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Grand Hotels & Resorts Ltd, List 2 value: Grand Hotels & Resorts Ltd
- ① List 1 row 5 was successfully compared against List 2 row 5
- (i) Comparing List 1 row 6. Match key:
- ① Matched List 1 row 6 to List 2 row 6., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas Corp., List 2 value: United Oil & Gas Corp.
- (i) List 1 row 6 was successfully compared against List 2 row 6
- ① Comparing List 1 row 7. Match key:
- 1 Matched List 1 row 7 to List 2 row 7., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- 1 Comparing column Name. List 1 value: Express Logistics and Transport, List 2 value: Express Logistics and Transport
- 1 List 1 row 7 was successfully compared against List 2 row 7
- (i) Comparing List 1 row 8. Match key:
- (i) Matched List 1 row 8 to List 2 row 8., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: University of Arizona, List 2 value: University of Arizona
- ① List 1 row 8 was successfully compared against List 2 row 8
- (i) Comparing List 1 row 9. Match key:
- (i) Matched List 1 row 9 to List 2 row 9., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, UK, List 2 value: United Oil & Gas, UK
- 1 List 1 row 9 was successfully compared against List 2 row 9
- ① Comparing List 1 row 10. Match key:
- ① Matched List 1 row 10 to List 2 row 10., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, Singapore, List 2 value: United Oil & Gas, Singapore
- 1 List 1 row 10 was successfully compared against List 2 row 10
- (i) Comparing List 1 row 11. Match key:
- (1) Matched List 1 row 11 to List 2 row 11., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: GenePoint, List 2 value: GenePoint
- 1 List 1 row 11 was successfully compared against List 2 row 11
- ① Comparing List 1 row 12. Match key:
- ① Matched List 1 row 12 to List 2 row 12., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: sForce, List 2 value: sForce
- 1 List 1 row 12 was successfully compared against List 2 row 12
- (i) Comparing List 1 row 13. Match key:
- (i) Matched List 1 row 13 to List 2 row 13., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Sample Account for Entitlements, List 2 value: Sample Account for Entitlements
- 1 List 1 row 13 was successfully compared against List 2 row 13
- ① Comparing List 1 row 14. Match key:
- ① Matched List 1 row 14 to List 2 row 14., Match key:

- (i) Comparing column Id. List 1 value: null, List 2 value: null
- (i) Comparing column Name. List 1 value: OM & co., List 2 value: OM & co.
- 1 List 1 row 14 was successfully compared against List 2 row 14
- (i) Comparing List 1 row 15. Match key:
- (i) Matched List 1 row 15 to List 2 row 15., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Anubhav & co., List 2 value: Anubhav & co.
- 15 List 1 row 15 was successfully compared against List 2 row 15
- ① Comparing List 1 row 16. Match key:
- (i) Matched List 1 row 16 to List 2 row 16., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Strider Bank (ref : LZ9OXXCUNAVX), List 2 value: Strider Bank (ref : LZ9OXXCUNAVX)
- 1 List 1 row 16 was successfully compared against List 2 row 16
- (i) Comparing List 1 row 17. Match key:
- (1) Matched List 1 row 17 to List 2 row 17., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- i List 1 row 17 was successfully compared against List 2 row 17
- (i) Comparing List 1 row 18. Match key:
- (i) Matched List 1 row 18 to List 2 row 18., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- ① List 1 row 18 was successfully compared against List 2 row 18
- ① Comparing List 1 row 19. Match key:
- ① Matched List 1 row 19 to List 2 row 19., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 19 was successfully compared against List 2 row 19
- (i) Comparing List 1 row 20. Match key:
- (1) Matched List 1 row 20 to List 2 row 20., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: Anubhav, List 2 value: Anubhav
- 1 List 1 row 20 was successfully compared against List 2 row 20
- ① Comparing List 1 row 21. Match key:
- ① Matched List 1 row 21 to List 2 row 21., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 21 was successfully compared against List 2 row 21
- ① Comparing List 1 row 22. Match key:
- (i) Matched List 1 row 22 to List 2 row 22., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 22 was successfully compared against List 2 row 22
- (i) Comparing List 1 row 23. Match key:
- (i) Matched List 1 row 23 to List 2 row 23., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 23 was successfully compared against List 2 row 23
- ① Comparing List 1 row 24. Match key:
- ① Matched List 1 row 24 to List 2 row 24., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 24 was successfully compared against List 2 row 24
- ① Comparing List 1 row 25. Match key:
- i) Matched List 1 row 25 to List 2 row 25., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- (i) List 1 row 25 was successfully compared against List 2 row 25
- (i) Comparing List 1 row 26. Match key:
- 1 Matched List 1 row 26 to List 2 row 26., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 26 was successfully compared against List 2 row 26
- For Each: {SourceData}=>Row
  - ① Start of iteration 1 of 2.
  - (i) Start of iteration 2 of 2.
  - (i) Reached the end of the List.
  - Iteration 1
    - Call CallableAccountCreation
       ① Handling managed resource. Name: SalesforceConnection
      - \*Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
      - 1 Salesforce Connection handled successfully. Name: SalesforceConnection

# CallableAccountCreation

#### **Summary**

Started 23 Sep 2024, 13:59:46 Ended 23 Sep 2024, 13:59:51

Duration (mm:ss) 00:04.787

Outcome 

successful

## Output

Salesforce Connect: SalesforceConnection (Test)

0 13:59:46(00:11.694)

@ 13:59:46(00:11.709)

0 13:59:46(00:11.693)

0 13:59:46(00:11.694)

0 13:59:46(00:11.694)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId
   ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4

⚠ Failed to connect to Master Lock Manager - assuming dead. Host: localhost, port: 62585, cause: Connection refused: no further information

- Setting fields:
- i =Field=> SLASerialNumber\_c = ABCDE

- (i) =Field=> Phone = 7078466107
- i =Field=> Rating = Cold
- i =Field=> Name = Anubhav & co.
- Account created successfully. Object Id: 001dL00000V6CmFQAV, Result Name: AccountId
- Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V6CmFQAV

#### Call CallableCreateContact

0 13:59:51(00:16.499)

- (i) Handling managed resource. Name: SalesforceConnection
- \*Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

# CallableCreateContact

## **Summary**

Started 23 Sep 2024, 13:59:51 Ended 23 Sep 2024, 13:59:52

Duration (mm:ss) 00:00.641

Outcome successful

#### **Output**

Salesforce Connect: SalesforceConnection (Test)

0 13:59:51(00:16.499)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 13:59:51(00:16.640)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- (i) Setting fields:
- i =Field=> AccountId = 001dL00000V6CmFQAV
- i =Field=> Email = om\_11@gmail.com
- i =Field=> FirstName = Om
- (i) =Field=> Phone = 7078466107
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL000008zPkrQAE, Result Name: ContactId
- ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zPkrQAE

#### Read Object: Contact = 003dL000008zPkrQAE

0 13:59:52(00:17.152)

- 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zPkrQAE, field count: 3
- \*Executing SOQL query: select Email, AccountId, Phone from Contact where id = '003dL000008zPkrQAE'
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'om\_11@gmail.com' = 'om\_11@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000V6CmFQAV' = '001dL00000V6CmFQAV'
- Result assertion 'Check Phone' successful: '7078466107' = '7078466107'

#### Set Values: Var.SLA\_SerialNo

0 13:59:52(00:17.497)

- ① Setting value Var.AccountID to 001dL00000V6CmFQAV
- Configuration: ValueScope:Test
- Successfully set Var.AccountID to 001dL00000V6CmFQAV
- (i) Setting value Var.ContactID to 003dL000008zPkrQAE

- \* Configuration: ValueScope:Test
- (i) Successfully set Var.ContactID to 003dL000008zPkrQAE
- (i) Setting value Var.SLA\_SerialNo to ABCDE
- Configuration: ValueScope:Test
- (i) Successfully set Var.SLA\_SerialNo to ABCDE
- Write: {Var}=>templates/DATA.xlsx

① Writing to URL templates/DATA.xlsx

- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- Workbook location: C:\Users\anubhav.gupta\Provar\Workspace\_2\LearningProvar\templates\DATA.xlsx
- ① Applying match locator Data Count: 2, Match Locator: {SLA\_SerialNo = "ABCDE"}
- i) The match locator matched 1 row(s).
- (i) Updating data in excel sheet: Day-01
- ① Updated data in excel sheet: Day-01
- Delete Obiect: 003dL000008zPkrQAE

0 13:59:55(00:19.911)

0 13:59:55(00:20.335)

0 13:59:55(00:20.778)

0 13:59:52(00:17.517)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zPkrQAE
- (i) Object deleted successfully. Object Id: 003dL000008zPkrQAE
- Delete Object: 001dL00000V6CmFQAV
  - 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V6CmFQAV
  - (i) Object deleted successfully. Object Id: 001dL00000V6CmFQAV
- Iteration 20 13:59:55(00:20.778)
  - Call CallableAccountCreation
    - (i) Handling managed resource. Name: SalesforceConnection
    - \*Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
    - ① Salesforce Connection handled successfully. Name: SalesforceConnection

## CallableAccountCreation

# **Summary**

Started 23 Sep 2024, 13:59:55 Ended 23 Sep 2024, 13:59:56

Duration (mm:ss) 00:00.423
Outcome successful

#### Output

Salesforce Connect: SalesforceConnection (Test)

0 13:59:55(00:20.780)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

0 13:59:55(00:20.780)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- Setting fields:
- i =Field=> SLASerialNumber\_\_c = FGHIJ
- i =Field=> Phone = 7451046311
- i =Field=> Rating = Hot
- (i) =Field=> Name = OM & co.
- Account created successfully. Object Id: 001dL00000V6FkAQAV, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V6FkAQAV

- Call CallableCreateContact
  - 1 Handling managed resource. Name: SalesforceConnection
  - \*Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
  - (1) Salesforce Connection handled successfully. Name: SalesforceConnection

# CallableCreateContact

#### **Summary**

Started 23 Sep 2024, 13:59:56 Ended 23 Sep 2024, 13:59:56

Duration (mm:ss) 00:00.435

Outcome successful

#### **Output**

- Salesforce Connect: SalesforceConnection (Test)
  - (i) Connecting to Salesforce as SalesforceConnection
  - ® Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 13:59:56(00:21.224)

0 13:59:56(00:21.216)

0 13:59:56(00:21.214)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- Setting fields:
- i =Field=> AccountId = 001dL00000V6FkAQAV
- 1 =Field=> Email = anubhav\_12@gmail.com
- i =Field=> FirstName = Om
- 1 = Field => Phone = 7451046311
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL000008zOyWQAU, Result Name: ContactId
- ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zOyWQAU
- Read Object: Contact = 003dL000008zOvWQAU

0 13:59:56(00:21.651)

0 13:59:57(00:21.958)

0 13:59:57(00:21.967)

- 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zOyWQAU, field count: 3
- Executing SOQL query: select Email, AccountId, Phone from Contact where id = '003dL000008zOyWQAU'
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'anubhav\_12@gmail.com' = 'anubhav\_12@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000V6FkAQAV' = '001dL00000V6FkAQAV'
- Result assertion 'Check Phone' successful: '7451046311' = '7451046311'
- Set Values: Var.SLA\_SerialNo
  - Setting value Var.AccountID to 001dL00000V6FkAQAV
  - Configuration: ValueScope:Test
  - Successfully set Var.AccountID to 001dL00000V6FkAQAV
  - Setting value Var.ContactID to 003dL000008zOyWQAU

  - Successfully set Var.ContactID to 003dL000008zOyWQAU
  - (1) Setting value Var.SLA\_SerialNo to FGHIJ
  - Configuration: ValueScope:Test
  - (i) Successfully set Var.SLA\_SerialNo to FGHIJ
- Write: {Var}=>templates/DATA.xlsx

- Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- ① Workbook location: C:\Users\anubhav.gupta\Provar\Workspace\_2\LearningProvar\templates\DATA.xlsx
- Applying match locator Data Count: 2, Match Locator: {SLA\_SerialNo = "FGHIJ"}
- i) The match locator matched 1 row(s).
- ① Updating data in excel sheet: Day-01
- 1 Updated data in excel sheet: Day-01
- Delete Object: 003dL000008zOyWQAU

0 13:59:57(00:22.027)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zOyWQAU
- ① Object deleted successfully. Object Id: 003dL000008zOyWQAU
- Delete Object: 001dL00000V6FkAQAV

0 13:59:57(00:22.264)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V6FkAQAV
- (i) Object deleted successfully. Object Id: 001dL00000V6FkAQAV

# UITestingDemo.testcase

## **Summary**

Started 23 Sep 2024, 13:59:35 Ended 23 Sep 2024, 14:00:54

Duration (mm:ss) 01:18.860
Outcome successful

#### **Output**

UI Connect: UI\_Connection

0 13:59:35(00:00.015)

- ① AutoRetry overrides:
- -Provar global variable, provar\_autoretry\_timeout : 30
- \*-Provar global variable, provar\_autoretry\_override : ENABLE\_ALL
- (i) AutoRetry overrides:
- ① Opening Selenium Connection. Connection Name: UI\_Connection, Base URL: https://crio-qkart-frontend-qa.vercel.app/, Private Browsing Mode: false
- ① Opening Chrome webdriver instance to https://crio-qkart-frontend-qa.vercel.app/
- Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://crio-qkart-frontend-qa.vercel.app/
- Selenium Connection opened successfully.
- UI Connect step is success
- Connection Name: UI\_Connection Url : https://crio-qkart-frontend-qa.vercel.app/
- ① UI Connect step is success
- Set Values: Password

0 13:59:38(00:03.190)

- (i) Setting value Password to Anubhav@11
- Configuration: ValueScope:Test
- Successfully set Password to Anubhav@11
- Set Values: Username

0 13:59:38(00:03.202)

- ① Setting value Username to M1EQY2ENQMFH
- (i) Successfully set Username to M1EQY2ENQMFH
- On LoginRegisterPage page

0 13:59:38(00:03.219)

① Start of With Screen. Connection Name: UI\_Connection, target: ui:pageobject:target?pageId=pageobjects.LoginRegisterPage

- ① Navigating to URL: https://crio-gkart-frontend-ga.vercel.app/
- ① Opening Page context. Name: screen, data: pageobjects.LoginRegisterPage@4ce84760, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (1) Main window reselected. Window: main
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

## Sub Steps

13:59:39(00:04.849)13:59:39(00:04.849)

#### Call the Register method

① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Register, before wait: ui:wait: ui:wait:timed?seconds=10, auto retry: default

- ① Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Register
- ① Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- i Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Got Page Object. Class: pageobjects.LoginRegisterPage
- ① Extracted arg value. Arg Name: param\_user, value: M1EQY2ENQMFH
- (i) Extracted arg value. Arg Name: param\_pass, value: Anubhav@11
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Start of Timed Wait. Seconds: 10
- 1 End of Timed Wait. Actual duration(seconds): 10.001
- (1) Going to update browser window handles.
- W Update browser window handles.
- (i) Successfully updated browser window handles.

#### Call the Login method

① 13:59:50(00:15.792)

- ① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Login, before wait: ui:wait: ui:wait:timed?seconds=10, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Login
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/login
- (i) Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Got Page Object. Class: pageobjects.LoginRegisterPage
- ① Extracted arg value. Arg Name: param\_user, value: M1EQY2ENQMFH
- © Extracted arg value. Arg Name: param\_pass, value: Anubhav@11
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Start of Timed Wait. Seconds: 10
- 10.013 End of Timed Wait. Actual duration(seconds): 10.013
- (i) Going to update browser window handles.

- **W** Update browser window handles.
- Successfully updated browser window handles.

#### On Home Page page

0 14:00:01(00:26.430)

- 1 Start of With Screen. Connection Name: UI\_Connection, target: ui:pageobject:target?pageId=pageobjects.HomePage
- (i) Navigating to URL: https://crio-qkart-frontend-qa.vercel.app/
- ① Opening Page context. Name: screen, data: pageobjects.HomePage@5184378b, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

## Sub Steps

14:00:01(00:26.686)14:00:01(00:26.686)

#### Call the searchitem method

- ① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=searchItem, before wait: ui:wait: ui:wait:timed?seconds=10, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=searchItem
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Got Page Object. Class: pageobjects.HomePage
- © Extracted arg value. Arg Name: param\_productName, value: Sofa
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- Start of Timed Wait. Seconds: 10
- 10.005 End of Timed Wait. Actual duration(seconds): 10.005
- (i) Going to update browser window handles.
- W Update browser window handles.
- (i) Successfully updated browser window handles.

#### Call the AddToCart method

0 14:00:11(00:36.850)

- ① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=AddToCart, before wait: ui:wait: ui:wait: ui:wait:timed?seconds=5, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=AddToCart
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- Got Page Object. Class: pageobjects.HomePage
- © Extracted arg value. Arg Name: param\_productName, value: Sofa
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- (i) Start of Timed Wait. Seconds: 5
- i End of Timed Wait. Actual duration(seconds): 5.003

Going to update browser window handles.
 Update browser window handles.
 Successfully updated browser window handles.

#### Call the goToCheckOutPage method

① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method?

- pageId=pageobjects.HomePage&operation=goToCheckOutPage, before wait: ui:wait:timed?seconds=5, after wait: ui:wait:timed?seconds=5, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=goToCheckOutPage
- ① Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-gkart-frontend-ga.vercel.app/
- i Doing before wait. waitUrl: ui:wait:timed?seconds=5
- (i) Start of Timed Wait. Seconds: 5
- 1 End of Timed Wait. Actual duration(seconds): 5.016
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- (i) Got Page Object. Class: pageobjects.HomePage
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- i Start of Timed Wait. Seconds: 5
- 1 End of Timed Wait. Actual duration(seconds): 5.001
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

## On Checkout Page page

0 14:00:27(00:52.170)

0 14:00:17(00:42.013)

- ① Start of With Screen. Connection Name: UI\_Connection, target: ui:pageobject:target?pageId=pageobjects.CheckoutPage
- 1 Not navigating because Navigate=Dont.
- ① Opening Page context. Name: screen, data: pageobjects.CheckoutPage@6c0ac4af, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

# Sub StepsCall the addNewAddress method

14:00:27(00:52.201)14:00:27(00:52.201)

① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method? pageId=pageobjects.CheckoutPage&operation=addNewAddress, before wait: ui:wait: ui:wait:timed?seconds=10, auto retry: default

- ① Locator: ui:pageobject:method?pageId=pageobjects.CheckoutPage&operation=addNewAddress
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/checkout
- 1 Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Got Page Object. Class: pageobjects.CheckoutPage
- 1 Extracted arg value. Arg Name: param\_address, value: Tower C, Floor 14, Unitech cyber park, Sector 39, Gurgaon
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10

- ① Start of Timed Wait. Seconds: 10
- i End of Timed Wait. Actual duration(seconds): 10.005
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

#### Click the Select Address Web Element

0 14:00:37(01:02.569)

- ① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:field? field=selectAddressWebElement&pageId=pageobjects.CheckoutPage, before wait: ui:wait:timed?seconds=5, after wait: ui:wait:timed?seconds=6, after wait: ui:wa
- ① Locator: ui:pageobject:field?field=selectAddressWebElement&pageId=pageobjects.CheckoutPage
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/checkout
- 1 Doing before wait. waitUrl: ui:wait:timed?seconds=5
- (i) Start of Timed Wait. Seconds: 5
- (i) End of Timed Wait. Actual duration(seconds): 5.013
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- ① Hover>Clicking WebElement. WebElement [tag: p, text: Tower C, Floor 14, Unitech cyber park, Sector 39, Gurgaon]
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- i Start of Timed Wait. Seconds: 5
- i End of Timed Wait. Actual duration(seconds): 5.005
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

#### Call the placeOrder method

0 14:00:48(01:13.341)

- ① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method?pageId=pageobjects.CheckoutPage&operation=placeOrder, before wait: null, after wait: ui:wait:timed?seconds=5, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.CheckoutPage&operation=placeOrder
- ① Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/checkout
- Doing before wait. waitUrl: default
- ① End of <default&gt; wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- (i) Got Page Object. Class: pageobjects.CheckoutPage
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- i Start of Timed Wait. Seconds: 5
- 1 End of Timed Wait. Actual duration(seconds): 5.007
- (i) Going to update browser window handles.
- Update browser window handles.
- 1 Successfully updated browser window handles.

#### On Confirmation Page page

0 14:00:53(01:18.497)

- ① Start of With Screen. Connection Name: UI\_Connection, target: ui:pageobject:target?pageId=pageobjects.ConfirmationPage
- (i) Not navigating because Navigate=Dont.
- ① Opening Page context. Name: screen, data: pageobjects.ConfirmationPage@42125e5d, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.

- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- (i) Going to update browser window handles.
- W Update browser window handles.
- ① Successfully updated browser window handles.
- Sub Steps
  § 14:00:53(01:18.528)
  - Call the logout method

- 0 14:00:53(01:18.528)
- ① Start of Interact. Connection: UI\_Connection, Locator: ui:pageobject:method?pageId=pageobjects.ConfirmationPage&operation=logout, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.ConfirmationPage&operation=logout
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/thanks
- ① Doing before wait. waitUrl: default
- End of <default&gt; wait.
- i Doing after wait. waitUrl: default
- (i) Got Page Object. Class: pageobjects.ConfirmationPage
- i Doing after wait. waitUrl: default
- ① End of <default&gt; wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.