Test Run Report




Test Run Overview

Started 23 Sep 2024, 14:05:30 Ended 23 Sep 2024, 14:05:56


Duration (mm:ss) 00:25.890

Test Results Summary

Passed 2 Failed 0 Skipped 0



Test Case Summary



Main_Task.testcase

Summary

Started 23 Sep 2024, 14:05:30 Ended 23 Sep 2024, 14:05:50

Duration (mm:ss) 00:19.810
Outcome successful

- (i) Loading data from Parameter Value Source ...
- 1: Loading Parameter Value Source row 1:
- ① ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> Email = PrimitiveValueImpl [value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V6jdJQAR, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zKp6QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 2:
- 1 ==Column=> Name = PrimitiveValueImpl [value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Phone = PrimitiveValueImpl [value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Email = PrimitiveValueImpl [value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V6RzpQAF, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zGGBQA2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

0 14:05:30(00:00.017)

0 14:05:39(00:09.047)

1 Loaded 2 rows from Parameter Value Source.

Output

- Salesforce Connect: SalesforceConnection (Test)
 - (i) AutoRetry overrides:
 - ① AutoRetry overrides:
 - (i) Connecting to Salesforce as SalesforceConnection
 - ① Successfully connected to Salesforce as SalesforceConnection
- Read Excel
 - (1) Loading data from Parameter Value Source ...
 - 1 Loading Parameter Value Source row 1:
 - 1 ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Rating = PrimitiveValueImpl [value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Phone = PrimitiveValueImpl [value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1] ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ==Column=> Email = PrimitiveValueImpl [value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V6jdJQAR, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zKp6QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 Loading Parameter Value Source row 2:
 - ① ==Column=> Name = PrimitiveValueImpl [value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

1 ==Column=> Phone = PrimitiveValueImpl [value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> Email = PrimitiveValueImpl [value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V6RzpQAF, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zGGBQA2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 Loaded 2 rows from Parameter Value Source. 0 14:05:39(00:09.083) Steps 0 14:05:39(00:09.083) SOQL Query: select Name from Account=>AccountRows 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Query: select Name from Account (i) Query successful. Row Count: 26. 0 14:05:39(00:09.252) Set Values: AccountNames Setting value AccountNames to 26 ① Successfully set AccountNames to 26 0 14:05:39(00:09.265) Compare: {AccountRows}=>{AccountRows} (i) Comparing List 1 row 1. Match key: (i) Matched List 1 row 1 to List 2 row 1., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Edge Communications, List 2 value: Edge Communications (i) List 1 row 1 was successfully compared against List 2 row 1 ① Comparing List 1 row 2. Match key: (i) Matched List 1 row 2 to List 2 row 2., Match key: (1) Comparing column Id. List 1 value: null, List 2 value: null 1 Comparing column Name. List 1 value: Burlington Textiles Corp of America, List 2 value: Burlington Textiles Corp of America i List 1 row 2 was successfully compared against List 2 row 2 (i) Comparing List 1 row 3. Match key: 1 Matched List 1 row 3 to List 2 row 3., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Pyramid Construction Inc., List 2 value: Pyramid Construction Inc. 1 List 1 row 3 was successfully compared against List 2 row 3 (i) Comparing List 1 row 4. Match key: (i) Matched List 1 row 4 to List 2 row 4., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Dickenson plc, List 2 value: Dickenson plc i List 1 row 4 was successfully compared against List 2 row 4 ① Comparing List 1 row 5. Match key: (i) Matched List 1 row 5 to List 2 row 5., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Grand Hotels & Resorts Ltd, List 2 value: Grand Hotels & Resorts Ltd ① List 1 row 5 was successfully compared against List 2 row 5 (i) Comparing List 1 row 6. Match key: (i) Matched List 1 row 6 to List 2 row 6., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: United Oil & Gas Corp., List 2 value: United Oil & Gas Corp. 1 List 1 row 6 was successfully compared against List 2 row 6 (i) Comparing List 1 row 7. Match key: (i) Matched List 1 row 7 to List 2 row 7., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Express Logistics and Transport, List 2 value: Express Logistics and Transport
- ① List 1 row 7 was successfully compared against List 2 row 7
- (i) Comparing List 1 row 8. Match key:
- (i) Matched List 1 row 8 to List 2 row 8., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: University of Arizona, List 2 value: University of Arizona
- (i) List 1 row 8 was successfully compared against List 2 row 8
- ① Comparing List 1 row 9. Match key:
- (i) Matched List 1 row 9 to List 2 row 9., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, UK, List 2 value: United Oil & Gas, UK
- 1 List 1 row 9 was successfully compared against List 2 row 9
- (i) Comparing List 1 row 10. Match key:
- (i) Matched List 1 row 10 to List 2 row 10., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, Singapore, List 2 value: United Oil & Gas, Singapore
- ① List 1 row 10 was successfully compared against List 2 row 10
- (i) Comparing List 1 row 11. Match key:
- (1) Matched List 1 row 11 to List 2 row 11., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: GenePoint, List 2 value: GenePoint
- 1 List 1 row 11 was successfully compared against List 2 row 11
- ① Comparing List 1 row 12. Match key:
- ① Matched List 1 row 12 to List 2 row 12., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: sForce, List 2 value: sForce
- 1 List 1 row 12 was successfully compared against List 2 row 12
- (i) Comparing List 1 row 13. Match key:
- (1) Matched List 1 row 13 to List 2 row 13., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- 1 Comparing column Name. List 1 value: Sample Account for Entitlements, List 2 value: Sample Account for Entitlements
- ① List 1 row 13 was successfully compared against List 2 row 13
- ① Comparing List 1 row 14. Match key:
- ① Matched List 1 row 14 to List 2 row 14., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: OM & co., List 2 value: OM & co.
- 1 List 1 row 14 was successfully compared against List 2 row 14
- ① Comparing List 1 row 15. Match key:
- 1 Matched List 1 row 15 to List 2 row 15., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Anubhav & co., List 2 value: Anubhav & co.
- 1 List 1 row 15 was successfully compared against List 2 row 15
- ① Comparing List 1 row 16. Match key:
- ① Matched List 1 row 16 to List 2 row 16., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Strider Bank (ref : LZ9OXXCUNAVX), List 2 value: Strider Bank (ref : LZ9OXXCUNAVX)
- 1 List 1 row 16 was successfully compared against List 2 row 16
- ① Comparing List 1 row 17. Match key:
- ① Matched List 1 row 17 to List 2 row 17., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 17 was successfully compared against List 2 row 17
- ① Comparing List 1 row 18. Match key:
- (i) Matched List 1 row 18 to List 2 row 18., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- (i) List 1 row 18 was successfully compared against List 2 row 18
- ① Comparing List 1 row 19. Match key:
- 1 Matched List 1 row 19 to List 2 row 19., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 19 was successfully compared against List 2 row 19
- (i) Comparing List 1 row 20. Match key:
- (i) Matched List 1 row 20 to List 2 row 20., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: Anubhav, List 2 value: Anubhav
- (i) List 1 row 20 was successfully compared against List 2 row 20
- ① Comparing List 1 row 21. Match key:
- (i) Matched List 1 row 21 to List 2 row 21., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 21 was successfully compared against List 2 row 21
- (i) Comparing List 1 row 22. Match key:
- (1) Matched List 1 row 22 to List 2 row 22., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 22 was successfully compared against List 2 row 22
- ① Comparing List 1 row 23. Match key:
- ① Matched List 1 row 23 to List 2 row 23., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- ① List 1 row 23 was successfully compared against List 2 row 23
- ① Comparing List 1 row 24. Match key:
- (i) Matched List 1 row 24 to List 2 row 24., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 24 was successfully compared against List 2 row 24
- ① Comparing List 1 row 25. Match key:
- ① Matched List 1 row 25 to List 2 row 25., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 25 was successfully compared against List 2 row 25
- (i) Comparing List 1 row 26. Match key:
- (i) Matched List 1 row 26 to List 2 row 26., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 26 was successfully compared against List 2 row 26
- For Each: {SourceData}=>Row
 - ① Start of iteration 1 of 2.
 - ① Start of iteration 2 of 2.
 - i Reached the end of the List.
 - Iteration 1

14:05:39(00:09.283)14:05:39(00:09.283)

0 14:05:39(00:09.283)

- Call CallableAccountCreation
 - (i) Handling managed resource. Name: SalesforceConnection
 - (1) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 23 Sep 2024, 14:05:39 Ended 23 Sep 2024, 14:05:45

Duration (mm:ss) 00:05.146
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 14:05:39(00:09.283)

- (i) Connecting to Salesforce as SalesforceConnection
- ① Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

- 0 14:05:39(00:09.298)
- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- ⚠ Failed to connect to Master Lock Manager assuming dead. Host: localhost, port: 63767, cause: Connection refused: no further information
- (i) Setting fields:
- (i) =Field=> SLASerialNumber__c = ABCDE
- ① =Field=> Phone = 7078466107
- i =Field=> Rating = Cold
- i =Field=> Name = Anubhav & co.
- Account created successfully. Object Id: 001dL00000V6TzzQAF, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V6TzzQAF
- Call CallableCreateContact

0 14:05:45(00:14.433)

- 1 Handling managed resource. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 23 Sep 2024, 14:05:45 Ended 23 Sep 2024, 14:05:45

Duration (mm:ss) 00:00.463
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 14:05:45(00:14.434)

- (i) Connecting to Salesforce as SalesforceConnection
- (1) Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 14:05:45(00:14.440)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- ③ Setting fields:
- 1 =Field=> AccountId = 001dL00000V6TzzQAF
- i =Field=> Email = om_11@gmail.com
- 1 =Field=> FirstName = Om
- (i) =Field=> Phone = 7078466107
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL000008zPEgQAM, Result Name: ContactId
- ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zPEgQAM
- Read Object: Contact = 003dL000008zPEgQAM

0 14:05:45(00:14.896)

- ① Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zPEgQAM, field count: 3
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'om_11@gmail.com' = 'om_11@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000V6TzzQAF' = '001dL00000V6TzzQAF'
- Result assertion 'Check Phone' successful: '7078466107' = '7078466107'
- Set Values: Var.SLA SerialNo

14:05:45(00:15.180)

- (i) Setting value Var.AccountID to 001dL00000V6TzzQAF
- Successfully set Var.AccountID to 001dL00000V6TzzQAF
- (i) Setting value Var.ContactID to 003dL000008zPEgQAM
- Successfully set Var.ContactID to 003dL000008zPEgQAM
- ① Setting value Var.SLA_SerialNo to ABCDE
- (i) Successfully set Var.SLA_SerialNo to ABCDE
- Write: {Var}=>templates/DATA.xlsx

() 14:05:45(00:15.196)

- (i) Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- ① Workbook location: C:\Users\anubhav.gupta\Provar\Workspace_2\LearningProvar\templates\DATA.xlsx
- ① Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "ABCDE"}
- i) The match locator matched 1 row(s).
- Updating data in excel sheet: Day-01
- Updated data in excel sheet: Day-01
- Delete Object: 003dL000008zPEgQAM

0 14:05:47(00:16.928)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zPEgQAM
- (i) Object deleted successfully. Object Id: 003dL000008zPEgQAM

- Delete Object: 001dL00000V6TzzQAF
 - ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V6TzzQAF
 - ① Object deleted successfully. Object Id: 001dL00000V6TzzQAF
- Iteration 2

0 14:05:48(00:17.857)

0 14:05:48(00:17.461)

0 14:05:48(00:17.857)

- Call CallableAccountCreation
 - (i) Handling managed resource. Name: SalesforceConnection
 - (1) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 23 Sep 2024, 14:05:48 Ended 23 Sep 2024, 14:05:48

Duration (mm:ss) 00:00.442
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 14:05:48(00:17.858)

- (i) Connecting to Salesforce as SalesforceConnection
- ① Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

- 0 14:05:48(00:17.867)
- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- Setting fields:
- =Field=> SLASerialNumber_c = FGHIJ
- (i) =Field=> Phone = 7451046311
- i =Field=> Rating = Hot
- 1 =Field=> Name = OM & co.
- Account created successfully. Object Id: 001dL00000V6dw6QAB, Result Name: AccountId
- Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V6dw6QAB
- Call CallableCreateContact

0 14:05:48(00:18.304)

- ① Handling managed resource. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 23 Sep 2024, 14:05:48 Ended 23 Sep 2024, 14:05:49

Duration (mm:ss) 00:00.497
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 14:05:48(00:18.304)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection

Create Object: Contact=>ContactId 0 14:05:48(00:18.317) ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6 Setting fields: i =Field=> AccountId = 001dL00000V6dw6QAB 1 = Field => Email = anubhav_12@gmail.com i =Field=> FirstName = Om 1 =Field=> Phone = 7451046311 i =Field=> LastName = Gupta i =Field=> Salutation = Mr. Contact created successfully. Object Id: 003dL000008zQozQAE, Result Name: ContactId Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zQozQAE 0 14:05:49(00:18.801) Read Object: Contact = 003dL000008zQozQAE ① Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zQozQAE, field count: 3 (i) Object read successfully. Result Name: ContactRead Result assertion 'Check Email' successful: 'anubhav 12@gmail.com' = 'anubhav 12@gmail.com' Result assertion 'Check AccountId' successful: '001dL00000V6dw6QAB' = '001dL00000V6dw6QAB' Result assertion 'Check Phone' successful: '7451046311' = '7451046311' 0 14:05:49(00:19.060) Set Values: Var.SLA_SerialNo (i) Setting value Var.AccountID to 001dL00000V6dw6QAB (i) Successfully set Var.AccountID to 001dL00000V6dw6QAB Setting value Var.ContactID to 003dL000008zQozQAE Successfully set Var.ContactID to 003dL000008zQozQAE (i) Setting value Var.SLA_SerialNo to FGHIJ (i) Successfully set Var.SLA_SerialNo to FGHIJ Write: {Var}=>templates/DATA.xlsx 0 14:05:49(00:19.060) Writing to URL templates/DATA.xlsx ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none] ① Workbook location: C:\Users\anubhav.gupta\Provar\Workspace_2\LearningProvar\templates\DATA.xlsx ① Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "FGHIJ"} 1 The match locator matched 1 row(s). Updating data in excel sheet: Day-01 ① Updated data in excel sheet: Day-01 Delete Object: 003dL000008zQozQAE 0 14:05:49(00:19.161) 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zQozQAE (i) Object deleted successfully. Object Id: 003dL000008zQozQAE Delete Object: 001dL00000V6dw6QAB 0 14:05:50(00:19.513) 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V6dw6QAB

TableTesting.testcase

Summary

Started 23 Sep 2024, 14:05:50 Ended 23 Sep 2024, 14:05:56

(i) Object deleted successfully. Object Id: 001dL00000V6dw6QAB

Duration (mm:ss) 00:05.963
Outcome successful

Output

 Salesforce Connect: SalesforceConnection (Test) ① Connecting to Salesforce as SalesforceConnection 	() 14:05:50(00:19.941)
Successfully connected to Salesforce as SalesforceConnection	
UI Connect: HTML_Tables	0 14:05:56(00:25.762)
Set Values: a	14:05:56(00:25.762)
On HTMLTablePage page	0 14:05:56(00:25.762)
 SOQL Query: SELECT COUNT(Id), Name FROM Account GROUP BY Name=>AccountRows 	() 14:05:56(00:25.762)
① Reading a Salesforce object. Connection Name: SalesforceConnection, Query: SELECT COUNT(Id), Name FROM Account GROUP BY Name	

- ① Query successful. Row Count: 18.