Test Run Report




Test Run Overview

Started 23 Sep 2024, 13:37:23 Ended 23 Sep 2024, 13:38:57


Duration (mm:ss) 01:34.367

Test Results Summary

Passed 2 Failed 0 Skipped 0



Test Case Summary



Main_Task.testcase

Summary

Started 23 Sep 2024, 13:37:23 Ended 23 Sep 2024, 13:37:41

Duration (mm:ss) 00:18.128
Outcome successful

- (i) Loading data from Parameter Value Source ...
- 1: Loading Parameter Value Source row 1:
- ① ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Rating = PrimitiveValueImpl [value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> Email = PrimitiveValueImpl [value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V6ZFmQAN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008zCipQAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 2:
- 1 ==Column=> Name = PrimitiveValueImpl [value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Phone = PrimitiveValueImpl [value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Email = PrimitiveValueImpl [value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000V5JvPQAV, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL000008z1SIQAI, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 2 rows from Parameter Value Source.

Output

- Salesforce Connect: SalesforceConnection (Test)
 - AutoRetry overrides:
 - -Provar global variable, provar_autoretry_timeout : 30
 - -Provar global variable, provar_autoretry_override : ENABLE_ALL
 - ① AutoRetry overrides:
 - (i) Connecting to Salesforce as SalesforceConnection
 - ▼ Connection details. Connection name: SalesforceConnection, result name: SalesforceConnection, result scope: Test, urlString: sf:user=anubhav.gupta@sandbox.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: QA, userName: anubhav.gupta@sandbox.com, password: [supplied] securityToken: [supplied]
 - * Create object id log file.
 - Opening Partner connection
 - Opening SOAP connection
 - Opening Metadata connection
 - (i) Successfully connected to Salesforce as SalesforceConnection
- Read Excel

0 13:37:30(00:07.907)

0 13:37:23(00:00.015)

- (i) Loading data from Parameter Value Source ...
- ① Loading Parameter Value Source row 1:
- 🗓 ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

```
1 ==Column=> Rating = PrimitiveValueImpl [ value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Phone = PrimitiveValueImpl [ value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [ value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Email = PrimitiveValueImpl [ value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1
   1 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000V6ZFmQAN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008zCipQAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   (i) Loading Parameter Value Source row 2:
    1 ==Column=> Name = PrimitiveValueImpl [ value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Rating = PrimitiveValueImpl [ value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Phone = PrimitiveValueImpl [ value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> SLA_SerialNo = PrimitiveValueImpl [ value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Email = PrimitiveValueImpl [ value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1
   🗓 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000V5JvPQAV, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008z1SIQAI, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 Loaded 2 rows from Parameter Value Source.
                                                                                                                               0 13:37:31(00:07.939)
    Steps
                                                                                                                               0 13:37:31(00:07.939)
  SOQL Query: select Name from Account=>AccountRows
   1 Reading a Salesforce object. Connection Name: SalesforceConnection, Query: select Name from Account
   (i) Query successful. Row Count: 26.
                                                                                                                               0 13:37:31(00:08.096)
Set Values: AccountNames
   ① Setting value AccountNames to 26
    Configuration: ValueScope:Test

    Successfully set AccountNames to 26

                                                                                                                               0 13:37:31(00:08.124)
  Compare: {AccountRows}=>{AccountRows}
   (i) Comparing List 1 row 1. Match key:
    1 Matched List 1 row 1 to List 2 row 1., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
   ① Comparing column Name. List 1 value: Edge Communications, List 2 value: Edge Communications
   1 List 1 row 1 was successfully compared against List 2 row 1
   (i) Comparing List 1 row 2. Match key:
    (i) Matched List 1 row 2 to List 2 row 2., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
    🗓 Comparing column Name. List 1 value: Burlington Textiles Corp of America, List 2 value: Burlington Textiles Corp of America
   i List 1 row 2 was successfully compared against List 2 row 2
   (i) Comparing List 1 row 3. Match key:
   (i) Matched List 1 row 3 to List 2 row 3., Match key:
    (1) Comparing column Id. List 1 value: null, List 2 value: null
   (i) Comparing column Name. List 1 value: Pyramid Construction Inc., List 2 value: Pyramid Construction Inc.
   i List 1 row 3 was successfully compared against List 2 row 3
    (i) Comparing List 1 row 4. Match key:
   (i) Matched List 1 row 4 to List 2 row 4., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
   ① Comparing column Name. List 1 value: Dickenson plc, List 2 value: Dickenson plc
   1 List 1 row 4 was successfully compared against List 2 row 4
   (i) Comparing List 1 row 5. Match key:
    (i) Matched List 1 row 5 to List 2 row 5., Match key:
```

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Grand Hotels & Resorts Ltd, List 2 value: Grand Hotels & Resorts Ltd
- ① List 1 row 5 was successfully compared against List 2 row 5
- (i) Comparing List 1 row 6. Match key:
- ① Matched List 1 row 6 to List 2 row 6., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas Corp., List 2 value: United Oil & Gas Corp.
- (i) List 1 row 6 was successfully compared against List 2 row 6
- ① Comparing List 1 row 7. Match key:
- 1 Matched List 1 row 7 to List 2 row 7., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- 1 Comparing column Name. List 1 value: Express Logistics and Transport, List 2 value: Express Logistics and Transport
- 1 List 1 row 7 was successfully compared against List 2 row 7
- (i) Comparing List 1 row 8. Match key:
- (i) Matched List 1 row 8 to List 2 row 8., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: University of Arizona, List 2 value: University of Arizona
- ① List 1 row 8 was successfully compared against List 2 row 8
- (i) Comparing List 1 row 9. Match key:
- (i) Matched List 1 row 9 to List 2 row 9., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, UK, List 2 value: United Oil & Gas, UK
- 1 List 1 row 9 was successfully compared against List 2 row 9
- ① Comparing List 1 row 10. Match key:
- ① Matched List 1 row 10 to List 2 row 10., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, Singapore, List 2 value: United Oil & Gas, Singapore
- 1 List 1 row 10 was successfully compared against List 2 row 10
- (i) Comparing List 1 row 11. Match key:
- (1) Matched List 1 row 11 to List 2 row 11., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: GenePoint, List 2 value: GenePoint
- 1 List 1 row 11 was successfully compared against List 2 row 11
- ① Comparing List 1 row 12. Match key:
- ① Matched List 1 row 12 to List 2 row 12., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: sForce, List 2 value: sForce
- 1 List 1 row 12 was successfully compared against List 2 row 12
- (i) Comparing List 1 row 13. Match key:
- (i) Matched List 1 row 13 to List 2 row 13., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Sample Account for Entitlements, List 2 value: Sample Account for Entitlements
- 1 List 1 row 13 was successfully compared against List 2 row 13
- ① Comparing List 1 row 14. Match key:
- ① Matched List 1 row 14 to List 2 row 14., Match key:

- (i) Comparing column Id. List 1 value: null, List 2 value: null
- (i) Comparing column Name. List 1 value: OM & co., List 2 value: OM & co.
- 1 List 1 row 14 was successfully compared against List 2 row 14
- (i) Comparing List 1 row 15. Match key:
- (1) Matched List 1 row 15 to List 2 row 15., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Anubhav & co., List 2 value: Anubhav & co.
- 15 List 1 row 15 was successfully compared against List 2 row 15
- ① Comparing List 1 row 16. Match key:
- (i) Matched List 1 row 16 to List 2 row 16., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Strider Bank (ref : LZ9OXXCUNAVX), List 2 value: Strider Bank (ref : LZ9OXXCUNAVX)
- 1 List 1 row 16 was successfully compared against List 2 row 16
- (i) Comparing List 1 row 17. Match key:
- (1) Matched List 1 row 17 to List 2 row 17., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- i List 1 row 17 was successfully compared against List 2 row 17
- (i) Comparing List 1 row 18. Match key:
- (i) Matched List 1 row 18 to List 2 row 18., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- ① List 1 row 18 was successfully compared against List 2 row 18
- ① Comparing List 1 row 19. Match key:
- ① Matched List 1 row 19 to List 2 row 19., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 19 was successfully compared against List 2 row 19
- (i) Comparing List 1 row 20. Match key:
- (1) Matched List 1 row 20 to List 2 row 20., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: Anubhav, List 2 value: Anubhav
- 1 List 1 row 20 was successfully compared against List 2 row 20
- ① Comparing List 1 row 21. Match key:
- ① Matched List 1 row 21 to List 2 row 21., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 21 was successfully compared against List 2 row 21
- ① Comparing List 1 row 22. Match key:
- (i) Matched List 1 row 22 to List 2 row 22., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 22 was successfully compared against List 2 row 22
- (i) Comparing List 1 row 23. Match key:
- (i) Matched List 1 row 23 to List 2 row 23., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 23 was successfully compared against List 2 row 23
- (i) Comparing List 1 row 24. Match key:
- ① Matched List 1 row 24 to List 2 row 24., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 24 was successfully compared against List 2 row 24
- ① Comparing List 1 row 25. Match key:
- 1 Matched List 1 row 25 to List 2 row 25., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- ① List 1 row 25 was successfully compared against List 2 row 25
- (i) Comparing List 1 row 26. Match key:
- 1 Matched List 1 row 26 to List 2 row 26., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 26 was successfully compared against List 2 row 26
- For Each: {SourceData}=>Row
 - (i) Start of iteration 1 of 2.
 - (i) Start of iteration 2 of 2.
 - 1 Reached the end of the List.
 - Iteration 1
 - Call CallableAccountCreation
 - 1 Handling managed resource. Name: SalesforceConnection
 - *Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
 - 1 Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 23 Sep 2024, 13:37:31 Ended 23 Sep 2024, 13:37:36

Duration (mm:ss) 00:04.866

Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 13:37:31(00:08.155)

@ 13:37:31(00:08.161)

0 13:37:31(00:08.148)

0 13:37:31(00:08.155)

0 13:37:31(00:08.155)

- ① Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4

⚠ Failed to connect to Master Lock Manager - assuming dead. Host: localhost, port: 62228, cause: Connection refused: no further information

- (i) Setting fields:
- i =Field=> SLASerialNumber_c = ABCDE

- (i) =Field=> Phone = 7078466107
- i =Field=> Rating = Cold
- i =Field=> Name = Anubhav & co.
- Account created successfully. Object Id: 001dL00000V5Vm6QAF, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V5Vm6QAF

Call CallableCreateContact

0 13:37:36(00:13.034)

- (i) Handling managed resource. Name: SalesforceConnection
- ▼ Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 23 Sep 2024, 13:37:36 Ended 23 Sep 2024, 13:37:36

Duration (mm:ss) 00:00.466
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 13:37:36(00:13.037)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 13:37:36(00:13.037)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- (i) Setting fields:
- i =Field=> AccountId = 001dL00000V5Vm6QAF
- i =Field=> Email = om_11@gmail.com
- i =Field=> FirstName = Om
- i =Field=> Phone = 7078466107
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL000008zNXIQAM, Result Name: ContactId
- ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zNXIQAM

Read Object: Contact = 003dL000008zNXIQAM

0 13:37:36(00:13.513)

- 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zNXIQAM, field count: 3
- Executing SOQL query: select Email, AccountId, Phone from Contact where id = '003dL000008zNXIQAM'
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'om_11@gmail.com' = 'om_11@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000V5Vm6QAF' = '001dL00000V5Vm6QAF'
- Result assertion 'Check Phone' successful: '7078466107' = '7078466107'

Set Values: Var.SLA_SerialNo

0 13:37:36(00:13.854)

- ① Setting value Var.AccountID to 001dL00000V5Vm6QAF
- Configuration: ValueScope:Test
- (i) Successfully set Var.AccountID to 001dL00000V5Vm6QAF
- (i) Setting value Var.ContactID to 003dL000008zNXIQAM

- Configuration: ValueScope:Test
- Successfully set Var.ContactID to 003dL000008zNXIQAM
- (i) Setting value Var.SLA_SerialNo to ABCDE
- Configuration: ValueScope:Test
- (i) Successfully set Var.SLA_SerialNo to ABCDE
- Write: {Var}=>templates/DATA.xlsx

0 13:37:36(00:13.869)

- Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- Workbook location: C:\Users\anubhav.gupta\Provar\Workspace_2\LearningProvar\templates\DATA.xlsx
- ① Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "ABCDE"}
- 1 The match locator matched 1 row(s).
- ① Updating data in excel sheet: Day-01
- ① Updated data in excel sheet: Day-01
- Delete Obiect: 003dL000008zNXIQAM

0 13:37:38(00:15.124)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zNXIQAM
- (i) Object deleted successfully. Object Id: 003dL000008zNXIQAM
- Delete Object: 001dL00000V5Vm6QAF

0 13:37:38(00:15.473)

0 13:37:39(00:15.933)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V5Vm6QAF
- (1) Object deleted successfully. Object Id: 001dL00000V5Vm6QAF
- Iteration 2 0 13:37:39(00:15.933)
 - Call CallableAccountCreation
 - 1 Handling managed resource. Name: SalesforceConnection
 - *Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
 - (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 23 Sep 2024, 13:37:39 Ended 23 Sep 2024, 13:37:39

Duration 00:00.427 (mm:ss) Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 13:37:39(00:15.933)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection

① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4

Create Object: Account=>AccountId

0 13:37:39(00:15.948)

- Setting fields:
- i =Field=> SLASerialNumber c = FGHIJ
- (i) =Field=> Phone = 7451046311
- i =Field=> Rating = Hot
- i =Field=> Name = OM & co.
- Account created successfully. Object Id: 001dL00000V6E1eQAF, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000V6E1eQAF

- Call CallableCreateContact
 - 1 Handling managed resource. Name: SalesforceConnection
 - *Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
 - (1) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 23 Sep 2024, 13:37:39 Ended 23 Sep 2024, 13:37:39

Duration (mm:ss) 00:00.511
Outcome successful

Output

- Salesforce Connect: SalesforceConnection (Test)
 - (i) Connecting to Salesforce as SalesforceConnection
 - 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 13:37:39(00:16.378)

0 13:37:39(00:16.378)

0 13:37:39(00:16.378)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- Setting fields:
- i =Field=> AccountId = 001dL00000V6E1eQAF
- i =Field=> Email = anubhav_12@gmail.com
- i =Field=> FirstName = Om
- 1 = Field => Phone = 7451046311
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL000008zDIIQA2, Result Name: ContactId
- ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008zDIIQA2
- Read Object: Contact = 003dL000008zDIIQA2

0 13:37:39(00:16.902)

0 13:37:40(00:17.251)

- ① Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008zDIIQA2, field count: 3
- Executing SOQL query: select Email, AccountId, Phone from Contact where id = '003dL000008zDIIQA2'
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'anubhav_12@gmail.com' = 'anubhav_12@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000V6E1eQAF' = '001dL00000V6E1eQAF'
- Result assertion 'Check Phone' successful: '7451046311' = '7451046311'
- Set Values: Var.SLA SerialNo
 - Setting value Var.AccountID to 001dL00000V6E1eQAF
 - Configuration: ValueScope:Test
 - Successfully set Var.AccountID to 001dL00000V6E1eQAF
 - Setting value Var.ContactID to 003dL000008zDIIQA2
 - ❖ Configuration: ValueScope:Test
 - (i) Successfully set Var.ContactID to 003dL000008zDIIQA2
 - (1) Setting value Var.SLA_SerialNo to FGHIJ
 - Configuration: ValueScope:Test
 - (i) Successfully set Var.SLA_SerialNo to FGHIJ
- Write: {Var}=>templates/DATA.xlsx

- Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- ① Workbook location: C:\Users\anubhav.gupta\Provar\Workspace_2\LearningProvar\templates\DATA.xlsx
- Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "FGHIJ"}
- i) The match locator matched 1 row(s).
- ① Updating data in excel sheet: Day-01
- ① Updated data in excel sheet: Day-01
- Delete Object: 003dL000008zDIIQA2

0 13:37:40(00:17.360)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008zDIIQA2
- (i) Object deleted successfully. Object Id: 003dL000008zDIIQA2
- Delete Object: 001dL00000V6E1eQAF

0 13:37:40(00:17.698)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000V6E1eQAF
- (i) Object deleted successfully. Object Id: 001dL00000V6E1eQAF

UITestingDemo.testcase

Summary

Started 23 Sep 2024, 13:37:41 Ended 23 Sep 2024, 13:38:57

Duration (mm:ss) 01:16.145
Outcome successful

Output

UI Connect: UI Connection

0 13:37:41(00:18.222)

- ① Opening Selenium Connection. Connection Name: UI_Connection, Base URL: https://crio-qkart-frontend-qa.vercel.app/, Private Browsing Mode: false
- ① Opening Chrome webdriver instance to https://crio-qkart-frontend-qa.vercel.app/
- * Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://crio-qkart-frontend-qa.vercel.app/
- (i) Selenium Connection opened successfully.
- ① UI Connect step is success
- Connection Name: UI_Connection Url : https://crio-qkart-frontend-qa.vercel.app/
- i UI Connect step is success
- Set Values: Password

0 13:37:43(00:20.120)

- Setting value Password to Anubhav@11
- Configuration: ValueScope:Test
- ① Successfully set Password to Anubhav@11
- Set Values: Username

• 13:37:43(00:20.127)

- Setting value Username to M1EQ5VN6C7ID
- Configuration: ValueScope:Test
- ① Successfully set Username to M1EQ5VN6C7ID
- On LoginRegisterPage page

0 13:37:43(00:20.142)

- 1 Start of With Screen. Connection Name: UI_Connection, target: ui:pageobject:target?pageId=pageobjects.LoginRegisterPage
- (i) Navigating to URL: https://crio-qkart-frontend-qa.vercel.app/
- ① Opening Page context. Name: screen, data: pageobjects.LoginRegisterPage@61345f61, frame: null
- Going to update browser window handles.
- Update browser window handles.

- Successfully updated browser window handles.
- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

Sub Steps o 13:37:43(00:20.683)

Call the Register method

0 13:37:43(00:20.683)

- ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Register, before wait: ui:wait: ui:wait: ui:wait: timed?seconds=10, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Register
- ① Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Got Page Object. Class: pageobjects.LoginRegisterPage
- ① Extracted arg value. Arg Name: param_user, value: M1EQ5VN6C7ID
- ① Extracted arg value. Arg Name: param_pass, value: Anubhav@11
- i Doing after wait. waitUrl: ui:wait:timed?seconds=10
- Start of Timed Wait. Seconds: 10
- i End of Timed Wait. Actual duration(seconds): 10.007
- (i) Going to update browser window handles.
- Update browser window handles.
- ① Successfully updated browser window handles.

Call the Login method

0 13:37:54(00:31.564)

- ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Login, before wait: null, after wait: ui:wait:timed?seconds=10, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.LoginRegisterPage&operation=Login
- i Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/login
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- ① Got Page Object. Class: pageobjects.LoginRegisterPage
- ① Extracted arg value. Arg Name: param_user, value: M1EQ5VN6C7ID
- ① Extracted arg value. Arg Name: param_pass, value: Anubhav@11
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- i Start of Timed Wait. Seconds: 10
- ① End of Timed Wait. Actual duration(seconds): 10.008
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On Home Page page

0 13:38:04(00:41.892)

- ① Start of With Screen. Connection Name: UI_Connection, target: ui:pageobject:target?pageId=pageobjects.HomePage
- 1 Navigating to URL: https://crio-qkart-frontend-qa.vercel.app/

- ① Opening Page context. Name: screen, data: pageobjects.HomePage@2822a855, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Sub Steps © 13:38:05(00:42.161)

Call the searchitem method

0 13:38:05(00:42.164)

- ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=searchItem, before wait: ui:wait: ui:wait:timed?seconds=10, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=searchItem
- i Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/
- (i) Doing before wait. waitUrl: default
- i End of <default> wait.
- i Doing after wait. waitUrl: ui:wait:timed?seconds=10
- (i) Got Page Object. Class: pageobjects.HomePage
- ① Extracted arg value. Arg Name: param_productName, value: Sofa
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=10
- ① Start of Timed Wait. Seconds: 10
- ① End of Timed Wait. Actual duration(seconds): 10.008
- (i) Going to update browser window handles.
- Update browser window handles.
- 1 Successfully updated browser window handles.

Call the AddToCart method

0 13:38:15(00:52.316)

- ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=AddToCart, before wait: ui:wait: ui:wait:timed?seconds=5, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=AddToCart
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- (i) Got Page Object. Class: pageobjects.HomePage
- (i) Extracted arg value. Arg Name: param_productName, value: Sofa
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- ① Start of Timed Wait. Seconds: 5
- ① End of Timed Wait. Actual duration(seconds): 5.004
- Going to update browser window handles.
- W Update browser window handles.
- (i) Successfully updated browser window handles.

Call the goToCheckOutPage method

① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method? pageId=pageobjects.HomePage&operation=goToCheckOutPage, before wait: ui:wait:timed?seconds=5, after wait: ui:wait:timed?seconds=5, auto retry: default ① Locator: ui:pageobject:method?pageId=pageobjects.HomePage&operation=goToCheckOutPage ① Interaction: ui:interaction?name=invoke ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/ ① Doing before wait. waitUrl: ui:wait:timed?seconds=5 i Start of Timed Wait. Seconds: 5 1 End of Timed Wait. Actual duration(seconds): 5.014 ① Doing after wait. waitUrl: ui:wait:timed?seconds=5 (i) Got Page Object. Class: pageobjects.HomePage ① Doing after wait. waitUrl: ui:wait:timed?seconds=5 i Start of Timed Wait. Seconds: 5 (i) End of Timed Wait. Actual duration(seconds): 5.014 Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. On Checkout Page page 0 13:38:30(01:07.637) ① Start of With Screen. Connection Name: UI_Connection, target: ui:pageobject:target?pageId=pageobjects.CheckoutPage 1 Not navigating because Navigate=Dont. ① Opening Page context. Name: screen, data: pageobjects.CheckoutPage@280e9ead, frame: null (i) Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. All Sub-Test Steps were successful. (1) Closing Page context. Name: screen, data: null, frame: null i Main window reselected. Window: main Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. @ 13:38:30(01:07.668) Sub Steps Call the addNewAddress method 0 13:38:30(01:07.668) ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method? pageId=pageobjects.CheckoutPage&operation=addNewAddress, before wait: null, after wait: ui:wait:timed?seconds=10, auto retry: default 1 Locator: ui:pageobject:method?pageId=pageobjects.CheckoutPage&operation=addNewAddress 1 Interaction: ui:interaction?name=invoke ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/checkout Doing before wait. waitUrl: default i End of <default> wait. ① Doing after wait. waitUrl: ui:wait:timed?seconds=10 (i) Got Page Object. Class: pageobjects.CheckoutPage ① Extracted arg value. Arg Name: param_address, value: Tower C, Floor 14, Unitech cyber park, Sector 39, Gurgaon

① Doing after wait. waitUrl: ui:wait:timed?seconds=10

① End of Timed Wait. Actual duration(seconds): 10.004

i Start of Timed Wait. Seconds: 10

Update browser window handles.

(i) Going to update browser window handles.

Successfully updated browser window handles.

Click the Select Address Web Element

① 13:38:41(01:18.021)

- ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:field? field=selectAddressWebElement&pageId=pageobjects.CheckoutPage, before wait: ui:wait:timed?seconds=5, after wait: ui:wait:timed?seconds=5, auto retry: ui:wait:autoRetry:timeout=10
- ① Locator: ui:pageobject:field?field=selectAddressWebElement&pageId=pageobjects.CheckoutPage
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/checkout
- ① Doing before wait. waitUrl: ui:wait:timed?seconds=5
- 1 Start of Timed Wait. Seconds: 5
- 1 End of Timed Wait. Actual duration(seconds): 5.005
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- (1) Hover>Clicking WebElement. WebElement [tag: p, text: Tower C, Floor 14, Unitech cyber park, Sector 39, Gurgaon]
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- ① Start of Timed Wait. Seconds: 5
- 1 End of Timed Wait. Actual duration(seconds): 5.01
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Call the placeOrder method

0 13:38:51(01:28.794)

- ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method?pageId=pageobjects.CheckoutPage&operation=placeOrder, before wait: null, after wait: ui:wait:timed?seconds=5, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.CheckoutPage&operation=placeOrder
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/checkout
- i Doing before wait. waitUrl: default
- End of <default> wait.
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- i Got Page Object. Class: pageobjects.CheckoutPage
- ① Doing after wait. waitUrl: ui:wait:timed?seconds=5
- i Start of Timed Wait. Seconds: 5
- (i) End of Timed Wait. Actual duration(seconds): 5.006
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On Confirmation Page page

0 13:38:57(01:33.939)

- ① Start of With Screen. Connection Name: UI_Connection, target: ui:pageobject:target?pageId=pageobjects.ConfirmationPage
- 1 Not navigating because Navigate=Dont.
- ① Opening Page context. Name: screen, data: pageobjects.ConfirmationPage@68a6cd7, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- Going to update browser window handles.
- Update browser window handles.

1 Successfully updated browser window handles.

Sub Steps
 0 13:38:57(01:33.974)

Call the logout method

0 13:38:57(01:33.974)

- ① Start of Interact. Connection: UI_Connection, Locator: ui:pageobject:method?pageId=pageobjects.ConfirmationPage&operation=logout, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:pageobject:method?pageId=pageobjects.ConfirmationPage&operation=logout
- ① Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://crio-qkart-frontend-qa.vercel.app/thanks
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing after wait. waitUrl: default
- (i) Got Page Object. Class: pageobjects.ConfirmationPage
- ① Doing after wait. waitUrl: default
- i) End of <default> wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.