

In this hands-on lab, you will learn how to:

- Set up a react environment
- Use create-react-app

Prerequisites

The following is required to complete this hands-on lab:

- Node.js
- NPM
- Visual Studio Code

Notes

Estimated time to complete this lab: **30 minutes**.

Create a new React Application with the name “myfirstreact”, Run the application to print “welcome to the first session of React” as heading of that page.

1. To create a new React app, Install Nodejs and Npm from the following link:

<https://nodejs.org/en/download/>

2. Install Create-react-app by running the following command in the command prompt:

```
C:>npm install -g create-react-app
```

3. To create a React Application with the name of “myfirstreact”, type the following command:

```
C>npx create-react-app myfirstreact
```

4. Once the App is created, navigate into the folder of myfirstreact by typing the following command:

```
C:>cd myfirstreact
```


5. Open the folder of myfirstreact in Visual Studio Code
6. Open the App.js file in Src Folder of myfirstreact
7. Remove the current content of “App.js”
8. Replace it with the following:

```
function App() {  
  return (  
    <h1> Welcome the first session of React </h1>  
  );  
}
```

9. Run the following command to execute the React application:

```
C:\myfirstreact>npm start
```

10. Open a new browser window and type "localhost:3000" in the address bar



Welcome the first session of React

Hands-on:

Install Create-react-app:

```
PS C:\Users\anuja\Desktop\Cognizant React> npm install -g create-react-app
npm notice
PS C:\Users\anuja\Desktop\Cognizant React> npx create-react-app myfirstreact
create-react-app is deprecated.

You can find a list of up-to-date React frameworks on react.dev
For more info see:https://react.dev/link/cra

This error message will only be shown once per install.

Creating a new React app in C:\Users\anuja\Desktop\Cognizant React\myfirstreact.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1297 packages in 2m

272 packages are looking for funding
  run `npm fund` for details

Initialized a git repository.

Installing template dependencies using npm...

added 17 packages, removed 1 package, and changed 1 package in 8s
```

Create a React Application with the name of “myfirstreact” :

```
PS C:\Users\anuja\Desktop\Cognizant React> npx create-react-app myfirstreact
Happy hacking!
PS C:\Users\anuja\Desktop\Cognizant React> cd myfirstreact
PS C:\Users\anuja\Desktop\Cognizant React\myfirstreact> npm start

> myfirstreact@0.1.0 start
> react-scripts start

(node:30152) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:30152) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated
Starting the development server...
Compiled successfully!


You can now view myfirstreact in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://172.16.156.137:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
Compiling...
```

App.js:



```
myfirstreact > src > JS App.js > App
1 import logo from './logo.svg';
2 import './App.css';
3
4
5 function App() {
6   return (
7     <div className="App">
8       <h1>Welcome to the first session of React</h1>
9     </div>
10   );
11 }
12 export default App;
13
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\lanuja\Desktop\Cognizant React\myfirstreact> npm start

[eslint]

src\App.js

Line 1:8: 'logo' is defined but never used no-unused-vars

Output:



Welcome to the first session of React