

#### Meteorological and seasonal effects

Tide predictions are based on the effects of the gravitational forces exerted by the moon, the sun, and the rotation of the earth, as well as average seasonal changes.

The actual tide height will be a combination of these effects and the weather conditions at the time. The effects of the weather are not included in tide predictions.

Map courtesy of the Pacific Community. Some rights reserved.

Front cover photo courtesy of Arona Ngari. Some rights reserved.

10 highest tides for 2022			10 lowest tides for 2022		
Date	Time	Height (m)	Date	Time	Height (m)
3-Jan	22:16	1.09	18-May	17:43	0.19
4-Jan	23:10	1.09	17-May	16:54	0.19
24-Dec	22:28	1.08	16-Jun	17:28	0.19
25-Dec	23:20	1.08	15-Jun	16:33	0.19
19-Apr	11:31	1.08	26-Nov	5:14	0.2
2-Jan	21:21	1.07	28-Oct	5:33	0.2
22-Mar	12:38	1.07	19-May	18:33	0.2
2-Feb	23:02	1.07	19-Apr	18:01	0.21
25-Nov	22:43	1.07	17-Jun	18:21	0.21
21-Mar	11:58	1.07	29-Oct	6:16	0.21

## Tides and Extreme Tide Events

#### What causes tides?

Tides are the daily rise and fall of sea levels, caused mainly by the gravitational pull of the moon as it revolves around the earth. Tides are also affected by the earth's rotation and the gravitational pull of the sun.






**Figure 1**. Low and high tide in Suva, Fiji. Photo: Molly Powers-Tora (201 8).

### What are spring tides and neap tides?

Spring and neap tides are part of the normal tidal cycle and occur regularly, usually twice per month.

Spring tides are very high tides and very low tides that occur during full and new moon phases, when the gravitational forces of the sun and moon combine to exert a stronger pull on the oceans.

During the moon's quarter phases each month, the sun and moon are at right angles, and the gravitational forces cancel each other out, resulting in lower high tides and higher low tides called neap tides.



**Figure 2**. Spring and neap tides occur every month and correspond with the phases of the moon. Source: www.moononly.com

### What are king tides?

The term king tide is commonly used to describe an especially high spring tide. King tides occur a few times every year, when the gravitational pull of the sun and moon upon the earth is strongest.

This happens when the moon is closest to the earth in its monthly orbit. When this coincides with a spring tide, it will produce an especially high tide, or king tide.

In the Pacific, the highest king tides often occur during the months from November to March, when the earth is also closest to the sun in its annual orbit.

# What do I need to know about king tides?

King tides are a natural part of the tidal cycle and are predictable. A king tide can cause coastal flooding, even on a clear, sunny day.

When king tides coincide with cyclones, floods or storms, water levels can rise significantly, potentially causing damage to property and the coastline. The actual height reached by a king tide will depend on the local weather and ocean conditions on the day.

It is also important to know that king tides have always occurred and are not a result of sea level rise.



**Figure 3.** Strong southeasterly winds and currents combine to create higher than normal tides in Levuka, Fiji. Photo: Molly Powers-Tora (2013).







## Tides and Extreme Tide Events

## How are tides predicted?

The time and approximate heights of tides are very predictable. They follow the laws of physics and can be calculated with mathematical formulas.

By observing and recording tides at a single location over many years, we can gain a better understanding of tides and sea level changes over time.

The Pacific Sea Level and Geodetic Monitoring Project has been recording sea level and weather statistics at 13 Pacific countries for more than 25 years.

These observations tell a story about the sea levels at these locations, such as: How high was the highest tide in Apia? What effect does El Niño have on sea levels in Kiribati? All of this information is also used to verify and improve tide predictions.




**Figure 4**. Technicians working on the Cook Islands tide gauge, which has been monitoring sea level and weather conditions in Rarotonga for over 25 years. Photo: Stamy Criticos (2012).

## Why are some tides higher or lower than predicted?

Tide levels can vary from predicted levels for a number of reasons, including:

- **1.** Geography: The shape of bays and other coastal geography can magnify or otherwise influence water levels.
- 2. Weather: Wind speed and direction, air temperature, barometric pressure and other weather conditions can greatly affect water levels.
- **3.** Waves: Both nearby and faraway events such as storms, landslides and earthquakes can create large waves that lead to coastal flooding.
- **4.** Climate drivers: El Niño or La Niña conditions in the Pacific can raise or lower sea level by as much as 50 cm.
- 5. Sea-level rise: Through assessing observations and research, the Intergovernmental Panel on Climate Change (IPCC) concluded that global average sea levels have been rising at a rate of about 3 mm per year since 1993. Levels were 225 mm higher in 2012 compared to 1880. Sea-level rise can contribute to higher tides, but the rates are not the same at all locations.



**Figure 5**. Predicted vs actual sea level at the Apia tide gauge Samoa, 3 May 2018.

The **Pacific Sea Level and Geodetic Monitoring Project** provides sea level and meteorological information for 13 countries and tide predictions for 20 locations in the Pacific region. It is an important resource for those involved in disaster mitigation and adaptation planning, coastal development, and the shipping, fishing and tourism industries.

To access tide calendars, wave and weather maps, and climate data for your location visit: <a href="https://www.bom.gov.au/pacific/index.shtml">www.bom.gov.au/pacific/index.shtml</a>

For Real-Time Display of tide gauge data, visit: <a href="http://www.bom.gov.au/cosppac/rtdd/q1c7o0hj48yu/">http://www.bom.gov.au/cosppac/rtdd/q1c7o0hj48yu/</a>

## Tides and Sea Level for Coastal Development and Safe Navigation

#### What is a Tide Datum?

A Tide Datum is a fixed level against which sea level can be measured in a given location. A tide station datum was established when the sea level monitoring station featured in this calendar was first installed. The tide predictions in this calendar are all relative to Tide Prediction Datum.

## Why do we need a Tide Datum?

Tide records must be referenced to a common datum to ensure consistency. This is important if the tide gauges are moved or in the event they are damaged or destroyed. In this case, tide readings from replacement gauges can be referenced to the same datum as before and continue to contribute to our understanding of tides.




Figure 1. How does THIS..... relate to THIS?



**Figure 2.** An elevation sign from Tarawa, Kiribati Photo: Wandering Ken, 2011.

## What is the relationship between tides and sea level?


When the range of highest and lowest tides are averaged over a long period (usually at least 19 years), we can establish Mean Sea Level. Mean Sea Level (MSL) is an important reference level, as all heights on land are measured in metres or feet above mean sea level as in Figure 2.

All sea level monitoring stations are tide gauges, but not all tide gauges can accurately measure changes in sea level. The Pacific Sea Level and Geodetic Monitoring stations include specialised weather, ocean, and land monitoring sensors that have been operating since 1991, allowing us to measure the extent to which sea level is affected by natural variability and man-made climate change at those locations.

#### Who uses this information?

Makers of maps and nautical charts, land surveyors, and geospatial specialists need this information to ensure the accuracy of their maps and charts. Coastal developers need it as well, to ensure roads, bridges, wharfs, sea walls, buildings and other infrastructure are built at an appropriate height above sea level.

It is especially important for the safety of navigation in ports and coastal areas, so ships can avoid running aground. The depths marked on a nautical chart are in relation to a Chart Datum. Every chart indicates the datum to which it refers, as in Figure 3.



**Figure 3.** A nautical chart of Avatiu Harbor in Rarogtonga, Cook Islands. Zooming into the key, we can see Chart Datum for this chart is about the same as Lowest Astronomical Tide.


This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. Please attribute the work to Land Information New Zealand and abide by the other license terms. To view a copy of this licence, visit <a href="http://creativecommons.org/licences/by/3.0/nz">http://creativecommons.org/licences/by/3.0/nz</a>

# How do the predicted water levels on this calendar relate to chart depths in my country?

The tide predictions in this calendar are not intended to be used directly with hydrographic charts, as the prediction datum and hydrographic chart datum may not coincide. However, the tidal levels listed below are provided to help put the tide predictions into context for use with other information.

## Rarotonga

The diagram below shows the predicted heights of key tide components based on averages of the data available.



### **Useful Tide Definitions**

The water levels to the left are calculated using actual observations/data over many years.

#### **Highest Astronomical Tide**

The highest tide level predicted over 19 years under normal weather conditions

#### **Mean Sea Level**

The average level of the sea surface over a period of time (preferably at least 19 years)

#### **Lowest Astronomical Tide**

The lowest tide level predicted over 19 years under normal weather conditions

#### **Tide Gauge Zero**

The datum of sea level observations measured by a tide gauge

#### **Prediction Datum**

The datum of tide predictions and tidal levels listed in this tide calendar


For more information about Tide Datum and Sea Level Monitoring, you can email: oceanexperts@spc.int or tides@bom.gov.au







JANUARY 2022 Local Standard Time



a local hydrographic chart datum.

suitability for any purpose.

No warranty is given in respect to errors, omissions, or


Tide gauge zero is 3.867 metres below CKISBM

Full moon

Last quarter

Highest tide of the year

#### FEBRUARY 2022 Local Standard Time



a local hydrographic chart datum.

suitability for any purpose.


No warranty is given in respect to errors, omissions, or

Tide gauge zero is 3.867 metres below CKISBM

Full moon

**MARCH 2022** 

**Local Standard Time** 



a local hydrographic chart datum.

suitability for any purpose.


No warranty is given in respect to errors, omissions, or

Tide gauge zero is 3.867 metres below CKISBM

Full moon

**APRIL 2022** 

**Local Standard Time** 




No warranty is given in respect to errors, omissions, or

suitability for any purpose.

**MAY 2022** 

Local Standard Time



Highest tide of the month

Lowest tide of the month


- Lowest tide of the year
- New moon
- First quarter
- Full moon
- Last quarter
- © Copyright: Commonwealth of Australia 2021, Bureau of Meteorology

Disclaimer: These tide predictions are supplied in good faith and are believed to be correct. They are not necessarily related to a local hydrographic chart datum.

> No warranty is given in respect to errors, omissions, or suitability for any purpose.

**JUNE 2022** 

Local Standard Time




No warranty is given in respect to errors, omissions, or

suitability for any purpose.

**JULY 2022** 

**Local Standard Time** 



a local hydrographic chart datum.


suitability for any purpose.

No warranty is given in respect to errors, omissions, or

Full moon

**AUGUST 2022** 

**Local Standard Time** 



a local hydrographic chart datum.


suitability for any purpose.

No warranty is given in respect to errors, omissions, or

Tide gauge zero is 3.867 metres below CKISBM

Full moon


#### **SEPTEMBER 2022** Local Standard Time



No warranty is given in respect to errors, omissions, or

suitability for any purpose.

OCTOBER 2022 Local Standard Time



a local hydrographic chart datum.


suitability for any purpose.

No warranty is given in respect to errors, omissions, or

Tide gauge zero is 3.867 metres below CKISBM

Full moon

#### NOVEMBER 2022 Local Standard Time



a local hydrographic chart datum.


suitability for any purpose.

No warranty is given in respect to errors, omissions, or

Tide gauge zero is 3.867 metres below CKISBM

Full moon

#### **DECEMBER 2022** Local Standard Time



No warranty is given in respect to errors, omissions, or

suitability for any purpose.

Tide gauge zero is 3.867 metres below CKISBM

## Traditional Knowledge and our Ocean

## What is Traditional Knowledge?

Traditional knowledge is the knowledge held by those living off the land and ocean, be Having an understanding of local tidal fluctuations is an important component of knowthey indigenous or non-indigenous. This knowledge is not static and can evolve over time and is often imbedded in practice and belief.

By closely observing their local environment, communities in the Pacific have developed skills that enable them to build coping strategies for variable weather and climate conditions, including tides.

example was granted by the Bureau of the Cultural and Historical Preservation Office.



Figure 1. Banded Sea Krait. Laticauda colubrina Mengerenger (Traditional Knowledge from Palau)

The Banded Sea Krait (Mengerenger) is a predictor of seawater events. If we were out at sea and a Mengerenger swims toward the canoe or boat, skimming the water surface, it means a big catch of fish. If it is seen skimming the surface of the water but heading towards the village, a strong windstorm is forecasted. (Creatures of Prophesy and What they Foretell by the Bureau of Cultural and Historical Preservation and the Palau Society of Historians. [English. 2021]) Permission to use the Banded Sea Krait

## Using tidal information

ing when to travel and where and when to gather food from the oceans. Being familiar with the natural rhythm of the tides can also help to identify signs that may precede a tsunami, including an unusually low and receding waterline.





Figure 2 and 3 Villagers fishing in the tidal pools in Vanuatu. Photo: Vanuatu Meteorology and Geohazards Department- VAN-KIRAP

Tidal variations impact on the life cycles of animals that inhabit the coastal zone and influence their patterns of activities and behaviour. This, in turn, influences the fishing strategies of coastal communities. Based on accumulated knowledge, some fishermen construct calendars and mental maps in order to predict fish locations based on the phases of the moon.

#### Seasonal Calendars

In some communities, annual tidal cycles (determining reef accessibility) combined with seasonal resource abundance give rise to local customs prescribing when the season for communal harvest of fish will be. The exact dates of the harvest period are determined by community specialists who understand the movement of fish in relation to lunar phases and optimal tidal conditions.

Indicators	Actions	Outcomes	Indicators	Actions	Outcomes
Coral Reefs and sea weed  Photo: VMGD-VAN-KIRAP	Smell and odour can be smelled from inland or far distance from the sea to the village indicates low tide	Low Tide	Sea birds  Photo: Google	Flock of sea birds flying above the sea and making noise, it indicate low tide	Low Tide
Sea Mud  Photo: VMGD-VAN-KIRAP	Smell and odour can be smell in from far distance from the sea to the village and inlands, indicates low tide	Low Tide	Dry land animals Dogs, chicken, cows.  Photo: Google	Absence of domesticated animals in the village and making agitating noise at the sea shore, it indicate low tide	Low Tide
Sea Waves  Photo: VMGD-VAN-KIRAP	Sea waves hitting and crashing the sea shore with a very loud noise that can be heard from distance, it indicate low tide	Low Tide	Moon phase  1st Quarter  2nd Quarter  Photo: Google	Presence of the first and the last quarter of the moon phase it indicate the lowest low tide	Low Tide

Table 1. Seasonal calendar and examples from Vanuatu collected by VMGD VAN-KIRAP

For example, in many islands of Vanuatu when the constellation Pleiades appears on the western horizon after sunset the new Yam season begins and seasonal low tides are expected. In the Solomon Islands, traditional lunar calendars are used to predict when and where target fish will occur. In Samoa two sayings are used to predict the tides: When the eyes of the cat are shaped like a quarter of a moon the tide is low; when the cats eyes are round the tide is high.

> For further information on the use of traditional knowledge in the Pacific, please contact: Secretariat of the Pacific Regional Environment Programme Website: http://www.sprep.org Pacific Meteorological Desk Partnership https://www.pacificmet.net/ Email: PacMetDesk@sprep.org

















