Cucumber Report

| Start : Nov 19, 9:54:17.252 PM	End : Nov 19, 9:54:17.549 PM	Duration : 0.297 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 7 FAILED - 0 SKIPPED - 0	PASSED - 33 FAILED - 0 SKIPPED - 0

1

7

33

Pass %

100 %

Pass %

100 %

Pass %

100 %

#	Feature Name	T	P	F	S	Duration
1	*Validating GET/POST Requests*	*7*	*7*	*0*	*0*	*0.297 s*

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating GET/POST Requests	API Scenario POST	7	7	0	0	0.062 s
2	Validating GET/POST Requests	API Scenario POST	7	7	0	0	0.031 s
3	Validating GET/POST Requests	API Scenario GET	5	5	0	0	0.016 s
4	Validating GET/POST Requests	API Scenario GET	5	5	0	0	0.015 s
5	Validating GET/POST Requests	Google Maps Get Request	3	3	0	0	0.015 s
6	Validating GET/POST Requests	Google Maps Get Request	3	3	0	0	0.015 s
7	Validating GET/POST Requests	Google Maps Get Request	3	3	0	0	0.016 s

(F)- Validating GET/POST Requests

PASSED	DURATION - 0.297 s		Scenarios		Steps	
	/ 9:54:17.252 PM // 9:54:17.549 PM /		Total - 7		Total - 33	
			Pass - 7	7	Pass - 33	33
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

(S)- API Scenario POST

PASSED	DURATION - 0.062 s		Steps	
	/ 9:54:17.268 PM // 9:54:17.330 PM /		Total - 7	
	Validating GET/POST Requests		Pass - 7	7
	@POST @QA		Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://reqres.in" for API request	PASSED	0.016 s
2	When User sets the header for following values	PASSED	0.000 s
	HeaderTag — Value / Content-Type — application/json		
3	Then User creates the body of request using parameters "name:Anuj3;job:AQA3"	PASSED	0.000 s
4	Then User submits the 'POST' request with end point as - "/api/users"	PASSED	0.015 s
5	Then User validates the status code as 201	PASSED	0.000 s
6	And User Prints the response	PASSED	0.000 s
7	And User validatd the body of response for following "name:Anuj3" pair	PASSED	0.000 s

(S)- API Scenario POST

PASSED	DURATION - 0.031 s		Steps
			Total - 7
/ 9:54:17.362 PM // 9:54:17.393 PM /			Pass - 7
Validating GET/POST Requests			Fail - 0
@POST @PreProd			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://reqres.in" for API request	PASSED	0.000 s
2	When User sets the header for following values	PASSED	0.000 s
	HeaderTag / Value — Content-Type / application/json		
3	Then User creates the body of request using parameters "name:Anuj4;job:AQA4"	PASSED	0.000 s
4	Then User submits the 'POST' request with end point as - "/api/users"	PASSED	0.000 s
5	Then User validates the status code as 201	PASSED	0.000 s
6	And User Prints the response	PASSED	0.000 s
7	And User validatd the body of response for following "name:Anuj4" pair	PASSED	0.000 s

(S)- API Scenario GET

PASSED	DURATION - 0.016 s		Steps
			Total - 5
/ 9:54:17.408 PM // 9:54:17.424 PM /			Pass - 5
Validating GET/POST Requests			Fail - 0
@SMOKE @GET			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://demoqa.com/utilities/weather/city" for API request	PASSED	0.000 s
2	When User submits the 'GET' request with end point as - "/Hyderabad"	PASSED	0.000 s
3	Then User validates the status code as 200	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
4	And User validatd the body of response for following "City:Hyderabad,Humidity:*Percent*" pair	PASSED	0.000 s
5	And User Prints the response	PASSED	0.000 s

(S)- API Scenario GET

PASSED	DURATION - 0.015 s
/ 9:54:17.440 PM // 9:54:17.455 PM /	
Validating GET/POST Requests	
@SMOKE @GET	

Steps

Total - 5

Pass - 5

Fail - 0

Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://demoqa.com/utilities/weather/city" for API request	PASSED	0.000 s
2	When User submits the 'GET' request with end point as - "/Pune"	PASSED	0.000 s
3	Then User validates the status code as 200	PASSED	0.000 s
4	And User validatd the body of response for following "City:Pune" pair	PASSED	0.000 s
5	And User Prints the response	PASSED	0.000 s

(S)- Google Maps Get Request

PASSED	DURATION - 0.015 s
/ 9:54:17.487 PM // 9:54:17.502 PM /	
Validating GET/POST Requests	
@Gmaps @GET	

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://maps.googleapis.com" for API request	PASSED	0.000 s
2	When User submits the 'GET' request with end point as - "/maps/api/place/nearbysearch/xml?location=-33.8670522,151. 1957362&radius=1500&type=supermarket&key=AIzaSyBjGCE3VpLU4lgTqSTDmHmJ2HoELb4Jy1s"	PASSED	0.000 s
3	Then User Validates the following header in response	PASSED	0.000 s

#	Step / Hook Details	Status	Duration

HeaderTag	Value
Content-Type	application/xml; charset=UTF-8
Content-Encoding	gzip

(S)- Google Maps Get Request

PASSED	DURATION - 0.015 s		Steps
/ 9:54:17.518 PM // 9:54:17.533 PM /			Total - 3
			Pass - 3
Validating GET/POST Requests			Fail - 0
@Gmaps @QA @GET			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://maps.googleapis.com" for API request	PASSED	0.000 s
2	When User submits the 'GET' request with end point as - "/maps/api/place/nearbysearch/xml?location=-33.8670522,151.1957362&radius=1500&type=supermarket&key=AIzaSyBjGCE3VpLU4lgTqSTDmHmJ2HoELb4Jy1s"	PASSED	0.000 s
3	Then User Validates header of response for "Content-Type:application/xml; charset=UTF-8,Content-Encoding:gzip"	PASSED	0.000 s

(S)- Google Maps Get Request

PASSED	DURATION - 0.016 s		Steps
/ 9:54:17.533 PM // 9:54:17.549 PM /			Total - 3
			Pass - 3
Validating GET/POST Requests			Fail - 0
@Gmaps @PreProd @GET			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://maps.googleapis.com" for API request	PASSED	0.000 s
2	When User submits the 'GET' request with end point as - "/maps/api/place/nearbysearch/xml?location=-33.8670522,151.1957362&radius=1500&type=supermarket&key=AIzaSyBjGCE3VpLU4lgTqSTDmHmJ2HoELb4Jy1s"	PASSED	0.000 s
3	Then User Validates header of response for "Content-Type:application/xml; charset=UTF-8,Content-Encoding:gzip"	PASSED	0.000 s