Cucumber Report

Nov 9, 2021 11:52:47 PM

Start : Nov 09, 11:51:49.869 PM	End : Nov 09, 11:52:43.972 PM	Duration : 54.103 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 0 SKIPPED - 0	PASSED - 10 FAILED - 0 SKIPPED - 0	PASSED - 43 FAILED - 0 SKIPPED - 0

2

10

43

40 50 60
Pass %
30   70
20   80
10   90
0   100 %   100

40 50 60
Pass %
30   70
20   80
10   90
0   100 %   100

40 50 60
Pass %
30   70
20   80
10   90
0   100 %   100

#	Feature Name	T	P	F	S	Duration
1	Validating GET/POST Requests	7	7	0	0	11.721 s
2	Test ToolsSQA Page with POM	3	3	0	0	42.367 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating GET/POST Requests	API Scenario POST	7	7	0	0	7.007 s
2	Validating GET/POST Requests	API Scenario POST	7	7	0	0	0.654 s
3	Validating GET/POST Requests	API Scenario GET	5	5	0	0	1.030 s
4	Validating GET/POST Requests	API Scenario GET	5	5	0	0	0.995 s
5	Validating GET/POST Requests	Google Maps Get Request	3	3	0	0	0.776 s
6	Validating GET/POST Requests	Google Maps Get Request	3	3	0	0	0.625 s
7	Validating GET/POST Requests	Google Maps Get Request	3	3	0	0	0.478 s
8	Test ToolsSQA Page with POM	Login in and navigate	6	6	0	0	22.908 s
9	Test ToolsSQA Page with POM	Login in and navigate 2	2	2	0	0	9.576 s
10	Test ToolsSQA Page with POM	Login in and navigate 3	2	2	0	0	9.845 s

(F)- Validating GET/POST Requests

PASSED	DURATION - 11.721 s	Scenarios		Steps	
		Total - 7		Total - 33	
/ 11:51:49.869 PM // 11:52:01.590 PM /		Pass - 7	**7**	Pass - 33	**33**
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- API Scenario POST

PASSED	DURATION - 7.007 s		Steps	
/ 11:51:49.886 PM // 11:51:56.893 PM /			Total - 7	
Validating GET/POST Requests			Pass - 7	**7**
			Fail - 0	
@POST @QA			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://reqres.in" for API request	PASSED	1.977 s
2	When User sets the header for following values	PASSED	0.119 s
	HeaderParam / Value — Content-Type / application/json		
3	Then User creates the body of request using parameters "name:Anuj3;job:AQA3"	PASSED	0.072 s
4	Then User submits the 'POST' request with end point as - "/api/users"	PASSED	4.055 s
5	Then User validates the status code as 201	PASSED	0.000 s
6	And User Prints the response	PASSED	0.094 s
7	And User validatd the body of response for following "name:Anuj3" pair	PASSED	0.515 s

(S)- API Scenario POST

PASSED	DURATION - 0.654 s
/ 11:51:56.925 PM // 11:51:57.579 PM /	
Validating GET/POST Requests	
@POST @PreProd	

Steps

Total - 7

Pass - 7

Fail - 0

Skip - 0

7

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://reqres.in" for API request	PASSED	0.015 s
2	When User sets the header for following values	PASSED	0.000 s
	HeaderParam / Value — Content-Type / application/json		
3	Then User creates the body of request using parameters "name:Anuj4;job:AQA4"	PASSED	0.000 s
4	Then User submits the 'POST' request with end point as - "/api/users"	PASSED	0.601 s
5	Then User validates the status code as 201	PASSED	0.001 s
6	And User Prints the response	PASSED	0.004 s
7	And User validatd the body of response for following "name:Anuj4" pair	PASSED	0.020 s

(S)- API Scenario GET

PASSED	DURATION - 1.030 s
/ 11:51:57.609 PM // 11:51:58.639 PM /	
Validating GET/POST Requests	
@SMOKE @GET	

Steps

Total - 5

Pass - 5

Fail - 0

Skip - 0

5

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://demoqa.com/utilities/weather/city" for API request	PASSED	0.002 s
2	When User submits the 'GET' request with end point as - "/Hyderabad"	PASSED	0.973 s
3	Then User validates the status code as 200	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
4	And User validatd the body of response for following "City:Hyderabad,Humidity:.*Percent.*" pair	PASSED	0.032 s
5	And User Prints the response	PASSED	0.000 s

(S)- API Scenario GET

PASSED	DURATION - 0.995 s
/ 11:51:58.655 PM // 11:51:59.650 PM /	
Validating GET/POST Requests	
@SMOKE @GET	

Steps

Total - 5

Pass - 5

Fail - 0

Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://demoqa.com/utilities/weather/city" for API request	PASSED	0.000 s
2	When User submits the 'GET' request with end point as - "/Pune"	PASSED	0.949 s
3	Then User validates the status code as 200	PASSED	0.000 s
4	And User validatd the body of response for following "City:Pune" pair	PASSED	0.031 s
5	And User Prints the response	PASSED	0.000 s

(S)- Google Maps Get Request

PASSED	DURATION - 0.776 s
/ 11:51:59.677 PM // 11:52:00.453 PM /	
Validating GET/POST Requests	
@Gmaps @GET	

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://maps.googleapis.com" for API request	PASSED	0.003 s
2	When User submits the 'GET' request with end point as - "/maps/api/place/nearbysearch/xml?location=-33.8670522,151. 1957362&radius=1500&type=supermarket&key=AIzaSyBjGCE3VpLU4lgTqSTDmHmJ2HoELb4Jy1s"	PASSED	0.754 s
3	Then User Validates the following header in response	PASSED	0.003 s

#	Step / Hook Details	Status	Duration

HeaderTag	Value
Content-Type	application/xml; charset=UTF-8
Content-Encoding	gzip

(S)- Google Maps Get Request

PASSED *DURATION - 0.625 s*

/ 11:52:00.471 PM // 11:52:01.096 PM /

Validating GET/POST Requests

@Gmaps @QA @GET

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://maps.googleapis.com" for API request	PASSED	0.002 s
2	When User submits the 'GET' request with end point as - "/maps/api/place/nearbysearch/xml?location=-33.8670522,151.1957362&radius=1500&type=supermarket&key=AIzaSyBjGCE3VpLU4lgTqSTDmHmJ2HoELb4Jy1s"	PASSED	0.620 s
3	Then User Validates header of response for "Content-Type:application/xml; charset=UTF-8,Content-Encoding:gzip"	PASSED	0.000 s

(S)- Google Maps Get Request

PASSED *DURATION - 0.478 s*

/ 11:52:01.112 PM // 11:52:01.590 PM /

Validating GET/POST Requests

@Gmaps @PreProd @GET

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given User sets the base URL "https://maps.googleapis.com" for API request	PASSED	0.000 s
2	When User submits the 'GET' request with end point as - "/maps/api/place/nearbysearch/xml?location=-33.8670522,151.1957362&radius=1500&type=supermarket&key=AIzaSyBjGCE3VpLU4lgTqSTDmHmJ2HoELb4Jy1s"	PASSED	0.462 s
3	Then User Validates header of response for "Content-Type:application/xml; charset=UTF-8,Content-Encoding:gzip"	PASSED	0.016 s

(F)- Test ToolsSQA Page with POM

PASSED	DURATION - 42.367 s	Scenarios		Steps	
		Total - 3		Total - 10	
/ 11:52:01.605 PM // 11:52:43.972 PM /		Pass - 3	3	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Login in and navigate

PASSED	DURATION - 22.908 s		Steps	
			Total - 6	
/ 11:52:01.605 PM // 11:52:24.513 PM /			Pass - 6	6
Test ToolsSQA Page with POM			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Opens Browser and Navigates to DemoQA	PASSED	15.577 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario)	PASSED	0.574 s
	20211109235217		
2	Then User validates the Page Title of DemoQA Page	PASSED	0.020 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario)	PASSED	0.779 s
	20211109235218		

#	Step / Hook Details	Status	Duration
3	Then User clicks on Elements link on DemoQA Page	PASSED	0.551 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario) 20211109235220 	PASSED	1.094 s
4	Then User validates the Page Title of Elements Page	PASSED	0.011 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario) 20211109235220 	PASSED	0.427 s
5	Then Use clicks on ToolSQA Banner	PASSED	1.002 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario) 20211109235222 	PASSED	0.661 s
6	Then User validates the Page Title of ToolSQAPage	PASSED	0.010 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario) 20211109235222 	PASSED	0.490 s

(S)- Login in and navigate 2

PASSED	DURATION - 9.576 s
/ 11:52:24.527 PM // 11:52:34.103 PM /	
Test ToolsSQA Page with POM	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given User Opens Browser and Navigates to DemoQA	PASSED	6.733 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario)	PASSED	0.907 s
	20211109235232		
	+		
2	Then User validates the Page Title of DemoQA Page	PASSED	0.008 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario)	PASSED	0.427 s
	20211109235232		
	+		

(S)- Login in and navigate 3

PASSED	DURATION - 9.845 s		Steps	
	/ 11:52:34.127 PM // 11:52:43.972 PM /		Total - 2	
	Test ToolsSQA Page with POM		Pass - 2	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Opens Browser and Navigates to DemoQA	PASSED	7.494 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario)	PASSED	0.485 s
	20211109235242		
2	Then User validates the Page Title of DemoQA Page	PASSED	0.016 s
	AFTER_STEP - stepDefinations.stepDefinationsUI.TakeScreenShot(io.cucumber.java.Scenario)	PASSED	0.496 s
	20211109235242		

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations. stepDefinationsUI.TakeScreenShot(io. cucumber.java.Scenario)

(S) Login in and navigate

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations. stepDefinationsUI.TakeScreenShot(io. cucumber.java.Scenario)

(S) Login in and navigate

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate 2

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate 2

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate 3

(F) Test ToolsSQA Page with POM

(Step) AFTER_STEP - stepDefinations.
stepDefinationsUI.TakeScreenShot(io.
cucumber.java.Scenario)

(S) Login in and navigate 3

(F) Test ToolsSQA Page with POM