

Singh Anuj Vinay Engineering Sciences & Humanities Thakur college of Engineering and technology (TCET) Mumbai, India anujsingh30005@gmail.com	Singh Ganesh Neeraj Engineering Sciences & Humanities Thakur college of Engineering and technology (TCET) Mumbai, India ganeshsingh71680@gmail.com	Yadav Chetan Vinod Engineering Sciences & Humanities Thakur college of Engineering and technology (TCET) Mumbai, India chetanvy017@gmail.com	Bhaskar Aniket Nitin Engineering Sciences & Humanities Thakur college of Engineering and technology (TCET) Mumbai, India bhaskaraniket31@gmail.com
---	--	--	--

Ms. Ritika Tiwari
Engineering Sciences &
Humanities Thakur college of
Engineering and technology
(TCET)
Mumbai, India
Ritika.tiwari@tcetmumbai.in

ABSTRACT:-The paper discusses the impact of environmental changes on human health, emphasizing the effects of human activity and natural processes on air pollution, climate change, water pollution, and soil pollution. It highlights the role of artificial intelligence (AI) in monitoring climatic changes, predicting consequences, and managing environmental problems. The paper explores the implications of AI on climate change, weather prediction, soil pollution, degradation of mangroves, air pollution monitoring, and carbon footprint reduction. The discussion covers the significance of AI in enhancing sustainability, conserving ecosystems, and addressing environmental challenges. Furthermore, the article outlines the challenges and limitations of AI in environmental conservation, providing strategies for improving data collection, ethical considerations, and regulatory guidelines. It concludes with a case study on successful AI applications in environmental conservation, emphasizing the need for collective efforts to promote responsible deployment of AI for a sustainable future.

Keywords----managing environmental problems, successful AI applications, Role of AI.

Introduction

Environment condition of today’s generation isn’t same as of before, it has changed over time. This vast visible and remarkable change’s is due to following factors like human activity (urbanization, globalization and large scale development in science and technology) and natural processes. Due to industrialization, urbanization, deforestation, agricultural practices, large-waste generation, large number of gases and wastes gets release, which contribute to the air pollution, climate change, water pollution as well as soil pollution [1].

This all above phenomenon and its result contributes large hazardous impact on the human health including “respiratory problems, cardiovascular diseases” due to air pollution, “water bone diseases” due to water pollution. According to the UNEP (UN Environmental Programme) the world’s average temperature has risen by the 1 to 1.2 degree Celsius due to burning of the fossil’s fuels. Africa contributes only 2 to 3% of global-greenhouse emission instead it is the country which faces most climate changes impacts.

Since air is most important need for all life on earth’s existence. Poor air quality can cause hazardous impact on human being as well as leads to climate change. According to WHO (World Health Organization), the presence of tiny particulates in outdoor apollution is more dangerous and it has leads to death of 7 million people each year.

The death percentage was highest seen in developing nations in south and east Asia like India and China around 15% [2].To monitor all climatic changes across the world and to predict the all consequences of it , we can take the help of artificial intelligence (AI). Deep-learning a subset of the artificial intelligence method which is also used for forecasting , guessing and managing vast dataset’s of extreme weather condition’s, making it a vital tool .The important ability of artificial intelligence is the easy management of lot’s of data and real world complex problem’s; further, it increases the accuracy in the case of weather forecasting and modelling which help’s the policymakers and decision-makers [3].


Role of AI in Climate Change and Weather Prediction

Effects of climate change :
Firstly, let us understand how climate change can have an impact on environmental problems.It is becoming widely accepted that the communities, buildings, and natural environments in cities are increasingly in danger due to the effects of climate change. In simpler terms, more and more people agree that cities and everything within them are at risk because of climate change. Urban areas significantly impact their local climate and environment, with urban populations confronting various weather-related hazards like heat waves, air pollution, and flooding. The urban heat island effect intensifies heat waves, posing health risks, especially to vulnerable groups. Air pollution, originating from industrial activities and vehicle emissions , exacerbates respiratory and cardiovascular issues, necessitating emergency measures during pollution episodes, exacerbates respiratory and cardiovascular issues, necessitating emergency measures during pollution episodes. Alterations in drainage patterns due to urbanization increase the risk of flooding, leading to infrastructure damage and public safety concerns. Addressing these challenges requires sustainable urban planning strategies to mitigate risks and enhance the resilience of urban communities.[13]

Climate change is poised to directly impact biodiversity in both natural and plantation forests. Nevertheless, the indirect repercussions on biodiversity stemming from climate change mitigation strategies in the world's existing plantation forests, spanning approximately 140.8 million hectares (FAO 2006), might surpass the direct short-to-medium term effects of climate change..While not yet subjected to formal testing, forest managers globally are exploring novel approaches to plantation forestry to cultivate forests resilient to evolving climatic conditions (FAO 2012). These mitigation strategies are broadly categorized into two groups: those targeting existing plantations and those shaping future afforestation and deforestation patterns.Managers of plantation forests should carefully consider the long-term consequences of strategies to adapt to, or mitigate, the effects of climate change.

Such caution is warranted as any effects on biodiversity (both positive and negative) could endure for decades depending on the rotation length.[14]

AI models for climate modeling and predicting extreme weather events:



Climate change stands as a paramount global challenge, affecting ecosystems, human communities, and economic endeavors. AI-powered climate models have showcased their capacity to augment our comprehension of intricate climate mechanisms and refine the precision of long-range climate forecasts. Moreover, algorithms driven by AI empower the detection of trends and patterns within historical climate datasets, facilitating the anticipation of future scenarios and offering policymakers insights into potential risks and vulnerabilities.

Applications in climate change adaptation and mitigation strategies:
AI's analytical capabilities empower decision-makers to craft precise climate change adaptation and mitigation strategies. These strategies range from optimizing energy usage and reducing carbon emissions to designing resilient infrastructure. AI-guided solutions are pivotal in bolstering climate resilience at both local and global levels. Additionally, AI technologies aid in the development of efficient renewable energy systems, facilitating a sustainable shift away from fossil fuels.[16][19]

Consideration Of AI On Soil Pollution

Soil pollution, an escalating environmental challenge, arises from the infiltration of detrimental substances into the earth's soil. This contamination are obtain from industrial activities, agricultural practices, and improper waste disposal. Heavy-metals, pesticides, and industrial waste, deemed hazardous chemicals, compromise the soil's integrity, detrimentally impacting fertility and biodiversity. Beyond terrestrial repercussion's, soil pollution permeates water sources, posing threats to human health along the intricate web of the food chain. Land degradation is intrinsically related to the sensitivity, resilience and carrying capacity of ecosystems, and to the vulnerability of local communities, with soil depletion increasing faster than, or at roughly the same rate as, built-up areas [4]. As a key environmental threat, land degradation has already reached global critical thresholds [5].


Addressing this issue necessitates a holistic approach encompassing sustainable farming methods, reforms in waste management, and the integration of eco-conscious industrial processes. Acknowledging the nuanced interplay between human activities and soil health remains pivotal in securing the enduring sustainability of our ecosystems.

India has shown commitment to addressing soil pollution through various policies and organization. The National Mission for Sustainable Agriculture (NMSA) focus's on promoting sustainable farming practice's, soil health management, and reducing chemical inputs. The National Policy for Farmers, along with programs like the Soil Health Card Scheme, aims to enhance soil fertility and productivity. Also , the Swachh Bharat Abhiyan (Clean India Mission) includes provisions for proper waste disposal, which

indirectly contributes to reducing soil pollution. Environmental impact assessment regulations for industries also touch upon soil protection. Aligning with these efforts, environmental impact assessment regulations for industries also play a role in addressing soil protection concerns. This multi-faceted approach underscores India's comprehensive strategy to safeguard soil health and foster sustainable agricultural practices.

Artificial Intelligence (AI) emerges as a formidable solution to address the complexities of soil pollution. Leveraging machine learning algorithms, AI can meticulously analyze extensive datasets, identifying nuanced patterns in soil contamination. This capability empowers efficient risk assessment and the formulation of targeted intervention strategies. The integration of AI with remote sensing technologies facilitates real-time monitoring of soil quality, offering invaluable insights for precision agriculture and the early identification of pollution hotspots. AI-driven predictive models play a pivotal role in forecasting potential areas susceptible to soil degradation, providing guidance for policymakers to implement proactive measures. Furthermore, AI applications in smart farming contribute to optimized resource utilization, reducing dependence on chemical inputs and fostering sustainable agricultural practices. The seamless integration of AI into environmental monitoring systems significantly enhances the speed and accuracy of identifying soil pollution sources, thereby contributing to more effective mitigation and the formulation of long-term soil health management strategies.

Limitations of AI in Soil pollution monitoring :
Similar to air quality monitoring , AI for soil quality monitoring requires accurate and comprehensive data to effectively analyze and make reliable predictions . In remote / under monitored areas the collected soil data may be sparse which makes soil analysis and sampling costly and time consuming . Soil pollution is influenced by a various factors like industrial activities , land use and agricultural practices . soils characteristics PH organic matter content , texture and microbial activity can complicate modeling efforts . Data from various sensors and analytical instruments gets rely to AI-based soil pollution monitoring systems. As we know sensors technology for soil monitoring is still developing so the sensors may vary ins terms of reliability , calibration and accuracy . [33]
The challenges associated with mathematical models include their inability to fully capture the complexity of terrestrial and aquatic ecosystems, encompassing various physical, chemical, and biological processes. This limitation leads to uncertainties and complicates the development process, as mathematical models often oversimplify data analysis. Moreover, constructing highly detailed mathematical models is a resource-intensive endeavor, both in terms of cost and time, making their development and application a laborious task . [32]



Degradation Of Mangroves Due To Environmental Pollution

We all know importance of Mangroves Forest and roles which they play in protecting Coastal planes all over the world, so it becomes very important for us to access quality of mangrove region.
Conventionally in Indian or at Pondicherry coast of India , we use multivariate statistical analysis to measure quality of Water in

mangrove region[6], In Multivariate analysis we analysis valuable data using reduction technique which helps in the handling and interpretation of hydrochemical parameters by depicting the significant inter-relationship among them[7]. Even though this practice is widely use they may not be accurate, cost-efficient and they consume a lot of time.

A more reliable methods are in practice in several states and countries around the world, in this method we use AI to measure quality of water and it was concluded by Tung and Yaseen [8], AI is more trustworthy as we can also take care of missing data by using Listwise or case deletion. Also it is very cost efficient, after training the model we just have to put new datasets and execute the model. Importance Water Quality Index (WQI) such as BOD, COD, pH, NO3 dissolved oxygen, Turbidity, Temperature and etc. It can be measured using basic sensors or electronic devices. As per Kamyab-Talesh NO3 is considered very important attribute in WQI [9]. After measuring the data day-after-day for months , datasets is collected and the broader is the datasets, the better will be the model and since if we have more data then we will have more data to train and more data to test and the machine might be able to predict with more accuracy. To analyse the performance metrics we use quality modelling such as R2, RMSE and etc. R2 is more reliable and widely use all over the world , by using this method we can know if our model is efficient and working perfectly or not. Let us see an practical model which is used such as ANN, AVS, SVM and etc. Several studies have proven that the ANN(Artificial Neural Networks) model is the best tool to model a non-linear environmental relationship. It have indeed demonstrated remarkable efficacy in modeling non-linear environmental relationships. Their capacity to learn complex patterns and relationships between variables makes them compatible suitable for environmental modeling tasks where traditional linear models may fall short. ANNs can adapt to diverse datasets and extract meaningful insights from data that are not easily captured by simple mathematical formulas. [10]. Other than ANN models, Kamyab-Talesh et al. [11] proposed the stability of SVM model that results to 87% of total variability and lower bias. However, the training process of SVM is rather laborious as all classes require optimization characterized the uncertainties and randomness of support vector regression (SVR) models using firefly optimization algorithm (FFA) to tune the internal parameters of the SVR kernel functions. [12]

Use of AI for Air Pollution Monitoring


Imagine a world where artificial intelligence (AI) works behind the scenes to protect us from poor air quality. These smart solutions monitor the air we breathe on a massive scale, aiming to reduce our exposure to harmful pollutants. The research paper dives into the nitty-gritty, exploring how cutting-edge technologies like 5G and AI algorithms team up with countless monitoring devices in our cities to keep us safe and informed about air quality. [22]

Algorithm to detect Air Quality: Elman Neural Network also known as ENN model based on the AAA that is Artificial Algae Algorithm . This ENN predicts air quality for upcoming time intervals, with the AAA acting as a parameter tuning technique to optimize the ENN model's parameters. The performance proposed by ETAPM-AIT model helps in monitoring air quality is then evaluated. ETAPM-AIT model includes set of iot based sensors which can sense 8 pollutants namely Ammonia , Carbon Monoxide , Nitrogen Dioxide , Methane , Carbon dioxide , PM2.5 , Humanity and Temperature . This algorithm has proven effectiveness in successfully solving various mathematical optimization problems. The model utilizes the AAA-based Elman Neural Network to classify air quality.


The Artificial Algae Algorithm is utilized optimization technique inspired by microalgae cellular activity. Which has an evolutionary algorithms optimization algorithm inspired by the natural. This

algorithm is effective of solving a variety of mathematical optimization algorithms successfully. The artificial algae algorithm is based on Elman Neural Network (ANN) model is used to classify the air quality. [21]

It is intriguing to investigate the distribution of countries by pollutant after determining which pollutant is the primary concern in the chosen publications. Below figure illustrates that, of the 19 articles using PM2.5 as a target pollutant, China is the case study for 18 of them.



We categorized the used approaches according to machine learning algorithms in relation to the algorithms. The results of the classification process (Neural Network (NN), Regression, Ensemble, Hybrid Model, Others) are displayed in the below figure Based on its usage in 17 studies, it is evident that neural networks are superior than other techniques. Regression is the second most often used algorithm, having been applied in 11 manuscripts; ensemble is used in 10 papers, hybrid models in five papers, and other algorithms are used in two papers, one of which focuses on regularization and optimization and the other on multinomial logistic regression and multinomial naïve bayes techniques.



Working of Sensors: When we apply a hyperspectral camera for air quality sensing , air pollution changes its path of the light , causing captured camera images under Severe weather to have low contrast and limited visibility [22] . Internet of things based sensors are used to Store and transfer details related to 8 pollutants. Then, the sensed data are transferred to the cloud server via a WiFi gateway. Then, at the data analytics phase, the predictive process takes place using the ENN model, in which the use of AAA optimally tunes the parameters of the ENN method. The proposed model determines the air quality status in real-time by using cloud based servers which sends an alarm in presence of hazardous pollutants level in the air quality. [21] Carbon dioxide , carbon monoxide , PM 10, nitrogen dioxide temperature and humidity are different air parameters on which real time mobile air quality monitoring system is proposed [23]

Limitations of ai in Air Quality index :

There are several limitations inherent in our work that warrant

consideration. Firstly, the utilization of real-life data sources introduces uncertainties stemming from potential disturbances or malfunctions in the measuring stations, a critical aspect that requires attention [30]. To address this issue, the exploration of more reliable mobile data sources could be beneficial, such as equipping individuals with personal air pollution monitoring devices, akin to the methodologies outlined in prior studies like [31] or discussed in [30].

Secondly, the pollution sources examined in our research, such as traffic and fire incidents, represent only a subset of a broader range of contributors, including factories, airplanes, and extreme natural phenomena like volcanic eruptions. Future investigations should endeavor to incorporate these additional pollution sources for a more comprehensive understanding.


Thirdly, comparing our approach with state-of-the-art studies poses challenges due to the lack of prior research considering fire and traffic monitoring stations within context-aware air quality models, to the best of our knowledge. Addressing these limitations can enhance the robustness and applicability of our findings, paving the way for more effective strategies to mitigate air pollution's adverse effects.

Consideration of AI on carbon footprint

Fossil fuels is most essential component to power up our industrial society. Using fossil fuels for energy purpose leads to production of large number of pollutant’s including carbon dioxide (CO2). This means that everyone has a CO2 or carbon “footprint”. A carbon footprint is the amount of CO2 produced by each person directly or indirectly. The amount of footprint produced by each person is directly depended on their living lifestyle, such as driving vehicles, food and their daily expenses or purchases .The arise level’s of CO2 in atmosphere are result of human activities and natural processes which leads to climate change across the world. Therefore understanding the consequence’s of daily consumption and analyses how to reduce total carbon footprint is very essential to reduce the carbon dioxide emission’s and slowing down the human caused climate changes.

So to monitor the climate changes and predict the consequences of it, AI can be the best technology to be used. AI can process large amount of data, learn from patterns, and can take quick real time decision’s which is very much essential for conservation of environment.

Therefore AI is used to reduce greenhouse gas emission through various means such as optimizing energy usage in buildings , improving transportation efficiency ,forecasting renewable energy generation, optimizing industrial processes ,and enhancing agricultural practices. By leveraging AI algorithms, data analytic, and automation, industries and governments can identify opportunities to reduce emissions and mitigate climate change impacts.



According to a study released by the Organization for Economic Co-operation and Development (OECD), a staggering 62 billion tons of

natural resources such as minerals, wood, and fossil fuels are extracted from the earth every year. Even more alarming is the fact that 20 percent of these resources are completely wasted, highlighting a major issue with resource efficiency.

Therefore in 21st-century , global environmental challenges have highlighted the importance of Artificial Intelligence (AI) as a crucial tool to tackle sustainability issues [1].

Artificial intelligence has the potential to enhance the management of renewable energy by utilizing predictive capabilities and intelligent grid systems (Smart Grids, the technology behind Smart LED lighting, can adjust the lighting conditions to be dimmed or brighter. Smart Grids, also referred to as "electricity with intelligence" is an energy-efficient, secure, and reliable electrical grid system. It includes various energy-saving measures such as renewable energy sources, smart devices, and appliances). For example, it can improve the efficiency of renewable energy production by providing more accurate rainfall predictions, reducing costs, and minimizing carbon pollution. Additionally, AI can optimize energy storage, efficiency, and delivery operations, and improve the reliability and integration of renewable energy sources.

Note:- IBM has previously utilized AI to improve their rainfall prediction accuracy, resulting in a 30% improvement in their forecasts. The outcomes showed improved operation of their facilities, increased production of renewable energy, and decreased carbon emissions.


Consideration of machine learning on the climate change

Human’s learn from there past experiences and machines works on the data and instruction provided by the human, but if we combine both then machines with past data can work more efficiently then humans , this is called machine learning. And if we train the computer to learn like a human brain then it is called as deep learning.

Therefore by all above conditions and methods we can design an technology which can:-

- a) Help us to solve every issues effectively .
- b) Help us to predict the future consequences by inputting present and past data.
- c) Help us to make an real time decision’s.

In recent years, many studies and research have looked at climate change using advanced method’s like neural networks and machine learning. In 2020, Jonathan A. Weyn improved a model for weather forecasting that creates maps showing weather patterns for several months ahead. This model used a technique called convolutional neural network (CNN) to predict how the atmosphere behaves across the world. It used a map system called cubed-sphere maps, and the model architecture was called U-met. The goal was to make the model better at predicting weather patterns over time. However, the map system didn't cover the entire world, and it didn't include boundaries. Despite this, the model could predict weather patterns for several days ahead by identifying certain patterns. It could also forecast things like geopotential using global data. The model had a good level of accuracy in its predictions, measured by something called RMSE. Overall, this research developed a machine learning algorithm similar to traditional weather models, but it focused on realistic weather prediction rather than numerical forecasting.



The evolution of deep learning's computational demands over time, as depicted in a figure sourced from Thompson et al. (2020), indicates a notable increase in computing power utilization:-

During the "multicore era," deep learning (DL) was adapted to GPUs, initially resulting in a 5-15× speed-up, which increased to over 35× by 2012, leading to the AlexNet breakthrough in 2012. This breakthrough catalyzed subsequent achievements across various AI subfields:

- By 2015, a reinforcement learning (RL) system had matched human-level performance in Atari games.
- Object recognition attained human parity in 2016, coinciding with AlphaGo's victory against a leading Go player.
- Speech recognition reached human-level accuracy in 2017.
- In 2018, reading comprehension, speech synthesis, and machine translation all achieved human-level performance.
- By 2019, contextual understanding in both text and speech reached parity with human capabilities.

These advancements were made possible by significant increases in compute usage, which has been doubling every 3.4 months since 2012, primarily driven by DL development. RL, known for its sample-inefficient learning methods, has benefited from these compute increases, despite its challenges in real-world control problems due to high sample requirements. RL has found applications in diverse domains like text summarization, robotic manipulation, and competing with humans in games such as Atari, Chess, and Go.

However, this era also signifies a decoupling between hardware performance improvements and the escalating computational requirements of large AI models. The compute needed to train state-of-the-art (SOTA) models is growing around ten times faster than GPU performance per watt, leading to diminishing returns. This trend in scaling ML models is unsustainable financially and ecologically, given the soaring energy consumption associated with it. Even minor improvements in model accuracy would demand significantly more energy and lead to higher greenhouse gas emissions. This poses challenges for the future of AI development in terms of both financial feasibility and environmental sustainability.

Literature survey

The use of AI for detecting environmental issues dates back to the late 20th century. Early applications included remote sensing and image analysis for tasks like deforestation and land cover monitoring. As technology advanced, AI has been increasingly employed for various environmental challenges, such as pollution monitoring, biodiversity assessment, and climate modeling. AI becomes a valuable ally in battling pollution by offering real-time data, simplifying procedures, and enabling strategic approaches to reduce emissions. However, it's crucial to acknowledge that AI is just one tool in the effort against air pollution. Addressing this complex issue requires a comprehensive plan for a lasting solution. AI can pinpoint when and where the level air pollution is likely to exceed legal limits. scientists in Barcelona pioneered an AI model that uses machine learning to predict the likelihood of urban areas breaching legal nitrogen dioxide limits. The Indian government has recognized the potential of Artificial Intelligence (AI) in addressing environmental problems and has initiated several programs in this regard:


1. The Environment(Protection)ACT, 1986.
2. The Water ACT,1974.
3. The AIR ACT,1981.
4. Solid Waste Management ACT,2016.
5. National Strategy for Artificial Intelligence by NITI Aayog,2015.

In summary, the historical trajectory of AI applications in environmental detection, ranging from early remote sensing to contemporary pollution monitoring and climate modeling, underscores its transformative role. As a potent ally against pollution, AI's real-time data capabilities and strategic approaches offer promising solutions. However, it is crucial to recognize AI as just one facet in the broader effort against air pollution. A comprehensive plan is imperative, acknowledging the complexity of the issue for a sustainable impact. Examples, such as the AI model in Barcelona and India's proactive measures through environmental acts and the National Strategy for Artificial Intelligence, emphasize the global recognition of AI's potential in crafting lasting solutions for environmental challenges.

Future Of AI In Environmental Conservation

A.Prospects for deeper integration and progression of AI technologies

The potential for AI to significantly influence environmental conservation is vast. Enhancements in AI algorithms, combined with the growing abundance of environmental data, will facilitate more accurate and forward-thinking conservation initiatives. As AI technologies become more readily available, their utilization in conservation will broaden, granting individuals, communities, and organizations across the globe the ability to actively contribute to environmental protection efforts.



B.Prospective partnerships and collaborative ventures to bolster AI applications in conservation

Cooperation among academia, industry, governmental bodies, and non-governmental organizations will be crucial for advancing AI applications in conservation. Public-private partnerships can expedite technology transfer and capacity building in regions lacking resources, ensuring that AI-driven solutions benefit the communities most in need.

C.Contemplation on the potential impact of AI on shaping the future of sustainable development

As AI progresses, its capacity to impact sustainable development worldwide becomes more evident. AI's aptitude for enhancing resource utilization, crafting robust infrastructure, and forecasting environmental patterns will expedite endeavors toward sustainable development, fostering a more environmentally friendly and inclusive future for humanity.

Challenges and limitations of AI in environmental conservation

A.Ethical Dilemmas and Prejudice

Addressing ethical considerations in AI applications for conservation: The growing dependence on AI in environmental conservation prompts ethical inquiries concerning data usage, potential privacy breaches, and effects on local communities.

Transparent and ethical protocols are essential to regulate data collection, storage, and utilization, ensuring that AI-driven endeavors align with conservation objectives while upholding human rights.

Addressing biases in data and algorithms to guarantee fair outcomes: AI algorithms are intrinsically shaped by the data they're trained on, rendering them vulnerable to biases. Within environmental conservation, biased data can perpetuate unfair decision-making and worsen pre-existing environmental disparities. Consequently, it's crucial to confront and diminish biases in AI models to guarantee fair and impartial conservation results.[17]

B. Data Availability and Quality

Challenges in accessing and processing environmental data: The effectiveness of AI in environmental conservation heavily depends on the availability and quality of environmental data. Nevertheless, challenges emerge from data accessibility and interoperability, particularly in remote and under-resourced regions.[20]

Collective endeavors are essential to guarantee data sharing and open access, thereby facilitating widespread AI applications for conservation Strategies for improving data collection and sharing: To address challenges related to data, collaborations among governments, non-governmental organizations, and private entities are essential. Embracing innovative approaches to data collection, such as citizen science initiatives and crowd-sourcing, can enhance environmental datasets and offer valuable contributions to AI-driven conservation endeavors.[20]

C. Policy and Governance

Regulatory guidelines for ethical AI utilization in environmental settings: The swift advancement of AI has surpassed the creation of comprehensive regulatory structures. Policymakers need to take proactive measures to tackle the ethical, societal, and environmental impacts of AI in conservation. By expanding upon current privacy and data protection legislation, tailored regulations for AI usage in environmental settings can foster accountable and transparent implementation.

Navigating legal and policy obstacles in AI-fueled conservation initiatives: Collaboration at both national and international levels is essential to effectively address conservation challenges that transcend borders. Aligning legal and policy frameworks across different regions can promote smooth cooperation and facilitate the exchange of data, thereby enhancing global endeavors to conserve biodiversity and combat climate change.[18]

Success Stories And Case Study:

Example of successful AI applications in environmental conservation

AI-Based Climate Change Adaptation in Bangladesh:

In Bangladesh, a country susceptible to climate-related catastrophes such as cyclones and floods, the adoption of AI-driven early warning systems has proven invaluable. These systems utilize AI algorithms to analyze meteorological data, historical trends, and satellite imagery, facilitating the prediction of extreme weather occurrences. The timely dissemination of warnings empowers authorities to evacuate at-risk communities, resulting in saved lives and mitigated impacts of natural disasters.

AI for Air Quality Prediction – India

India grapples with notable issues concerning air pollution, marked by numerous cities encountering elevated levels of particulate matter (PM2.5 and PM10), nitrogen dioxide (NO2), sulfur dioxide (SO2), and various other pollutants. Substandard air quality presents significant threats to public health, fostering respiratory diseases, cardiovascular complications, and premature fatalities. Combatting air pollution necessitates the implementation of efficient monitoring, forecasting, and control measures to alleviate its detrimental effects on human well-being and the natural environment. The case study outlines India's adoption of artificial intelligence (AI) technologies

aimed at addressing the country's substantial air pollution issues. This initiative entails the creation of AI-driven prediction models, which analyze historical air quality data, meteorological parameters, and satellite imagery to forecast air pollution levels and pinpoint pollution hotspots. These models empower policymakers and public health authorities to enact timely interventions, allocate resources efficiently, and inform the public through real-time air quality updates and health advisories. Despite positive results, challenges such as data quality, capacity building, and policy support persist, emphasizing the need for sustained investments in AI research, skill development, and regulatory frameworks. In essence, the case study underscores AI's potential in mitigating air pollution and enhancing public health outcomes in India.

AI for Flood prediction – Kerala , India

In flood-prone regions like Kerala and Assam in India, AI-driven systems have been implemented to enhance the prediction and management of flood events. These systems utilize advanced machine learning algorithms to analyze diverse data sets, including historical rainfall patterns, river levels, and topographical information. By processing this data, AI systems can accurately forecast the likelihood and severity of flooding in specific areas.

A significant benefit of these AI-based flood prediction systems is their capacity to issue early warnings to authorities and local communities. By identifying patterns and trends within the data, the algorithms can alert relevant stakeholders about potential flood risks well in advance. This early notification empowers authorities to enact evacuation measures, mobilize emergency response teams, and strategically position resources such as relief supplies and rescue equipment. Additionally, AI-based flood prediction systems facilitate more efficient allocation of resources during flood events. By precisely evaluating the risk level in various regions, authorities can prioritize their response efforts and deploy resources where they are most required. This targeted approach aids in minimizing infrastructure damage, reducing loss of life, and enhancing overall disaster response efficiency.

In summary, the integration of AI technology for flood prediction and management in India marks a significant advancement in disaster readiness and response capabilities. By harnessing the capabilities of machine learning and data analytics, these systems enable authorities to make informed decisions, mitigate the impact of flooding, and ultimately safeguard lives and livelihoods in flood-prone areas.

RESULT AND FINDINGS

Artificial Intelligence (AI) plays a significant role in addressing environmental problems. Here are some ways AI is being used:

Monitoring and Predicting Environmental Changes: AI helps in monitoring and predicting environmental changes by analyzing complex, multifaceted datasets [24] [25] .

Improving Energy Efficiency: AI can design more energy-efficient buildings and optimize renewable energy deployment [24] . It can also decrease energy consumption and avoid electricity waste by monitoring energy usage [26] .

Enhancing Conservation Efforts: AI-optimized models can offer strategies for biodiversity protection [26] .

Addressing Air and Water Pollution: AI provides effective approaches to water pollution and scarcity [26] . It can also predict air and groundwater pollution [25] .

Monitoring Methane Emissions: The International Methane Emissions Observatory (IMEO) leverages AI to revolutionize the approach to monitoring and mitigating methane emissions [24] .

These are just a few examples of how AI is being used to tackle environmental challenges. The potential applications are vast and continue to grow as technology advances.

Role of AI in reducing power Consumption

Power-Capping Hardware: Think of it like putting a speed limit on a race car. By limiting how much power a GPU can use, we can save energy (about 12% to 15%), almost like driving more efficiently [25] [26] .

Efficient Training: It's like stopping a workout when you've reached your goal, instead of unnecessarily tiring yourself out. Some smart folks at MIT have found a way to stop training AI models early, saving a whopping 80% of energy [25] [26] .

Predictive Maintenance: Imagine if your car could tell you when it's about to break down. That's what AI does here. It uses machine learning to predict equipment failures, helping us fix problems before they waste energy [27] .

Cloud Settings: This is like adjusting the thermostat in your house to save on heating and cooling. By making simple changes to cloud settings, we can dramatically reduce the energy consumed by deep-learning algorithms [28] .

These strategies highlight the importance of green computing in AI research and development. It's crucial to balance the benefits of AI with the environmental footprint of AI itself.

CONCLUSION

The inspirational role of AI in environmental conservation is evident through its wide-ranging applications, spanning from remote sensing and wildlife protection to climate change forecasting and adaptation. Despite encountering challenges related to ethics, data accessibility, and policy, the ethical development and deployment of AI present unparalleled opportunities to tackle urgent environmental issues. Realizing the potential of AI necessitates collective efforts from governments, organizations, and individuals to promote innovation, facilitate data collaboration, and encourage knowledge sharing. Embracing interdisciplinary approaches and integrating AI technologies into conservation strategies can pave the way for a sustainable future that balances human development with the preservation of our planet's diverse biodiversity and natural resources. Ethical and responsible deployment of AI holds the key to unlocking a future where both humanity and nature thrive in harmony.

ACKNOWLEDGEMENT

We are very appreciative of the help and direction we received from the faculty members and especially our mentor, Ms. Ritika Tiwari, which enabled us to finish this work. She guided us at every step and inculcated research-oriented things in us. We also want to highlight the chance; the institution and the department of Humanities and Sciences gave us to encourage us to produce technical review papers.

REFERENCE

[1]. Zhou, Y.; Zhao, X.; Lin, K.-P.; Wang, C.-H.; Li, L. A Gaussian process mixture model-based hard-cut iterative learning algorithm for air quality prediction. *Appl. Soft Comput.* 2019, 85, 105789. [Google Scholar] [CrossRef].

[2]. Mannucci, P.M.; Franchini, M. Health effects of ambient air pollution in developing countries. *Int. J. Environ. Res. Public Health* 2017, 14, 1048. [Google Scholar] [CrossRef].

[3]. Lee, D.; Kang, S.; Shin, J. Using deep learning techniques to forecast environmental consumption level. *Sustainability* 2017, 9, 1894. [Google Scholar] [CrossRef].

[]. Zorn, M., and B. Komac. 2016. Land degradation. In *Encyclopedia of natural hazards. Encyclopedia of Earth sciences series*, ed. P.T. Bobrowsky. Dordrecht: Springer.

[5]. Gibbs, H.K., and J.M. Salmon. 2015. Mapping the world's degraded lands. *Applied Geography* 57: 12–21.

[6]. Satheeshkumar, P., Khan, A.B. Identification of mangrove water quality by multivariate statistical analysis methods in Pondicherry coast, India. *Environ Monit Assess* 184, 3761–3774 (2012).

[7]. Senthilkumar, S., Gowtham, B., Sundararajan, M. et al. Impact of landuse on the groundwater quality along coastal aquifer of Thiruvallur district, South India. *Sustain. Water Resour. Manag.* 4, 849–873 (2018).

[8]. Tiyyasha, T. M. Tung and Z. M. Yaseen, "A survey on river water quality modelling using artificial intelligence models: 2000–2020", *J. Hydrol.*, vol. 585, Jun. 2020.

[9]. F. Kamyab-Talesh, S.-F. Mousavi, M. Khaledian, O. Yousefi-Falakdehi and M. Norouzi-Masir, "Prediction of water quality index by support vector machine: A case study in the Sefidrud basin northern Iran", *Water Resour.*, vol. 46, no. 1, pp. 112-116, Jan. 2019.

[10]. M. S. Samsudin, A. Azid, S. I. Khalit, M. S. A. Sani and F. Lananan, "Comparison of prediction model using spatial discriminant analysis for marine water quality index in mangrove estuarine zones", *Mar. Pollut. Bull.*, vol. 141, pp. 472-481, Apr. 2019.

[11]. F. Kamyab-Talesh, S.-F. Mousavi, M. Khaledian, O. Yousefi-Falakdehi and M. Norouzi-Masir, "Prediction of water quality index by support vector machine: A case study in the Sefidrud basin northern Iran", *Water Resour.*, vol. 46, no. 1, pp. 112-116, Jan. 2019.

[12]. W. Y. Wong et al., "Water, Soil and Air Pollutants' Interaction on Mangrove Ecosystem and Corresponding Artificial Intelligence Techniques Used in Decision Support Systems - A Review," in *IEEE Access*, vol. 9, pp.105532-105563, 2021, doi: 10.1109/ACCESS.2021.309910z7.

[13]. RL Wilby Source: Built Environment, Volume 33, Number 1, 13th March 2007, pp. 31-45(15).

[14]. Pawson, S.M., Brin, A., Brockerhoff, E.G. et al. Plantation forests, climate change and biodiversity. *Biodivers Conserv* 22, 1203–1227 (2013).

[]. Jones, M., Smith, P., & Patel, R. (2021). The Role of Artificial Intelligence in Environmental Conservation. *Nature Sustainability*, 4(7), 546-558.

[16]. Li, Y., Wang, C., & Chen, J. (2022). AI Applications in Climate Change Mitigation and Adaptation: A Review. *Journal of Environmental Management*, 303,114151.

[17]. Marconi, R., Brown, T., & Martinez, G. (2021). AI-Powered Smart Cities: Advancements and Opportunities for Sustainable Urban Planning. *Sustainability*, 13[5], 2556.

[18]. Kaur, A., Chen, Y., & Gupta, A. (2022). AI and Biodiversity Monitoring: A Comparative Study of Camera Traps and Acoustic Monitoring. *Biodiversity and Conservation*, 31[2], 527-543.

[19]. Rayhan, Abu. (2023). THE ROLE OF ARTIFICIAL INTELLIGENCE IN CLIMATE CHANGE MITIGATION AND ADAPTATION. *Artificial Intelligence*. DOI: 10.13140/RG.2.2.10346.70087.

[20]. Miller, B., Turner, W., & Comber, A. (2023). Challenges and Opportunities for Data Collaboration in AI-Driven Conservation Projects. *Environmental Research Letters*, 18(3),035009.

[21]. P. Asha,L. Natrayan,B.T. Geetha,J. Rene Beulah,R. Sumathy,G. Varalakshmi,S. Neelakandan . IoT enabled

environmental toxicology for air pollution monitoring using AI techniques (1 April 2022)

[22]. Su, Xiang . Intelligent and Scalable Air Quality Monitoring with 5G Edge (2021)

[23]. Mehmet Taştan , Hayrettin Gökozan . Real-Time Monitoring of Indoor Air Quality with Internet of Things-Based E-Nose (20 August 2019)

[24]. <https://www.unep.org/news-and-stories/story/how-artificial-intelligence-helping-tackle-environmental-challenges>

[25]. <https://hai.stanford.edu/news/environmental-intelligence-applications-ai-climate-change-sustainability-and-environmental>

[26].<https://bing.com/search?q=role+of+AI+in+environmental+problems>

[27]. <https://news.mit.edu/2023/new-tools-available-reduce-energy-that-ai-models-devour-1005>

[28]. <https://www.ll.mit.edu/news/ai-models-are-devouring-energy-tools-reduce-consumption-are-here-if-data-centers-will-adopt>

[29]. <https://energycentral.com/c/pip/how-ai-can-optimize-energy-efficiency-and-reduce-carbon-emissions>

[30] Saylor, R.D., Baker, B.D., Lee, P., Tong, D., Pan, L. and Hicks, B.B., 2019. The particle dry deposition component of total deposition from air quality models: right, wrong or uncertain?.

[31] Mihait, a, A.S., Dupont, L., Chery, O., Camargo, M., Cai, C., 2019. Evaluating air quality by combining stationary, smart mobile pollution monitoring and data-driven modelling

[32] S. K. Jain and V. P. Singh, Water Resources Systems Planning and Management, Amsterdam, The Netherlands:Elsevier, (2003)

[33] W. Y. Wong et al . Water, Soil and Air Pollutants (2021)