



Count of SK_Fact_Inspection_ID by Inspection_Result





Count of Inspection_Result by Inspection_Type and Inspection_Result

Inspection_Result ● Fail ● Pass ● Pass with Warning



count(inspection_Result) by Risk_Category






SK_Violation_ID	Violation_Code	Violation_Description	count(inspection_Result)	Inspection_Result
1	55	PHYSICAL FACILITIES INSTALLED, MAINTAINED & CLEAN	37888	Fail
1	55	PHYSICAL FACILITIES INSTALLED, MAINTAINED & CLEAN	2907	Pass
1	55	PHYSICAL FACILITIES INSTALLED, MAINTAINED & CLEAN	17842	Pass with Warning
2	49	NON-FOOD/FOOD CONTACT SURFACES CLEAN	13378	Fail
2	49	NON-FOOD/FOOD CONTACT SURFACES CLEAN	862	Pass
2	49	NON-FOOD/FOOD CONTACT SURFACES CLEAN	6424	Pass with Warning
3	10	ADEQUATE HANDWASHING SINKS PROPERLY SUPPLIED AND ACCESSIBLE	17067	Fail
3	10	ADEQUATE HANDWASHING SINKS PROPERLY SUPPLIED AND ACCESSIBLE	405	Pass
3	10	ADEQUATE HANDWASHING SINKS PROPERLY SUPPLIED AND ACCESSIBLE	2778	Pass with Warning
4	16	FOOD-CONTACT SURFACES: CLEANED & SANITIZED	4563	Fail
4	16	FOOD-CONTACT SURFACES: CLEANED & SANITIZED	115	Pass
4	16	FOOD-CONTACT SURFACES: CLEANED & SANITIZED	942	Pass with Warning
5	53	TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, & CLEANED	8252	Fail
5	53	TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, & CLEANED	745	Pass
5	53	TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, & CLEANED	3811	Pass with Warning
6	56	ADEQUATE VENTILATION & LIGHTING; DESIGNATED AREAS USED	11585	Fail
6	56	ADEQUATE VENTILATION & LIGHTING; DESIGNATED AREAS USED	543	Pass
6	56	ADEQUATE VENTILATION & LIGHTING; DESIGNATED AREAS USED	5128	Pass with Warning
7	58	ALLERGEN TRAINING AS REQUIRED	11680	Fail
7	58	ALLERGEN TRAINING AS REQUIRED	43	Pass
7	58	ALLERGEN TRAINING AS REQUIRED	3493	Pass with Warning
8	40	PERSONAL CLEANLINESS	2453	Fail
8	40	PERSONAL CLEANLINESS	163	Pass
8	40	PERSONAL CLEANLINESS	800	Pass with Warning
9	37	FOOD PROPERLY LABELED; ORIGINAL CONTAINER	7251	Fail
9	37	FOOD PROPERLY LABELED; ORIGINAL CONTAINER	236	Pass
9	37	FOOD PROPERLY LABELED; ORIGINAL CONTAINER	2356	Pass with Warning
10	8	HANDS CLEAN & PROPERLY WASHED	588	Fail
10	8	HANDS CLEAN & PROPERLY WASHED	2	Pass with Warning
Total			658895	

Facility_Name ▲	Facility_AKA_Name	Facility_License	Inspection_Result	Month	Year
- KPMG	- KPMG	-9999	Pass	6	2019
- KPMG	- KPMG	-9999	Pass	6	2021
"LET'S DO LUNCH"	"LET'S DO LUNCH"	-9999	Pass	2	2017
"LET'S DO LUNCH"	"LET'S DO LUNCH"	-9999	Pass	2	2018
"LET'S DO LUNCH"	"LET'S DO LUNCH"	-9999	Pass	2	2019
"LET'S DO LUNCH"	"LET'S DO LUNCH"	-9999	Pass	2	2020
"LET'S DO LUNCH"	"LET'S DO LUNCH"	-9999	Pass	8	2017
"LET'S DO LUNCH"	"LET'S DO LUNCH"	-9999	Pass	8	2018
"LET'S DO LUNCH"	"LET'S DO LUNCH"	-9999	Pass	8	2019
#1 CHAMPION BILLIARD # GAMES	#1 CHAMPION BILLIARD # GAMES	-9999	Pass	3	2022
#1 CHAMPION BILLIARD # GAMES	#1 CHAMPION BILLIARD # GAMES	-9999	Pass	4	2023
#1 CHAMPION BILLIARD & GAMES	#1 CHAMPION BILLIARD & GAMES	-9999	Pass	1	2018
#1 CHAMPION BILLIARD & GAMES	#1 CHAMPION BILLIARD & GAMES	-9999	Pass	2	2019
#1 CHAMPION BILLIARD & GAMES	#1 CHAMPION BILLIARD & GAMES	-9999	Pass	3	2017
#1 CHAMPION BILLIARD & GAMES	#1 CHAMPION BILLIARD & GAMES	-9999	Pass	7	2018
#1 CHINA EXPRESS, LTD.	#1 CHINA EXPRESS , LTD	1869616	Pass with Warning	11	2010
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Fail	1	2020
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Fail	2	2015
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Fail	4	2019
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Fail	6	2014
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Fail	6	2016
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Fail	11	2015
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	1	2011
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	2	2013
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	2	2022
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	3	2017
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	3	2020
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	4	2012
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	6	2010
#1 CHOP SUEY	#1 CHOP SUEY	1970042	Pass with Warning	6	2011

***License Number assigned for Dallas:
-9999***


count(inspection_Result) by Year and Inspection_Result

Inspection_Result ● Fail ● Pass ● Pass with Warning



count(inspection_Result) by Inspection_Result, Latitude and Longitude

Inspection_Result ● Fail ● Pass ● Pass with Warning



Inspection_ID	Facility_License	Violation_Code	Violation_Description	Inspector_Comments
100	-9999	0	NA	NA
101	-9999	0	NA	NA
102	-9999	0	NA	NA
102	-9999	21	RFSM - Not On Site	register with the City of Dallas: 7901 Goforth F
102	-9999	42	Dirty nonfood contact surfaces	dust accumulation on the fan covers inside th
103	-9999	0	NA	NA
104	-9999	0	NA	NA
105	-9999	0	NA	NA
106	-9999	0	NA	NA
107	-9999	0	NA	NA
108	-9999	0	NA	NA
108	-9999	32	Equipment & Utensils smooth easily cleanable	you can not store utensils or food on cloth
109	-9999	0	NA	NA
110	-9999	0	NA	NA
111	-9999	0	NA	NA
111	-9999	18	Toxic items storage adjacent to food/utensils	observed chemical store next to the food
112	-9999	0	NA	NA
112	-9999	29	Concentration of the sanitizing solution shall be accurately determined by using a test kit or o	low concentration at sanitizer bucket with100 400 ppm Quat concentration
113	-9999	0	NA	NA
113	-9999	11	*11Food Donations - Damaged foods#7 dented cans removed from shelf	7 dented cans removed from shelf
113	-9999	45	*45Physical Facilities Floors,Walls,Ceilings#replace missing and shifting ceiling tiles	replace missing and shifting ceiling tiles
114	-9999	0	NA	NA
115	-9999	0	NA	NA
116	-9999	0	NA	NA
117	-9999	0	NA	NA
117	-9999	34	Pest control-routine inspections for	fruit flies present
118	-9999	0	NA	NA
119	-9999	0	NA	NA