

```
#math module
'''import math
print(math.pi)
print(math.pi*3)
print(math.sqrt(2))
print(math.pow(2,2))
print(math.log(10))
print(math.tan(45))
print(math.cos(60))
print(math.sin(30))
print(math.ceil(4.9))
print(math.floor(6.9))'''

#from keyword
'''from math import pi,sqrt,log,tan,cos
print(pi)
print(sqrt(2))
print(log(20))
print(tan(45))
print(cos(60))'''

#sys module
'''import sys
print(sys.path)
print(sys.version)'''

#os module
'''import os
print(os.path)#path checking
print(os.getcwd())#current working directries
print(os.listdir())
print(os.chdir("C:\\Users\\A.SRISAI\\Downloads"))
print(os.listdir())
print(os.mkdir("july 27"))'''
```

```
#random module
#definition:random module is used to generate the random numbers in python and randint function is used and this function is defined in random module
#random.sample(random of give numbers from range)
'''import random
a=random.sample(range(20,50),20)
print(a)'''

#randint(single number generation from given range)
'''import random
a=random.randint(20,50)
print(a)'''

#choice[from the user given numbers it will display a single number]
'''import random
a=[10,20,30,40,50]
b=random.choice(a)
print(b)'''

#task-dice
import random
while True:
    dice=int(input("enter the roll of dice"))
    a=random.randint(1,6)
    print(a)
    option=input("Roll again(yes/no)")
    if option=="yes":
        continue
    elif option=="no":
        break
    else:
        print("invalid option")
```