

Water Quality Data of Ground Water in Andhra Pradesh Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
26	BORE WELL AT KANURU PANCHAYAT, VIJAYAWADA	ANDHRA PRADESH	26	28	7.36	7.48	2384	2498	1.8	2.2	2.1	2.22	3	3	7	11	1390	1463	0.69	0.82	0.00049	0.00049
1513	BORE WELL AT AUTONAGAR, VIJAYAWADA.(IN THE R/O OF MR SATYANARAYANA PLOT NO:79 H.NO:74-1-7/2C,AUTO NAGAR VIJAYAWADA)	ANDHRA PRADESH	24	27	7.36	7.52	2074	2138	1.7	2	2.17	2.26	3	3	9	11	1220	1280	0.68	0.73	0.00049	0.00049
1514	BORE WELL AT AUTONAGAR, VIJAYAWADA. (IN THE R/O OF MR. VIJAY KUMAR)	ANDHRA PRADESH	25	26	7.46	7.53	2148	2210	2.1	2.3	2.51	2.59	3	3	9	11	1260	1340	0.69	0.71	0.00049	0.00049
1516	BOREWELL OF NAVLOK GARDENS, NELLORE TOWN	ANDHRA PRADESH	28	30	7.76	7.9	1120	1260	1	1.9	1.37	5.95	1.8	4	10	12	664	736	0.69	0.75	0.00049	0.00049
1517	BOREWELL NEAR TUNGBHADRA RIVER, MAMIDALAPADU (V), KURNOOL (M)	ANDHRA PRADESH	24	25	7.6	7.9	2365	4130	1	1.1	3.05	12.3	1.8	1.8	4	11	1365	2721	0.5	0.62		
1518	BOREWELL AT NANDYAL TOWN	ANDHRA PRADESH	24	25	7.2	7.7	5940	6445	1	1	4.97	8.3	2	3	10	17	3540	3800	0.6	1.08		
1519	BOREWELL AT NAGIRI TOWN	ANDHRA PRADESH	26	27	7.2	7.4	1832	1854	1	1	6.76	9.72	1.8	1.8	6	8	1021	1022	0.66	0.69		
1520	BOREWELL NEAR SWARNAMUKHI RIVER AT SRIKALAHASTI TOWN	ANDHRA PRADESH	26	28	7.5	7.5	1053	1095	1	1	0.76	0.87	1.8	1.8	9	12	599	608	0.62	0.77		
1521	OPEN WELL NEAR RAMA TEMPLE, WARD NO.2, MINDI, VISAKHAPATNAM	ANDHRA PRADESH	27	28	7.39	7.55	1396	1399	2	2.6	5.66	7.67	1.8	1.8	3	3	928	936	0.2	0.74	0.001	0.001
1522	OPEN WELL PEDDANUVVI, PONNADA (V), ETCHERLA (M)	ANDHRA PRADESH	26	32	6.97	7.33	1674	1704	2	2.4	6.16	7.85	1.8	1.8	3	39	1108	1156	0.2	0.99	0.001	0.001
1523	BOREWELL NEAR M/S ANDHRA SUGARS LTD., KOVVUR TOWN	ANDHRA PRADESH	26	28	7.36	7.41	352	796	1.4	3.6	0.8	1.79	1.8	1.8	3	3	244	528	0.31	0.82	0.001	0.001
1524	OPEN WELL NEAR PARTAP NAGAR BRIDGE - KAKINADA TOWN	ANDHRA PRADESH	26	29	7.39	7.64	1203	1302	1.2	2.2	0.7	0.71	1.8	1.8	3	3	792	840	0.35	0.67	0.001	0.001
3087	BOREWELL NEAR GRAMPANCHAYAT OFFICE, PATHAPADU (V), VIJAYAWADA RURAL	ANDHRA PRADESH	24	28	6.96	7.62	2105	2160	1.8	2	2.36	2.42	3	3	9	11	1240	1278	0.65	0.69	0.00049	0.00049
3089	HAND PUMP AT TANAM (V), PARAWADA (M)	ANDHRA PRADESH	29	29	8.1	8.2	1840	2107	1.7	2.1	0.32	4.27	1.8	1.8	3	3	1200	1388	0.66	0.82	0.00049	0.00049
3090	HAND PUMP AT PITTAVANIPALEM (V), PARAWADA (M)	ANDHRA PRADESH	27	28	7.34	7.56	1515	1696	1.6	1.9	0.63	9.86	1.8	1.8	3	3	1020	1090	0.2	0.62	0.00049	0.00049
3091	BORE WELL AT KAPULUPPADA DUMPSITE, VISHAKHAPATNAM	ANDHRA PRADESH	24	28	7	7.23	2682	3210	1.8	3.4	9.41	9.62	1.8	1.8	3	3	1720	2012	0.2	1.08	0.00049	0.00049
3092	BORE WELL AT ARINAM AKKIVALASA (V), ETCHERLA (M)	ANDHRA PRADESH	26	30	7.13	7.38	1320	1555	1.8	1.9	4.35	5.22	1.8	1.8	3	3	832	1040	0.2	1.06	0.001	0.001
3093	BORE WELL AT ALLADAPALEM (V), PUSAPATIREGA(M)	ANDHRA PRADESH	23	25	7.6	7.77	1052	1185	2	2.8	4.37	6.05	1.8	1.8	3	3	640	796	0.43	0.96	0.00049	0.00049
4350	BOREWELL AT ZP HIGH SCHOOL, UDDANAM REGION, AMALAPADU (V), VAJRAPUKOTTURU (M)	ANDHRA PRADESH	30	34	6.9	6.92	1117	1258	3.2	3.8	8.63	9.84	1.8	1.8	3	3	722	836	0.2	0.83	0.001	0.001

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4353	BORE WELL AT MANGARAJU HOUSE, GAJAPATHINAGARAM VILLAGE, PAYAKARAOPEETA (M)	ANDHRA PRADESH	25	26	7.64	8.02	3090	3385	2	2.4	8.48	9.36	1.8	1.8	1.8	3	2020	2165	0.41	1.27		
4354	BORE WELL, SRI NOOKATATA TEMPLE RAJAYYAPETA VILLAGE, NAKKAPALLI (M)	ANDHRA PRADESH	26	27	7.18	7.94	1444	12070	1.6	3.6	1.87	8.75	1.8	1.8	3	3	956	7932	0.36	0.92		
4355	BORE WELL, CHIPPADA (V), BHEEMUNIPATNAM (M)	ANDHRA PRADESH	26	26	6.69	6.9	790	906	2	2.3	6.97	8.51	1.8	1.8	3	3	516	620	0.2	0.97	0.00049	0.00049
4360	BORE WELL AT IDA, RAMANAYYAPETA, KAKINADA TOWN	ANDHRA PRADESH	27	28	7.76	7.9	960	1057	1.1	2.1	5.58	6.44	1.8	1.8	3	3	624	772	0.21	0.28	0.004	0.004
4364	BORE WALL AT RAJIV GRUHAKALAPA, NEAR AP PAPER MILLS WORKERS COLONY, MALLAYYAPETA, KATHERU, RAJAMAHENDRAVARAM	ANDHRA PRADESH	27	29	7.31	7.56	1007	1062	1.3	3.8	0.41	0.56	1.8	1.8	3	3	604	712	0.2	0.46	0.001	0.001
4376	BOREWELL WATER , APIIC OFFICE, IDA KONDAPALLI, KONDAPALLI (V), IBRAHIMPATNAM (M)	ANDHRA PRADESH	22	28	7.29	7.34	7700	7840	2.5	2.6	3.39	3.67	3	4	9	11	4600	4740	0.64	0.69	0.00049	0.00049
4377	BOREWELL AT IMITATION JEWELLARY PARK, MACHILIPTNAM TOWN	ANDHRA PRADESH	26	28	8.06	8.1	7320	9400	2.4	2.7	3.3	4.59	3	4	9	11	4390	5820	0.76	0.87	0.00049	0.00049
4380	BOREWELL WATER , SRI VENKATESWARA SWAMY TEMPLE, VENKATA PALEM (V), TULLUR (M)	ANDHRA PRADESH	22	31	7.19	7.48	758	760	1.6	1.8	0.85	0.9	3	3	9	9	440	448	0.56	0.59	0.00049	0.00049
4382	BOREWELL AT PEDAKAKANI POLICE STATION, AUTONAGAR, PEDAKAKANI (V & M)	ANDHRA PRADESH	24	29	7.51	7.58	4210	4326	2.2	2.3	5.1	5.41	3	4	14	15	2520	2608	0.63	0.69	0.00049	0.00049
4384	BOREWELL IN FRONT OF M/S BHAGEERADHA CHEMICALS & INDUSTRIES LTD, CHERUVUKOMMUPALEM (V), ONGOLE (M)	ANDHRA PRADESH	23	27	7.7	7.86	8943	9140	2.6	2.9	9.6	10.17	3	7	11	15	5372	5480	0.73	0.76	0.00049	0.00049
4392	BOREWELL NEAR SRI GOVINDARAJA SWAMY TEMPLE, TIRUPATI TOWN	ANDHRA PRADESH	26	28	7	7.3	883	1060	1	1	4.41	9.65	1.8	1.8	5	5	461	604	0.75	0.81		
4393	CLOSED MSW DUMPSITE, UKKAYAPALLI (V), KADAPA (M)	ANDHRA PRADESH	26	26	7	7.1	2082	2505	1	1	6.69	10.7	1.8	2	4	14	1370	1388	0.9	1.51		
4394	BOREWELL AT APIIC OFFICE INDUSTRIAL ESTATE GROWTH CENTRE, THUMAKUNTA (V), HINDUPUR (M)	ANDHRA PRADESH	20	23	6.9	7.4	3964	4050	1	1.5	1.7	4.25	1.8	1.8	6	10	2262	2610	0.3	1.32		
4395	BOREWELL AT APIIC OFFICE INDUSTRIAL ESTATE, ANANTAPUR(M)	ANDHRA PRADESH	20	22	7.1	7.1	2710	3870	1	1.2	5.02	12.2	1.8	2	2	12	1640	2110	0.3	1.26		

Water Quality Data of Ground Water in Assam Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1533	GROUND WATER AT DIGBOI, TINSUKIA DISTT., ASSAM	ASSAM	18	18	7	7	232	232	2	2	0.8	0.8	1.8	1.8	1.8	1.8	152	152	0.26	0.26		
1534	GROUND WATER AT KARBI ANGLONG TOWN, ASSAM	ASSAM	25	25	7	7	242	242	1.9	1.9	0.8	0.8	1.8	1.8	1.8	1.8	158	158	0.31	0.31		
1535	GROUND WATER AT SIVASAGAR GOVT ME SCHOOL WARD 6, RED CROSS ROAD , ASSAM	ASSAM	23	26	7.5	7.8	284	318	1.8	2	0.9	1.1	1.8	1.8	1.8	1.8	180	208	0.31	0.33		
1536	GROUND WATER FROM NEAR BPMS H.S. SCHOOL SONARI TOWN DIST CHARAIDEO	ASSAM	25	26	7	7.4	345	366	1.7	2.1	0.9	1	1.8	1.8	1.8	1.8	232	234	0.26	0.28		
1537	GROUND WATER FROM JORHAT TOWN, ASSAM	ASSAM	20	24	7	7.2	294	302	1.9	2.2	0.9	1.1	1.8	1.8	1.8	1.8	194	202	0.3	0.31		
1538	GROUND WATER FROM SILCHAR TOWN , ASSAM	ASSAM	23	24	6.4	6.8	138	226	2.4	2.9	0.8	1.1	1.8	1.8	1.8	1.8	98	128	0.28	0.31		
1539	GROUND WATER FROM BARPETA TOWN, ASSAM	ASSAM	26	26	7.1	7.2	218	250	1.9	2.2	0.9	0.9	1.8	1.8	1.8	1.8	148	172	0.28	0.33		
1540	GROUND WATER FROM BONAIGAON TOWN, ASSAM	ASSAM	29	30	7	7.2	302	302	1.8	2	0.9	1.2	1.8	1.8	1.8	1.8	198	206	0.3	0.32		
1541	GROUND WATER FROM NOONMATI GUWAHATI, ASSAM	ASSAM	24	26	6.9	7.2	328	368	2	2.2	1	1.2	1.8	1.8	1.8	1.8	220	228	0.27	0.29		
1542	GROUND WATER FROM SIJUBARI MAZAR, NATBOMA HATIGAON, GUWAHATI	ASSAM	23	28	6.6	7.2	360	386	2.2	2.2	0.8	1	1.8	1.8	1.8	1.8	242	268	0.26	0.29		
2243	GROUND WATER FROM LEDO, MARGHERITA, ASSAM	ASSAM	18	18	7.6	7.6	240	240	2.2	2.2	1	1	1.8	1.8	1.8	1.8	166	166	0.28	0.28		
2244	GROUND WATER FROM NAZIRA, ASSAM	ASSAM	25	26	7.1	7.5	330	340	1.8	2	0.9	0.9	1.8	1.8	1.8	1.8	226	234	0.28	0.31		
2245	GROUND WATER FROM NUMALIGARH (NEAR NRL TE LABOR COLONY), ASSAM	ASSAM	22	25	6.9	7.5	186	230	2	2.4	0.8	0.9	1.8	1.8	1.8	1.8	128	150	0.27	0.34		
2246	GROUND WATER FROM SEMENCHAPARI, ASSAM	ASSAM	25	25	7.1	7.1	292	292	2.2	2.2	1	1	1.8	1.8	1.8	1.8	192	192	0.31	0.31		
2247	GROUND WATER FROM SILAPATHAR, ASSAM	ASSAM	26	26	7	7.2	262	270	2	2.4	1	1.4	1.8	1.8	1.8	1.8	160	168	0.3	0.3		
2248	GROUND WATER FROM LAKHIMPUR TOWN, ASSAM	ASSAM	25	25	7.2	7.3	240	270	2	2.3	0.8	0.8	1.8	1.8	1.8	1.8	166	170	0.28	0.32		
2249	GROUND WATER FROM TEZPUR (MISSION CHARIALI), ASSAM	ASSAM	26	26	6.8	7	254	260	2.1	2.2	0.9	1	1.8	1.8	1.8	1.8	168	174	0.33	0.33		
2250	GROUND WATER FROM NAGAON (PANIGAON), ASSAM	ASSAM	25	25	7.1	7.1	290	290	2	2	1	1	1.8	1.8	1.8	1.8	198	198	0.28	0.28		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2251	GROUND WATER FROM JAGIROAD NEAR HPC EFFLUENT DISCHARGE POINT, ASSAM	ASSAM	25	26	6.8	7	360	380	2	2.1	1.2	2	1.8	1.8	1.8	1.8	238	256	0.3	0.3		
2252	GROUND WATER NEAR MSW DUMPING SITE AT GARCHUK-GUWAHATI, ASSAM	ASSAM	25	27	6.7	6.9	350	394	2	2.8	1.4	1.7	1.8	1.8	1.8	1.8	236	262	0.28	0.3		
2253	GROUND WATER FROM NALBARI, ASSAM	ASSAM	24	27	7	7.2	208	290	2	2.5	0.8	1	1.8	1.8	1.8	1.8	136	200	0.27	0.3		
2254	GROUND WATER FROM BARPETA ROAD(RLY STATION), ASSAM	ASSAM	23	25	6.9	7.4	228	270	1.8	2	0.9	1	1.8	1.8	1.8	1.8	146	184	0.28	0.3		
2255	GROUND WATER NEAR BPRL, DHALIGAON, ASSAM	ASSAM	25	31	6.9	7.2	318	320	1.8	2.2	1	1.2	1.8	1.8	1.8	1.8	206	210	0.29	0.31		
2256	GROUND WATER FROM KOKRAJHAR DISTRICT (HS SCHOOL), ASSAM	ASSAM	25	27	7	7.2	302	330	1.8	2.2	1	1	1.8	1.8	1.8	1.8	190	218	0.28	0.33		
2257	GROUND WATER FROM DHUBRI DISTRICT (COLLEGE NAGAR), ASSAM	ASSAM	23	30	7	7.2	296	312	1.8	2	0.8	1	1.8	1.8	1.8	1.8	186	208	0.28	0.3		
2258	GROUND WATER FROM GOALPARA DIST. (GOALPARA COLLEGE), ASSAM	ASSAM	25	25	6.9	6.9	334	334	1.8	1.8	0.8	0.8	1.8	1.8	1.8	1.8	214	214	0.28	0.28		
2259	GROUND WATER FROM DIPHU (GOVT. COLLEGE), ASSAM	ASSAM	26	26	7	7	240	240	2	2	1	1	1.8	1.8	1.8	1.8	156	156	0.3	0.3		
2260	GROUND WATER FROM HAMREN, ASSAM	ASSAM	22	22	7	7	240	240	2.2	2.2	0.9	0.9	1.8	1.8	1.8	1.8	152	152	0.28	0.28		
2261	GROUND WATER FROM HAFLONG, ASSAM	ASSAM	21	21	7	7	158	158	2.4	2.4	0.9	0.9	1.8	1.8	1.8	1.8	98	98	0.28	0.28		
2262	GROUND WATER FROM KARIMGANJ (COLLEGE), ASSAM	ASSAM	22	23	6.7	6.7	112	126	2.3	2.3	0.7	1.1	1.8	1.8	1.8	1.8	70	94	0.26	0.28		
2263	GROUND WATER FROM HIALAKANDI (NEAR ASTC BUS STAND), ASSAM	ASSAM	22	23	6.4	6.5	176	190	2.1	2.1	0.7	0.9	1.8	1.8	1.8	1.8	110	110	0.26	0.28		
2264	GROUND WATER IN PANCHGRAM MARKET NEAR CACHAR PAPER MILL, ASSAM	ASSAM	22	22	6.5	6.5	156	168	2.8	2.8	0.7	0.9	1.8	1.8	1.8	1.8	104	110	0.28	0.3		
3761	GROUND WATER FROM BISWANATH CHARIALI TOWN	ASSAM	24	26	7	7.3	230	260	2	2.4	1.1	1.2	1.8	1.8	1.8	1.8	146	180	0.29	0.33		
3762	GROUND WATER NEAR MUNICIPAL WASTE PROCESSING FACILITY, MORABHARLI, TEZPUR	ASSAM	26	26	6.8	6.8	220	280	2	2.1	0.8	1	1.8	1.8	1.8	1.8	146	168	0.3	0.3		
3766	GROUND WATER FROM MANGALDOI TOWN	ASSAM	23	26	6.8	6.8	196	366	2.1	2.2	0.9	1	1.8	1.8	1.8	1.8	140	226	0.3	0.31		
3770	GROUND WATER NEAR GARMUR RECREATION GROUND, JORHAT	ASSAM	19	25	7	7.4	190	250	1.8	2.4	0.9	1	1.8	1.8	1.8	1.8	128	160	0.28	0.3		
3771	GROUND WATER FROM TITABAR URBAN WATER SUPPLY, TITABAR	ASSAM	19	25	7.2	7.4	228	392	1.8	2.1	1	1.4	1.8	1.8	1.8	1.8	146	232	0.3	0.3		
3779	GROUND WATER FROM GARMUR, MAJULI	ASSAM	20	29	7.3	7.6	230	254	2	2.1	1	1	1.8	1.8	1.8	1.8	158	158	0.26	0.3		
3782	GROUND WATER FROM NIZ KODOMONI PWSS COMPLEX, DIBRUGARH	ASSAM	21	21	7.2	7.2	296	296	2.3	2.3	1	1	1.8	1.8	1.8	1.8	198	198	0.26	0.26		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3785	GROUND WATER FROM BORBEEL NO. 1 , RAM NAGAR, DIGBOI, PUBLIC WATER SUPPLY, TINSUKIA	ASSAM	18	18	7.1	7.1	258	258	2.1	2.1	1	1	1.8	1.8	1.8	1.8	176	176	0.27	0.27		
3790	GROUND WATER NEAR GOGAMUKH PUBLIC WATER SUPPLY SCHEME, GOGAMUKH, DHEMAJI	ASSAM	26	26	7	7	210	256	1.9	2.1	1	1	1.8	1.8	1.8	1.8	142	178	0.32	0.32		
3793	TUBE WELL AT R/O SRI TANKESWAR DAS, RUPJYOTI COLONY (NAGABALI) MUNICIPALITY DUMPING SITE, GOLAGHAT	ASSAM	21	25	6.8	6.8	232	242	2	2.2	0.9	1	1.8	1.8	1.8	1.8	160	162	0.3	0.36		
3794	TUBE WELL AT R/O SRI ANIL BAORA AT BOSAGAON NEAR BY THE ATHKHALIA, NAMGHAR, PO: PULIKAITONI	ASSAM	23	25	7	7.2	258	290	2.1	2.2	1	1.1	1.8	1.8	1.8	1.8	168	198	0.28	0.32		
3795	TUBE WELL OF WOKHA GORONGA GIRLS ME SCHOOL, GOROUNGA TINIALI, FURKATING	ASSAM	23	25	7.2	7.4	300	328	2	2.4	0.7	1	1.8	1.8	1.8	1.8	194	216	0.28	0.3		
3801	GROUND WATER FROM MEHEPUR TRENCHING GROUND, MEHERPUR, CACHAR	ASSAM	21	24	6.8	7.1	228	302	2.1	2.7	0.8	1.2	1.8	1.8	1.8	1.8	156	188	0.29	0.32		
3802	GROUND WATER FROM MEHEPUR NEAR A CLUSTER OF NURSING HOME & DIAGNOSTIC CENTRE, MEHERPUR, CACHAR	ASSAM	21	24	6.8	7.2	296	306	2.2	2.8	0.8	1	1.8	1.8	1.8	1.8	194	196	0.3	0.31		
3805	GROUND WATER NEAR BADARPUR INDUSTRIAL AREA AT BADARPUR GHAT, KARIMGANJ	ASSAM	22	23	6.4	6.6	150	156	2.4	2.5	1	1.1	1.8	1.8	1.8	1.8	106	114	0.28	0.32		
3813	GROUND WATER FROM BONDA, GUWAHATI	ASSAM	24	26	7.2	7.2	260	322	2	2.2	1	1	1.8	1.8	1.8	1.8	166	208	0.26	0.3		
3815	GROUND WATER FROM KHANAPARA, GUWAHATI	ASSAM	23	28	6.8	7.4	210	326	2.1	2.2	1	1	1.8	1.8	1.8	1.8	128	206	0.28	0.3		
3816	GROUND WATER FROM BASISTHA, GUWAHATI	ASSAM	24	29	7.2	7.4	192	326	2.1	2.2	1	1	1.8	1.8	1.8	1.8	138	210	0.3	0.31		
3817	GROUND WATER FROM KAHILIPARA, GUWAHATI	ASSAM	26	29	7	7.3	308	330	2	2.1	0.8	1.8	1.8	1.8	1.8	1.8	192	220	0.28	0.3		
3818	GROUND WATER FROM MALIGAON, GUWAHATI	ASSAM	24	25	6.5	6.8	190	310	2.2	2.4	0.9	1	1.8	1.8	1.8	1.8	128	194	0.28	0.28		
4001	GROUND WATER FROM PANJABARI	ASSAM	23	28	7	7.1	230	330	2	2.2	0.9	1	1.8	1.8	1.8	1.8	148	204	0.3	0.3		
4002	GROUND WATER FROM SANTIPUR	ASSAM	25	29	6.8	6.9	216	316	2.1	2.2	1	1.2	1.8	1.8	1.8	1.8	146	198	0.27	0.3		
4003	GROUND WATER FROM TEZPUR COLLEGIATE HIGH SCHOOL	ASSAM	26	26	7	7	180	260	2.2	2.2	1	1	1.8	1.8	1.8	1.8	106	176	0.31	0.33		
4007	GROUND WATER FROM LAKWAH	ASSAM	20	30	7.6	7.6	240	298	1.8	2	0.9	0.9	1.8	1.8	1.8	1.8	146	190	0.3	0.3		
4008	GROUND WATER FROM GELEKY	ASSAM	25	28	7.1	7.2	246	270	1.8	2.2	0.9	1	1.8	1.8	1.8	1.8	150	180	0.29	0.31		
4303	GROUND WATER FROM SATGAON	ASSAM	25	28	6.9	7.4	286	318	2.1	2.2	0.9	1.2	1.8	1.8	1.8	1.8	186	210	0.31	0.33		
4327	GROUND WATER FROM RAILWAY STATION ROAD, ROWTA	ASSAM	24	26	6.8	6.8	194	326	2.1	2.2	1	1	1.8	1.8	1.8	1.8	138	198	0.3	0.33		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4328	GROUND WATER BESIDE MSW DUMPING SITE, DHEKIAJULI	ASSAM	24	26	6.6	7.2	212	338	2	2.1	0.9	1	1.8	1.8	1.8	1.8	138	216	0.28	0.31		
4330	GROUND WATER NEAR PANGRAM STONE CRASHER CLUSTER	ASSAM	23	24	6.8	6.8	156	252	2.6	2.9	0.9	1	1.8	1.8	1.8	1.8	94	176	0.24	0.31		
4333	GROUND WATER FROM DEMOW WATER SUPPLY DEMOW TOWN	ASSAM	21	24	7.5	7.6	240	326	1.6	2.1	0.9	1	1.8	1.8	1.8	1.8	154	204	0.3	0.31		
4335	GROUND WATER FROM AMGURI, AMGURI TOWN	ASSAM	20	30	7.2	7.4	226	228	1.7	2	0.8	1.1	1.8	1.8	1.8	1.8	136	154	0.28	0.28		
4338	GROUND WATER FORM TENGA PUKHURI KUKURACHOWA WATER SUPPLY TENGA PUKHURI	ASSAM	20	37	7	7.6	272	290	1.8	2.2	0.9	1	1.8	1.8	1.8	1.8	178	184	0.3	0.3		
4339	GROUND WATER NEAR NAGAON TOWN PIPE WATER SUPPLY SCHEME(Z-111), NAGAON	ASSAM	25	29	7	7.6	204	324	2	2	0.8	0.9	1.8	1.8	1.8	1.8	136	204	0.32	0.33		
4340	GROUND WATER FROM NAGAON COLLEGE, NAGAON	ASSAM	23	33	6.8	7	210	330	2	2.2	1	1	1.8	1.8	1.8	1.8	130	206	0.32	0.33		
5143	GROUND WATER FROM DHEKIAJULI TOWN NIJARAPAR)P.O.DHEKIAJULI	ASSAM	24	24	6.6	6.6	210	210	2.1	2.1	1.2	1.2	1.8	1.8	1.8	1.8	138	138	0.3	0.3		

Water Quality Data of Ground Water in Bihar Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1826	BORE WELL WATER AT BHOOTNATH ROAD WATER TANK SEC-3, KANKARBAGH, PATNA	BIHAR	21	29	7.11	7.7	410	526	1	1.5	0.3	0.3	1.8	1.8	1.8	1.8	294	294	0.68	0.68		
1827	TAP WATER COMING FROM OVER HEAD TANK PMCH CAMPUS, PATNA	BIHAR	21	29	7.15	7.76	471	556	1	1.6	0.37	0.83	1.8	1.8	1.8	1.8	316	342	0.95	0.95		
1828	BORE WELL WATER IN CAMPUS OF PATNA WATER BOARD HEAD OFFICE, NEAR HIGH COURT, PATNA	BIHAR	24	27	7.64	7.96	513	887	1	1	0.61	1.53	1.8	1.8	1.8	1.8	356	508	0.84	0.84		
1829	BORE WELL WATER FROM IGIMS CAMPUS, PATNA	BIHAR	20	28	7.04	7.63	436	774	1	1	0.3	0.93	1.8	1.8	1.8	1.8	306	446	0.27	0.58		
1830	BORE WELL WATER (PHED PUMP HOUSE) SADAR HOSPITAL CAMPUS, MUZAFFARPUR	BIHAR	22	25	7.02	7.29	855	892	1	1	0.3	0.3	1.8	1.8	1.8	1.8	492	688	0.2	0.88		
1831	BORE WELL WATER MMC PUMP HOUSE BRAHMPURA NAKA, MUZAFFARPUR	BIHAR	22	27	7.38	7.41	286	812	1	1	0.59	2.33	1.8	1.8	1.8	1.8	214	506	0.2	0.87		
1832	TAP WATER IN CAMPUS OF KALI ASTHAN, BISHANPUR, BEGUSARAI	BIHAR	20	26	6.91	7.59	524	988	1	1	0.3	0.3	1.8	17000	1.8	22000	460	718	0.51	0.9		
1833	GROUND WATER NEAR TAP WATER IN CAMPUS OF S.P OFFICE, POKHARIA, BEGUSARAI	BIHAR	20	26	7.02	7.63	567	972	1	1	0.3	1.21	1.8	1.8	1.8	1.8	560	710	0.63	0.82		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1834	HAND PUMP WATER NEAR GOVT. HOSPITAL, PURNEA	BIHAR	20	22	6.65	7.73	699	916	1	1	0.3	14.22	1.8	7	1.8	13	428	560	0.59	0.98		
1835	HAND PUMP WATER NEAR LOWER COURT LOWER COURT, PURNEA	BIHAR	19	22	6.98	7.6	428	483	1	1	0.3	0.3	1.8	4900	1.8	7000	100	284	0.55	0.82		
1836	HAND PUMP WATER NEAR BUS STAND TILKA MANJHI CHOWK, BHAGALPUR	BIHAR	20	22	7.15	7.23	620	794	1	1	0.33	2.82	1.8	1.8	1.8	1.8	330	380	0.2	0.88		
1837	GROUND WATER FROM RAILWAY STATION, BHAGALPUR	BIHAR	21	22	7.09	7.1	884	1409	1	1	2.82	4.49	1.8	1.8	1.8	1.8	648	1038	0.2	1.1		
1838	GROUND WATER FROM TAP WATER NEAR VEER KUWAR SINGH CHOWK, MUNGER	BIHAR	23	28	6.96	7.8	1070	1523	1	1	1.69	5.38	1.8	1.8	1.8	1.8	664	1330	0.2	0.86		
1839	HAND PUMP WATER IN CAMPUS OF KASTURBA WATER WORKS, MUNGER	BIHAR	22	28	7.05	7.11	305	898	1	1	0.3	3.92	1.8	1.8	1.8	1.8	198	550	0.2	0.64		
1840	TAP WATER PHED PUMP HOUSE MAIN ROAD, MOTIHARI	BIHAR	27	27	7.15	7.15	546	546	1	1	0.3	0.3					378	378	0.27	0.27		
1841	GROUNDWATER WATER FROM T. MODAL INTER SCHOOL, G.B ROAD, GAYA	BIHAR	20	25	7.13	7.39	720	1015	1	1	0.3	2.49	1.8	13	1.8	23	574	684	0.6	1		
1842	BOREWELL WATER DANDIBAGH WATER WORKS, PHED, GAYA	BIHAR	31	31	7.08	7.08	512	512	1	1	3.7	3.7	1.8	1.8	1.8	1.8	358	358	1.07	1.07		
1843	SUPPLY WATER NEAR BUS STAND, RAJGIR	BIHAR	20	27	7.6	7.7	410	565	1	1	0.3	0.3	1.8	1.8	1.8	4.5	218	316	0.39	0.59		
1844	BORE WELL WATER NEAR COMMISSIONARY OFFICE, CHAPRA	BIHAR	26	28	7.08	7.14	832	1175	1	1	2.3	3.43	1.8	13	1.8	23	420	694	0.86	1.47		
2576	HAND PUMP WATER AT CIVIL COURT, AURANGABAD	BIHAR	25	25	7.07	7.07	1377	1377	1.1	1.1	4.02	4.02	1.8	1.8	1.8	1.8	868	868	1.27	1.27		
2577	HAND PUMP WATER AT COURT CAMPOUND, ARARIA	BIHAR	22	28	6.83	7.62	486	526	1	1	0.3	5.36	1.8	1.8	1.8	1.8	100	348	0.94	0.94		
2578	HAND PUMP WATER AT SARDAR PATEL BUS STAND, ARA, BHOJPUR	BIHAR	21	21	7.05	7.14	844	878	1	1	0.54	3.98	1.8	1.8	1.8	1.8	500	544	0.61	0.63		
2579	TUBE WELL WATER AT COLLECTRIATE CAMPUS, BUXAR	BIHAR	22	29	7.05	7.17	553	720	1	1	2.29	2.33	1.8	1.8	1.8	1.8	280	484	0.2	1.11		
2580	HAND PUMP WATER FROM NAGAR PARISHAD OFFICE, BHABHUA	BIHAR	27	28	6.69	7.21	611	873	1	1.2	0.3	2.41	1.8	1.8	1.8	1.8	456	500	0.25	0.46		
2581	HAND PUMP WATER AT KILA GATE NEAR RAMBAGH MITHILA UNIVERSITY, DARBHANGA	BIHAR	23	27	7.64	7.89	484	521	1	1	0.3	0.32	1.8	1.8	1.8	2	294	300	0.74	1.04		
2582	HAND PUMP WATER AT DARBHANGA BUS STAND, DARBHANGA	BIHAR	26	26	7.62	7.62	402	402	1	1	0.32	0.32	1.8	1.8	1.8	1.8	240	240	0.2	0.2		
2583	HAND PUMP WATER AT BUS STAND, GOPALGANJ	BIHAR	26	26	7.01	7.13	768	1398	1	1	0.45	1.9	1.8	1.8	1.8	4.5	628	744	0.42	0.95		
2584	HAND PUMP WATER AT THAWAY MANDIR CAMPUS, GOPALGANJ	BIHAR	27	28	7.13	7.16	820	1078	1	1	0.71	4.54	1.8	4.5	1.8	7.8	420	698	0.2	0.36		
2585	TAP WATER NEAR PANI TANKI AT JEHANABAD COURT, JEHANABAD	BIHAR	20	25	7.05	7.08	702	1379	1	1	0.5	5.25	1.8	1.8	1.8	1.8	328	842	0.56	1.32		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2586	HAND PUMP WATER AT BUS STAND, KATIHAR	BIHAR	19	24	6.57	7.58	443	550	1	1	0.3	0.53	1.8	13	1.8	23	160	284	0.34	1.6		
2587	HAND PUMP WATER NEAR SADAR HOSPITAL, KHAGARIA	BIHAR	21	26	6.88	7.68	898	910	1	1	0.4	4.37	1.8	1.8	1.8	1.8	480	526	1.48	1.53		
2588	HAND PUMP WATER AT D.M OFFICE, KISHANGANJ	BIHAR	22	26	6.77	7.52	415	481	1	1	0.64	4.58	1.8	13	1.8	23	186	220	1.46	1.46		
2589	HAND PUMP WATER NEAR D.M OFFICE, MADHEPURA	BIHAR	20	28	7.09	7.82	705	758	1	1	0.3	0.3	1.8	22000	1.8	28000	300	476	1.5	3.13		
2590	HAND PUMP WATER AT COLLECTRIATE OFFICE, MADHUBANI	BIHAR	24	28	7.52	7.65	535	894	1	1	0.3	0.77	1.8	1.8	1.8	1.8	284	500	0.2	0.36		
2591	TAP WATER INSIDE THE CAMPUS OF GOVERNMENT TOURIST CAFETERIA, NALANDA	BIHAR	21	27	7.05	7.11	507	936	1	1	1.39	3.6	1.8	1.8	23	23	402	910	0.71	1.39		
2592	HAND WATER AT CIVIL COURT BIHAR SHARIF, NALANDA	BIHAR	20	28	7.09	7.52	941	1055	1	1	5.64	11.5	1.8	1.8	1.8	13	736	926	0.56	1.08		
2593	HANDPUMP WATER AT COLLECTRIATE CAMPUS,NAWADAH	BIHAR	19	26	7.02	7.13	571	802	1	1	0.5	3.06	1.8	1.8	1.8	1.8	488	608	0.37	0.92		
2594	HAND PUMP WATER NEAR SADAR HOSPITAL,SAHARSA	BIHAR	19	26	6.73	7.45	886	1120	1	1	0.3	1.2	1.8	1.8	1.8	1.8	540	632	0.68	1.53		
2595	GROUND WATER FROM COLLECTRIATE CAMPUS ,SAMASTIPUR	BIHAR	29	29	7.38	7.38	821	821	1	1	0.3	0.3	1.8	1.8	1.8	1.8	380	380	1.32	1.32		
2596	GROUND WATER FROM SRI RAM JANKI MANDIR, SITAMARHI	BIHAR	22	24	7.16	7.2	398	715	1	1	0.3	0.81	1.8	1.8	1.8	1.8	202	514	0.2	0.45		
2597	GROUND WATER AT COLLECTRIATE CAMPUS, SIWAN	BIHAR	27	28	7.09	7.15	650	1742	1	1	0.3	5.89	1.8	1.8	1.8	23	400	1328	1.42	1.55		
2598	BOREWELL WATER NEAR DHARMSHALA SASARAM, ROHTAS	BIHAR	24	28	6.64	7.7	354	414	1	1	0.3	0.4	1.8	1.8	1.8	1.8	236	240	0.3	0.85		
2599	GROUND WATER BUS STAND SASARAM, ROHTAS	BIHAR	25	28	6.89	7.3	678	1225	1	1	0.8	1.4	1.8	2300	1.8	7900	504	918	0.5	1		
2600	GROUND WATER AT RAILWAY STATION CAMPUS,HAJIPUR AT VAISHALI	BIHAR	21	29	7.36	7.37	761	871	1	1.3	0.3	2.27	1.8	1.8	1.8	1.8	478	802	0.2	1.27		
3138	GROUND WATER FROM ARA NEAR RAILWAY STATION, ARA	BIHAR	21	22	7.08	7.12	537	779	1	1	0.3	1.64	1.8	1.8	1.8	1.8	300	372	0.2	0.72		
3139	GROUND WATER NEAR BUS STAND ARARIA	BIHAR	22	28	6.89	7.66	489	523	1	1	0.3	2	1.8	1.8	1.8	1.8	240	330	0.62	0.62		
3140	GROUND WATER AT RAILWAY SATION, BETTIAH	BIHAR	23	31	7.02	7.04	462	498	1	1	0.3	0.3	1.8	1.8	1.8	1.8	296	322	0.51	0.64		
3141	GROUND WATER AT LORD BUDDHA TEMPLE OUTSIDE MAIN TEMPLE,BODHGAYA	BIHAR	21	25	7.02	7.05	676	899	1	1	0.3	1.5	1.8	1.8	1.8	23	382	558	0.26	0.76		
3142	GROUND WATER FROMN BUS STAND CHOWK,BIKRAMGANJ	BIHAR	28	28	6.91	7.67	534	801	1	1.2	2.5	2.75	1.8	1.8	1.8	1.8	468	476	0.81	1.11		
3143	GROUND WATER FROM BAGAHA BAZAR BAGAHA	BIHAR	18	25	6.93	7.03	726	986	1	1	0.3	3.13	1.8	7	13	23	464	720	1.12	1.58		
3144	GROUND WATER NEAR ANS COLLEGE.BARH	BIHAR	21	22	7.01	7.13	688	830	1	1	0.3	0.3	1.8	1.8	1.8	1.8	420	530	0.52	1.45		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3145	GROUND WATER NEAR MUFFASIL THANA MORE,DEHRI ON SONE	BIHAR	27	28	6.52	7.1	598	974	1	1	6.3	6.33	1.8	2200	1.8	2800	400	736	0.2	0.59		
3146	GROUND WATER FROM DUMRAON,PANI TANKI (PHED)	BIHAR	22	22	7.13	7.39	640	771	1	1	0.3	2.12	1.8	1.8	1.8	1.8	310	460	1.02	1.79		
3147	GROUND WATER FROM JAYNAGAR RAILWAY STATION ,JAYNAGAR	BIHAR	23	29	7.58	7.67	555	662	1	1	0.3	0.3	1.8	1.8	1.8	1.8	320	380	0.54	0.56		
3148	GROUND WATER FROM JAMALPUR POLICE STATION, JAMALPUR	BIHAR	23	27	6.82	7.08	916	946	1	1	0.89	4.12	1.8	1.8	1.8	1.8	602	604	0.2	0.64		
3149	GROUND WATER FROM KUDRA RAILWAY STATION, KAIMUR	BIHAR	27	28	7.03	7.49	565	1472	1	1	0.3	0.92	1.8	13	1.8	23	412	1094	0.6	0.72		
3150	GROUND WATER AT MAIN ROAD NEAR KALI MANIR,MANER	BIHAR	20	20	7.02	7.09	811	814	1	1	0.86	1.83	1.8	1.8	1.8	1.8	424	500	0.31	0.74		
3151	GROUND WATER FROM GOVT. GUEST HOUSE MOHANIA	BIHAR	22	29	6.84	7.17	655	1366	1	1	0.5	1.78	1.8	1.8	1.8	1.8	472	838	0.23	1.07		
3152	GROUND WATER FROM OLD BUS STAND,NARKATIAGANJ	BIHAR	18	18	7.05	7.05	267	267	1	1	0.3	0.3	22000	22000	28000	28000	206	206	1.22	1.22		
3153	GROUND WATER NEAR CHURCH HIGH SCHOOL,PIRO	BIHAR	28	28	6.86	7.43	745	1559	1	1	0.3	2.6	1.8	1700	1.8	2800	470	1044	0.36	0.79		
3154	GROUND WATER FROM RAMKUND GAYA	BIHAR	19	26	7.12	7.33	676	1099	1	1	0.5	2.09	4.5	4.5	7.8	7.8	580	672	1	1.15		
3155	GROUND WATER FROM SUPUAL BUS STAND, SUPAUL	BIHAR	19	28	7.01	7.53	924	992	1	1.2	0.39	4.62	1.8	7900	1.8	11000	304	688	0.82	1.37		
3156	GROUND WATER FROM SAMASTIPUR BUS STAND,SAMASTIPUR	BIHAR	29	29	7.46	7.46	1240	1240	1	1	1.9	1.9	1.8	1.8	1.8	1.8	680	680				
3157	GROUND WATER FROM J.P. PARK CHOWK ,SULTANGANJ	BIHAR	18	23	6.96	7.12	710	1430	1	1	0.3	4.96	1.8	1300	1.8	2300	530	530	0.2	0.2		
3158	GROUND WATER NEAR GOVT. HOSPITAL, SHERGHATI	BIHAR	20	26	7.02	7.02	741	802	1	1	2.5	3.06	1.8	1.8	1.8	1.8	592	608	0.79	0.92		
3159	GROUND WATER FROM RAJKIYA HIGH SCHOOL ,SHAHPUR	BIHAR	20	21	7.15	7.19	845	847	1	1	1.68	2.5	1.8	1.8	1.8	1.8	460	542	1.32	1.82		
3160	GROUND WATER FROM RAXAUL BUS STAND RAXAUL	BIHAR	24	33	6.78	7.11	309	341	1	1	0.3	0.3	1.8	1.8	1.8	1.8	220	220	0.68	1.32		
3161	GROUND WATER NEAR BUS STAND KATIHAR	BIHAR	19	24	6.99	7.44	883	1270	1	1	1.49	10.93	1.8	7900	1.8	11000	380	704	0.86	1.09		
3162	GROUND WATER NEAR VAISHALI BLOCK OFFICE,AT HAJIPUR, VAISHALI	BIHAR	20	20	7.43	7.43	939	939	1	1	0.3	0.3					560	560	0.41	0.41		

Water Quality Data of Ground Water in Chandigarh Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2043	GROUND WATER PALSORA CHANDIGARH	CHANDIGARH	24	29	7.1	7.5	833	963	1	1	3.8	3.9	1.8	1.8	31	49	480	500	0.2	0.31		
2044	GROUND DHANAS CHANDIGARH	CHANDIGARH	24	28	7.4	7.5	388	425	1	1	2.2	2.7	1.8	1.8	1.8	1.8	220	249	0.2	0.24		
2045	GROUND WATER DADU MAJRA COLONY, CHANDIGARH	CHANDIGARH	24	28	7.4	7.5	638	989	1	1	3.6	3.7	1.8	1.8	46	47	334	416	0.2	0.29		
5448	Ground Water at sector -20	CHANDIGARH	23	28	7.4	7.6	699	719	1	1	3.7	4.1	1.8	1.8	32	46	396	450	0.2	0.2		
5449	Ground Water at sector -35	CHANDIGARH	23	28	7.2	7.3	754	979	1	1	3.9	4.3	1.8	1.8	26	40	424	494	0.22	0.22		
5450	Ground Water Near dumping ground (vill-dadu majra)	CHANDIGARH	24	28	7.2	7.5	741	812	1	1	3.6	3.6	1.8	1.8	33	46	474	478	0.2	0.2		

Water Quality Data of Ground Water in Chhattisgarh Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1620	GROUND WATER AT NEW HIG-11 TATIBANDH	CHHATTISGARH	24	25	7.02	7.63	183	294			0	0					182	276				
1621	GROUND WATER AT AT M/S PRAKRITI INDUSTRIES RAWABHATA	CHHATTISGARH	23	25	7.18	7.4	178	198	2.1	2.1	0	0					158	172				
1622	BORE WELL WATER SAMPLE NEAR TIFRA I.A. BILASPUR	CHHATTISGARH	25.5	27.6	7.1	7.6	448	448	1	1	3.02	3.24	1.8	1.8	1.8	1.8	256	258				
1623	BORE WELL WATER SAMPLE FROM BEC FERTILIZER OUTSIDE OF FACTORY PREMISES (NEAR BANAK CHOWK)	CHHATTISGARH	25.4	27.8	7.2	7.7	436	440	1	1	3.98	4.04	1.8	1.8	1.8	1.8	251.6	254				
3171	HAND PUMP WATER 14/10 NEPALI MOHLLA, SHANKAR	CHHATTISGARH	26	27	7.42	7.7	156	418	1	1.4	0.4	0.55			11	580	128	190				
3172	BOREWELL/ HANDPUMP IN ROGBAHRI VILLAGE, KORBA	CHHATTISGARH	26	26.4	7.43	7.45	321	480	1	1	0.32	7.12	2	2	22	26	120	138			0.00049	0.00049
3173	BOREWELL/ HANDPUMP IN PARSABHATA, BALCO, KORBA	CHHATTISGARH	26.3	26.3	7.4	7.41	418	482	1	1	0.88	5.17	2	2	20	20	120	120			0.00049	0.00049
3174	BOREWELL/ HANDPUMP IN DHANRAS, NTPC, KORBA	CHHATTISGARH	26.3	26.3	7.32	7.42	232	436	1	2.4	0.54	6.1	2	4	14	24	135	180			0.00049	0.00049

Water Quality Data of Ground Water in Daman And Diu, Dadra And Nagar Haveli Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1440	WELL AT SOMNATH INDUSTRIAL ESTATE, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28	30	7.08	7.58	335	1930	1	1	0.82	10	2	21	24	40	474	1280	0.2	0.46	0.00049	0.042

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2448	GROUND WATER FROM VILLAGE BHIMPORE, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28	32	7.28	7.91	1033	1469	1	1	0.32	5.62	1.8	1.8	1.8	1.8	692	984	0.2	0.56	0.00049	0.031
2449	WELL AT VILLAGE RINGANWADA, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28	31	7.19	7.64	940	1891	1	1	1.82	8.42	2	9	4	13	628	1260	0.22	0.55	0.00049	0.086
2450	WELL AT VILLAGE DUNETHA, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	27	30	7.19	7.57	642	757	1	1	1.7	3.01	1.8	23	2	23	428	506	0.2	0.36	0.00049	0.022
2451	WELL AT VILLAGE DABHEL, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	27	30	7.06	7.32	575	2697	1	1	2.72	4.92	1.8	1.8	1.8	6	384	1788	0.2	0.38	0.00049	0.081
2452	WELL AT VILLAGE KACHIGAM, DAMAN	DAMAN AND DIU, DADRA AND NAGAR HAVELI	25	30	7.53	7.58	539	1007	1	1	3.72	9.42	11	27	33	84	360	674	0.29	1.19	0.00049	0.02
2453	WELL AT VILLAGE KHANVEL, DNH	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28	30	7.16	7.5	402	424	1	1	0.32	0.92	1.8	11	1.8	14	260	284	0.2	0.34	0.00049	0.057
2454	WELL AT VILLAGE ATHAL, DNH	DAMAN AND DIU, DADRA AND NAGAR HAVELI	27	29	7.39	7.81	567	6341	1	1	0.52	2.92	1.8	1.8	1.8	1.8	376	510	0.2	0.55	0.00049	0.038
2455	WELL AT VILLAGE MASAT, DNH	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28	30	7.47	7.96	280	1410	1	1	0.32	1.82	1.8	2	1.8	48	180	938	0.2	0.4	0.00049	0.022
2456	WELL AT VILLAGE PIPERIA, DNH	DAMAN AND DIU, DADRA AND NAGAR HAVELI	26	31	7.42	8.25	293	3612	1	1	0.32	7.02	1.8	1.8	1.8	1.8	188	2420	0.2	0.89	0.00049	0.099
2457	WELL AT VILLAGE GALONDA, DNH	DAMAN AND DIU, DADRA AND NAGAR HAVELI	28	30	7.25	7.88	454	989	1	1	0.32	1.72	1.8	1.8	1.8	1.8	296	662	0.25	1.61	0.01	0.084
2458	WELL AT VILLAGE DADRA	DAMAN AND DIU, DADRA AND NAGAR HAVELI	27	30	7.63	8.12	276	2840	1	1	0.32	7.72	2	17	6	24	184	1894	0.2	0.65	0.00049	0.42

Water Quality Data of Ground Water in Delhi Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3477	WELL AT ALIPUR, DELHI	DELHI			7.9	7.9					0.3	0.3					4360	4360				
3479	WELL AT AURBINDO MARG, DELHI	DELHI			7.6	8.3					20	28					2790	3010				
3480	WELL AT BAWANA, DELHI	DELHI			8.3	8.3					0.3	0.3					396	396				
3483	WELL AT BURARI, DELHI	DELHI			7.2	7.9					0.3	0.3					2640	2970				
3485	WELL AT DEFENCE COLONY, DELHI	DELHI			7.7	7.7					34	34					2380	2380				
3488	WELL AT DILSHAD GARDEN, DELHI	DELHI			7.2	7.7					0.3	1					2940	3206				
3489	WELL AT DWARKA, DELHI	DELHI			7.5	7.9					0.3	0.3					5840	6040				
3490	WELL AT FATEH PUR BERI, DELHI	DELHI			7.8	8.4					41	47					2976	3000				
3492	WELL AT GAJIPUR, DELHI	DELHI			8	8.2					0.3	0.3					2860	2980				
3493	WELL AT GANDHI NAGAR, DELHI	DELHI			7.7	7.8					0.3	0.3					1000	1110				
3494	WELL AT HAIDERPUR, DELHI	DELHI			7.9	8					0.3	1					162	202				
3496	WELL AT ISBT, DELHI	DELHI			8	8.4					0.3	0.3					227	312				
3498	WELL AT KALKA JI, DELHI	DELHI			7.9	7.9					9	9					942	942				

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3500	WELL AT KAMLA NAGAR, DELHI	DELHI			8.1	8.4					0.3	0.3					1740	1820				
3503	WELL AT KAROL BAGH, DELHI	DELHI			7.5	7.8					7	7					668	687				
3514	WELL AT MATIALA, DELHI	DELHI			7.4	7.7					17	23					5400	5710				
3515	WELL AT MAYA PURI, DELHI	DELHI			7.9	8					10	17					1640	1721				
3516	WELL AT MAYUR VIHAR, DELHI	DELHI			7.6	8.1					2	5					1230	1324				
3517	WELL AT NAJAFGARH, DELHI	DELHI			7.6	7.8					49	53					2850	2894				
3518	WELL AT NARAINA INDL AREA, DELHI	DELHI			7.6	7.6					4	4					984	984				
3520	WELL AT OKHLA, DELHI	DELHI			7.9	7.9					10	10					860	860				
3524	WELL AT PASCHIM VIHAR, DELHI	DELHI			8	8					0.3	0.3					581	581				
3525	WELL AT PATEL NAGAR, DELHI	DELHI			7.9	7.9					4	4					928	928				
3526	WELL AT PATPAR GANJ, DELHI	DELHI			8.1	8.2					0.3	0.3					2860	2874				
3527	WELL AT PATPARGANJ INDL AREA, DELHI	DELHI			8.3	8.4					0.3	0.3					2850	2870				
3528	WELL AT PEERAGARHI, DELHI	DELHI			7.5	7.5					22	22					8940	8940				
3529	WELL AT PILANJ, DELHI	DELHI			7.7	8.1					43	49					3700	4264				
3530	WELL AT PRIYA ENCLAVE, DELHI	DELHI			7.9	8					0.3	0.3					2220	2368				
3531	WELL AT QUTAB GARH, DELHI	DELHI			8.2	8.4					7	8					1820	1902				
3532	WELL AT RAJENDER NAGAR, DELHI	DELHI			8.1	8.2					0.3	0.3					506	742				
3533	WELL AT RAJPURA ROAD, DELHI	DELHI			7.9	8.1					0.3	0.3					803	840				
3534	WELL NEAR GURUDWARA SHRI RAKABGANJ SAHIB, DELHI	DELHI			8.1	8.3					0.3	0.3					1020	1056				
3535	WELL AT ROHINI, DELHI	DELHI			7.6	7.6					10	10					1470	1470				
3536	WELL AT SAKET, DELHI	DELHI			7.6	8					20	26					663	890				
3537	WELL AT SHAHDARA, DELHI	DELHI			7.7	8					0.3	0.3					665	710				
3538	WELL AT SINGHU BORDER, DELHI	DELHI			8.1	8.1					0.3	0.3					7560	7560				
3539	WELL AT SINGOLA, DELHI	DELHI			8.1	8.1					0.3	0.3					2320	2320				
3540	WELL AT SULTANPURI, DELHI	DELHI			7.6	7.6					34	34					2560	2560				
3541	WELL AT TIKRI KALAN , DELHI	DELHI			8.1	8.3					3	9					796	804				
3542	WELL AT TILAK NAGAR, DELHI	DELHI			7.6	7.6					6	6					2430	2430				
3543	WELL AT TRILOKPURI, DELHI	DELHI			7.6	7.9					0.3	1					1210	1269				
3544	WELL AT UJWAH, DELHI	DELHI			7.5	7.5					16	16					3810	3810				
3545	WELL AT VASANT KUNJ, DELHI	DELHI			7.5	7.9					24	31					2040	2102				
3546	WELL AT VASANT VIHAR	DELHI			7.5	7.9					9	14					1000	1204				

Water Quality Data of Ground Water in Goa Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2277	WELL AT VERNA INDI. ESTATE.(M/S CIPLA LIMITED)	GOA	28	30	6.44	7.29	385	428	1.5	1.9	0.32	1.82	1.8	110	7.8	220	233	257	0.2	0.3	0.00049	0.001
2278	WELL AT SANCOALE INDL. ESTATE	GOA	28	29	6.15	6.5	239	344	1.6	1.6	1.73	2.12	79	130	240	350	148	209	0.2	0.2	0.00049	0.001
2280	WELL AT KUDAI INDL. ESTATE(M/S CADILA HEALTHCARE LIMITED)	GOA	26	28	6.26	6.64	375	433	1.9	4	0.32	0.32	1.8	1.8	1.8	2	242	243	0.2	0.4	0.00049	0.001
2281	WELL AT CORLIM INDL. ESTATE	GOA	26	28	5.82	6.54	71	98	1	1.9	0.32	1.02	1.8	7.8	2	23	41	59	0.2	0.3	0.00049	0.001
2282	WELL AT PILERNE INDUSTRIAL ESTATE(M/S UNICHEM)	GOA	28	28	6.63	7.09	341	453	1.2	3.5	0.32	0.32	1.8	4.5	1.8	7.8	211	308	0.44	0.56	0.00049	0.007
3193	BORE WELL AT CUNCOLIM INDUSTRIAL ESTATE	GOA	30	30	7.32	7.32	66	66	1	1	0.32	0.32	33	33	49	49	44	44	0.2	0.2	0.00049	0.00049
3194	BORE WELL AT BETHORA INDUSTRIAL ESTATE	GOA	29	31	5.58	5.9	87	110	1	1.9	1.55	2.41	1.8	1.8	1.8	1.8	56	73	0.2	0.2	0.00049	0.001
3195	BORE WELL AT MADKAIM INDUSTRIAL ESTATE	GOA	29	30	5.91	6.2	97	105	1	1.6	1.29	1.98	1.8	1.8	1.8	1.8	59	70	0.2	0.3	0.00049	0.001
4409	SALMONA SPRING	GOA	26	32	5.52	7.2	49	123	1	1.9	0.32	4.13	130	540	230	920	32	78	0.2	0.3	0.00049	0.001

Water Quality Data of Ground Water in Gujarat Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3	WELL AT AHMEDABAD	GUJARAT	30	30	8.1	8.1	468	468	1	1	0.38	0.38	2	2	2	2	305	305	0.83	0.83		
6	WELL AT BARODA	GUJARAT	27	28	7.6	8.08	1032	1534	1	1.3	0.32	0.54	1.8	1.8	1.8	1.8	794	1058	0.81	1.08	0.00049	0.00049
1950	GROUND WATER AT JUNAGADH	GUJARAT	28	31	7.41	7.51	921	972	1	1.1	1.33	1.38	1.8	1.8	1.8	1.8	652	668	0.2	0.25	0.00049	0.00049
1951	GROUND WATER AT RAJKOTGROUND WATER NR. DISTRICT CO-OPERATIVE BANK, NR. RAIYA CIRCLE, RAIYA ROAD RAJKOT	GUJARAT	28	30	7.34	7.44	431	740	1	2.1	1.35	1.4	1.8	1.8	1.8	1.8	384	444	0.2	1.3	0.00049	0.00049
1952	GROUND WATER AT SURENDRANAGARAT. BHAVANI PLASTIC (STEELMAN OXYGEN, PLOT NO.C1/613, PHASE 3, OPP ONE WORLD SCHOOL), GIDC WADHWAN, WADHWAN, TAL. WADHWAN, DIST. SURENDRANAGAR	GUJARAT	28	29	7.24	7.39	2240	4049	1	1	1.35	1.4	1.8	1.8	1.8	1.8	1576	3164	0.6	0.87	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1953	GROUND WATER AT JAMNAGARBOREWELL OF RAMESHWAR TEMPLE, NEAR RAMESHWAR CHOWK, JAMNAGAR	GUJARAT	27	28	7.12	7.61	780	790	1	1	0.32	0.32	1.8	1.8	1.8	2	510	556	0.2	0.21	0.00049	0.00049
1954	GROUND WATER AT BHUJODHAV PARK SOCIETY-2,PRAMUKH SWAMI NAGAR ROAD,BEHIND ASHAPURA SCHOOL,TA:BHUJ, DIST;KUTCH (WEST)	GUJARAT	30	33	7.66	7.94	3450	3770	1.7	1.8	0.32	0.6	1.8	1.8	1.8	2	2218	2486	0.51	0.56		
1955	GROUND WATER AT PALANPURBEHIND JILLA SEVA SADAN-2, NEAR JORAVAR PALACE, PALANPUR, DIST-BANASKANTHA	GUJARAT	26	27	7.37	7.57	1827	1952	1	1	0.9	1.59	2	2	2	2	960	964	0.26	0.36	0.00049	0.00049
1956	GROUND WATER AT MEHASANAMODHERA GIDC, TAL & DIST : MEHSANA	GUJARAT	29	29	8.06	8.06	1225	1225	1	1	1.2	1.2	1.8	1.8	1.8	1.8	792	792	0.26	0.26	0.00049	0.00049
1957	GROUND WATER AT SIDDHPUR (DIST.PATAN)AHMEDABAD- PALANUR HIGHWAY, TAVADIYA CROSSING, NEAR MADHIVAI, SIDDPUR, DIST-PATAN	GUJARAT	27	27	7.66	7.7	1590	1664	1	1	0.6	0.9	2	2	2	2	810	956	0.89	1.46	0.00049	0.00049
1958	GROUND WATER AT HIMATNAGARBOREWELL OF HIMATNAGAR NAGARPALIKA, AT. HIMATNAGAR, DIST. SABARKANTHA	GUJARAT	25	26	7.21	7.6	740	938	1	1	0.77	0.9	1.8	2	1.8	2	430	502	0.22	0.99	0.00049	0.00049
1959	GROUND WATER AT NADIADBOREWELL OF SANTRAM MANDIR, NADIAD,DIST: KHEDA	GUJARAT	24	24	7.68	7.68	1611	1611			6.9	6.9	1.8	1.8	1.8	1.8	1132	1132			0.00049	0.00049
1960	GROUND WATER AT DAHODWELL AT HINDU DHARAMASHALA, STATION ROAD, DAHOD	GUJARAT	26	27	7.74	7.94	800	883	1.1	1.3	0.96	1.92	1.8	1.8	1.8	1.8	510	590	0.76	1.5	0.00049	0.00049
1961	GROUND WATER AT GODHARAWELL AT OFFICE OF PANCHMAHAL INDUSTRIES FADERATION, NEAR CIRCUIT HOUSE, GODHRA	GUJARAT	26	27	7.06	7.14	764	938	1.2	1.4	1.82	3.32	1.8	1.8	1.8	1.8	550	682	0.81	0.89	0.00049	0.00049
1962	VADODARA (INDUSTRIAL-NANDESARI)GIDC-NANDESARI	GUJARAT	28	28	7.3	7.58	3240	4066	1.6	2.7	3.46	8.6	1.8	1.8	1.8	1.8	2428	3856	0.82	0.82	0.00049	0.00049
1964	PANDESARA (INDSTRIAL) SURATPANDESARA GIDC, SURAT	GUJARAT	27	32	7.62	8.02	4166	7748	2.4	2.5	0.32	0.34	1.8	1.8	1.8	1.8	2458	4494	0.2	0.2	0.00049	0.00049
1967	ATUL, VILLAGE G.W, (VALSAD)B/W AT ATUL VILLAGE G.W	GUJARAT	28	29	7.49	8	1603	1631	1	1	0.33	0.4	1.8	1.8	1.8	1.8	952	1096	0.2	0.34		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1968	VAPI INDUSTRIAL AREA (RAJASHTHAN BHAVAN) U/S, VAPIB/W AT VAPI INDUSTRIAL AREA U/S IN RAJASTHAN BHAVAN SILVASA RD, OPPOSITE GURUDWARA, GIDC, VAPI, GUJARAT 396195	GUJARAT	28	29	7.95	8.03	663	764	1	1	0.32	0.43	1.8	1.8	1.8	1.8	366	456	0.27	0.36		
1969	B/W AT COSTAL HIGHWAY CHAR RASTA, FANSA, TA:UMBERGA N, DIST:VALSADB/W AT COSTAL HIGHWAY CHAR RASTA, FANSA, TA:UMBERGAON, DIST:VALSAD	GUJARAT	28	28	7.86	8.06	906	906	1	1	0.32	0.49	1.8	1.8	1.8	1.8	452	520	0.2	0.4		
1970	BOREWELL D/S TSDF SITE, GIDC INDUSTRIAL AREA, VAPIB/W AT D/S TSDF SITE PLOT NO.4807, PHASE 4, GIDC, VAPI	GUJARAT	28	29	7.32	8.15	422	603	1	1	0.33	0.47	1.8	1.8	1.8	1.8	334	372	0.4	0.46		
2083	BORE WELL OF CHHATRAL GIDC.BOREWELL OF GIDC CHHATRAL, PHASE I	GUJARAT	30	30	7.35	7.35	2388	2388	1	1	1.09	1.09	2	2	2	2	1362	1362	0.6	0.6	0.00049	0.00049
2084	BORE WELL OF PALSANA VILLAGE.PALASANA,SURAT.	GUJARAT	29	30	7.84	8.11	1185	1331	2	2.3	0.32	0.34	1.8	1.8	1.8	1.8	700	772	0.2	0.22	0.00049	0.00049
2085	BORE WELL OF SANTEJ VILLAGE.BOREWELL OF SANTEJ GRAM PANCHAYAT	GUJARAT	38	38	6.82	6.82	2484	2484	1	1	0.33	0.33	2	2	2	2	1442	1442	0.36	0.36	0.00049	0.00049
2088	BORE WELL OF SACHIN GIDC.SACHIN GIDC, SACHIN,SURAT	GUJARAT	30	30	7.09	7.15	2523	7422	2.2	2.8	0.32	0.35	1.8	1.8	1.8	1.8	1716	4306	0.2	0.27	0.00049	0.00049
2089	B/W NEAR INDL. AREA BORASARA & NAVAPURA, DIST. SURAT.PLOT-202 ,KIM,SURAT.	GUJARAT	30	30	7.28	7.44	3109	3408	2.4	2.4	0.32	0.32	1.8	1.8	1.8	1.8	1834	1976	0.2	0.2	0.00049	0.00049
2090	WELL AT OLPAD.OLPAD ,SURAT	GUJARAT	27	30	7.07	8.44	4690	13270	1	2.7	0.32	0.32	1.8	1.8	1.8	1.8	2876	8688	0.2	0.21	0.00049	0.00049
2091	BORE WELL OF NAVSARI GIDC INDUSTRIES ASSOCIATION OFFICE.AT-GIDC -KABILPORE,TA & DI - NAVSARI, GUJARAT	GUJARAT	28	29	7.13	7.73	1883	2080	2.2	2.5	0.37	0.37	2	2	2	2.1	1092	1226	0.2	0.25	0.00049	0.00049
2093	WELL OF BARDOLI AT REST HOUSE.BARDOLI-VYARA ROAD	GUJARAT	29	29	6.96	7.46	2436	2814	2.1	2.2	0.32	0.33	1.8	1.8	1.8	1.8	1058	1412	0.2	0.21	0.00049	0.00049
2094	WELL AT ANKLESHWAR INDUSTRIAL AREA (BORE WELL OF M/S INDUSTRIAL CARBON AT ANKLESHWAR- RAJPIPLA ROAD.ANKLESHWAR- RAJPIPLA ROAD, NR GIDC ANKLESHWAR, DIST BHARUCH	GUJARAT	28	29	7.41	7.54	5200	5956	1	4	0.76	1.01	1.8	1.8	1.8	1.8	3338	4526	0.2	0.75		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2095	BORE WELL OF NARSHIBHAI BECHARBHAI ZALAWADIA @ 200 METER AWAY FROM MADHAPAR STP TOWARD ISWARIA MAHADEV TEMPLE, MADHAPAR, DIST. RAJKOT.BORE WELL OF NARSHIBHAI BECHARBHAI ZALAVADIYA, NR. MADHAPAR STP PLANT, RAJKOT	GUJARAT	29	30	7.24	7.56	1468	1680	1	1.1	1.35	1.4	1.8	1.8	1.8	1.8	1264	1464	0.24	1.25	0.00049	0.00049
2096	BORE WELL, SNR. VINAYAK JAL SUDDHIKARAN SAHAKARI MANDALI LTD. (CETP), VILL. BAVLA, DIST. AHMEDABAD.S. N. 644/1-4, VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	30	31	7.37	7.45	5544	6318	1	1.2	0.69	1.04	2	2	2	2	3126	3642	1.54	1.84	0.00049	0.00049
2097	BORE WELL OF SOMESHWAR RICE MILL, NR. BAVLA ECO PROJECT,(CETP), VILL. BAVLA, DIST. AHMEDABAD.DEDHAL ROAD, NR. BAVLA ECO PROJECT, (CETP), VILL. BAVLA, DIST. AHMEDABAD.	GUJARAT	26	29	6.77	7.59	6031	6554	1.2	1.2	0.48	0.78	2	2	2	2	3240	3798	0.76	1.42	0.00049	0.00049
2098	BORE WELL OF PIRANA TERMINAL PUMPING STATION, PIRANA, NR. V. N. BRIDGE, AHMEDABAD.NR. V.N BRIDGE, PIRANA, AHMEDABAD	GUJARAT	30	30	7.44	7.44	3640	3640	1	1	0.51	0.51	2	2	2	2	2028	2028	0.85	0.85		
3207	BOREWELL OF GIDC, JHAGADIAAT FINAL PUMPING STATION, GIDC JHAGHADIA, DIST BHARUCH	GUJARAT	30	30	7.34	7.34	2944	2944	1	1	0.97	0.97	1.8	1.8	1.8	1.8	1482	1482	0.3	0.3		
3208	JILLA PANCHAYAT SCHOOL, NEAR GRAM PANCHAYAT KATA FALIA, VILLAGE NAMDHA, VALSADB/W AT JILLA PANCHAY SCHOOL NEAR GRAM PANCHAYAT KATA FALIA, VILLAGE NAMDHA, VALSAD	GUJARAT	28	29	7.58	7.72	664	821	1	1	0.32	0.34	1.8	1.8	1.8	1.8	386	462	0.2	0.4		
3209	BOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD, BAZAR FALIA, SARIGAM, VALSADBOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD, BAZAR FALIA, SARIGAM, VALSAD	GUJARAT	27	29	7.72	8.11	1123	1189	1	1	0.39	0.47	1.8	1.8	1.8	1.8	742	830	0.2	0.38		
3210	BOREWELL AT PIRAMAL GLASS, VILLAGE TARSADI AT KOSAMBA INDUSTRIAL AREA, SURATKOSAMBA,SURAT	GUJARAT	30	30	7.06	7.96	3515	3541	2.1	2.2	0.32	0.34	1.8	1.8	1.8	1.8	2054	2074	0.2	0.21	0.00049	0.00049
3211	BOREWELL AT PRIMARY HEALTH CENTER, KADODARA, SURATKADODARA,SURAT	GUJARAT	27	29	7.48	7.8	1843	1940	2.1	2.3	0.32	0.32	1.8	1.8	1.8	1.8	1086	1126	0.2	0.2	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3212	BOREWELL NEAR CENTER OF EXCELLENCE BUILDING, GIDC, VATVA, AHMEDABADCENTER OF EXCELLENCE BUILDING, PLOT NO 511 GIDC- PHASE IV, VATVA, AHMEDABAD	GUJARAT	28	28	7.52	7.52	2395	2395	1	1	0.8	0.8	2	2	2	2	1442	1442	0.37	0.37	0.00049	0.00049
3214	BOREWELL NEAR GIDC ODHAV INDUSTRIAL ASSOCIATION BUILDING, GIDC, ODHAV, AHMEDABADODHAV INDUSTRIAL ASSOCIATION BUILDING, PLOT NO H 35, GIDC, ODHAV, ODHAV ROAD AHMEDABAD	GUJARAT	28	28	7.97	7.97	2430	2430	1	1	0.46	0.46	2	2	2	2	1320	1320	0.2	0.2	0.00049	0.00049
3216	BOREWELL NEAR TSDF SITE OF GREEN ENVIRONMNET SERVICES CO. OP.LTD, VATVA, AHMEDABADTSDF SITE OF GREEN ENVIRONMNET SERVICES CO. OP.LTD, S. NO 89,90,91 VINZOL TAL DASKROI , AHMEDABAD	GUJARAT	28	28	7.72	7.72	2761	2761	1	1	0.48	0.48	2	2	2	2	1628	1628	0.8	0.8	0.00049	0.00049
3218	WELL OF MODASA, NAGAR PALIKA, VARIGRUH, MODASAWELL OF MODASA, NAGAR PALIKA, VARIGRUH, AT. MODASA. DIST. ARVALLI	GUJARAT	25	28	6.86	7.33	1062	1342	1	1	0.62	0.76	1.8	2	1.8	2	610	752	0.31	0.76	0.00049	0.00049
3219	WELL OF IDAR, NAGAR PALIKA, SAKARIA, IDARBOREWELL OF IDAR NAGARPALIKA, AT. SAKARIA, TA. IDAR, DIST. SABARKANTHA	GUJARAT	25	26	6.7	7.46	1461	1580	1	1	0.61	0.63	1.8	2	1.8	2	814	862	0.72	3.58	0.00049	0.00049
3220	BOREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIAD, KHEDABOREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIAD, KHEDA	GUJARAT	32	32	8.1	8.1	2712	2712			6.48	6.48	1.8	1.8	1.8	1.8	1680	1680			0.00049	0.00049
3221	BOREWELL OF TOWN RAJPIPLA, DIST.NARMADANAGARPALIKA OFFICE, AT RAJPIPLA, DIST NARMADA	GUJARAT	33	34	7.11	7.67	940	1158	1	1	0.32	0.32	1.8	20	1.8	92	588	938	0.2	0.55		
3222	BOREWELL OF GIDC, PANOLIAT WATER TREATMENT PLANT , GIDC PANOLI, DIST BHARUCH	GUJARAT	35	35	8.37	8.37	400	400	1	1	0.65	0.65	1.8	1.8	1.8	1.8	220	220	1.01	1.01		
3223	BOREWELL KADI INDUSTRIAL AREAKADI GIDC, TAL: KADI, DIST : MEHSANA	GUJARAT	32	32	7.67	7.67	1778	1778	1	1	1.33	1.33	1.8	1.8	1.8	1.8	1084	1084	0.51	0.51	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3224	DEESA BOREWELLMAIN WATER TANK, BESIDE BHANASALI HOSPITAL, NEAR SARDAR GARDEN, DEESA, DIST- BANASKANTHA	GUJARAT	26	27	7.5	7.53	1080	1137	1	1	0.48	9.67	2	2	2	2	578	604	0.28	0.64	0.00049	0.00049
3225	VISNAGAR BOREWELLVISNAGAR GIDC, TAL : VISNAGAR, DIST: MEHSANA	GUJARAT	29	29	7.75	7.75	1917	1917	1	1	0.7	0.7					1122	1122	0.62	0.62	0.00049	0.00049
3226	PATAN BOREWELLWATER PUMPING STATION, GANDHIBAG, JANTA HOSPITAL ROAD, PATAN, DIST-PATAN	GUJARAT	27	27	7.7	7.97	2308	2412	1	1	0.43	0.84	2	2	2	2	1396	1450	0.41	2.22	0.00049	0.00049
3227	VIJAPUR (RANASAN) BOREWELLRANASAN GIDC, VILL: RANASAN, TAL : VIJAPUR, DIST: MEHSANA	GUJARAT	30	30	7.54	7.54	3015	3015	1	1	0.75	0.75	1.8	1.8	1.8	1.8	1802	1802	0.43	0.43	0.00049	0.00049
3228	GIDC, HALOL, PANCHMAHALBORE WELL OF M/S. SAFARI INDUSTRIES, GIDC, HALOL, DIST. PNCHMAHAL	GUJARAT	26	27	7.31	7.33	2569	3098	1.3	1.6	2.96	6.24	1.8	1.8	1.8	1.8	1960	2100	0.82	1.31	0.00049	0.00049
3229	GIDC, DAHOD, DAHODHAND PUMP OPP. M/S STAR RADIATOR, CHAKALIYA ROAD, GIDC, DAHOD, DIST. DAHOD	GUJARAT	26	27	6.96	7.19	1284	1382	1.2	1.3	3.12	8.18	1.8	1.8	1.8	1.8	890	902	0.85	1.3	0.00049	0.00049
3230	BOREWELL OF GIDC, JUNAGADHPLOT NO. 317, GIDC-II, DOLATPARA, AT:JUNAGADH, TAL:JUNAGADH, DIST:JUNAGADH	GUJARAT	28	31	7.33	7.36	1267	2312	1	1.1	1.33	1.33	1.8	1.8	1.8	1.8	912	1752	0.48	1.13	0.00049	0.00049
3232	BOREWELL OF GIDC, ANTALIA WATER SUPPLY, BILLIMORA, GANDEVIAT- GIDC - ANTALIA, TA- GANDEVI, DI - NAVSARI, GUJARAT.	GUJARAT	30	30	7.25	8.22	2488	2860	2.4	2.5	0.34	0.34	2	2	2	2.1	1468	1660	0.2	0.23	0.00049	0.00049
3233	BOREWELL OF KALIAWADI GRID ROAD, NAVSARIAT - KALIYAWADI, NAVSARI CITY, TA & DI - NAVSARI, GUJARAT.	GUJARAT	28	29	7.48	8.11	2255	2562	2.4	2.7	0.33	0.33	2	2	2	2.1	1308	1512	0.22	0.26	0.00049	0.00049
3234	BOREWELL NERA TSDF OF NANDESARI ENVIRO CONTROL LIMITED, NADESARI, VADODARATSDF SITE OF NANDESARI	GUJARAT	28	28	6.96	7.58	6568	8212	1.8	2.9	1.32	1.34	1.8	1.8	1.8	1.8	5998	7132	0.86	0.91	0.00049	0.00049
3235	BOREWELL OF GIDC KALOL, B/H GIDC OFFICE, GIDC, KALOL, GANDHINAGARBOREWELL OF KALOL GIDC	GUJARAT	29	29	7.3	7.3	2424	2424	1	1	0.33	0.33	2	2	2	2	1376	1376	0.36	0.36	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3236	BOREWELL OF M/S ALFA ECA (I) LTD., UNIT-1, SR.NO. 249, UMA IND. ESTATE, VASNA , IYAVA, SANAND, AHMEDABADSR.NO. 249, UMA IND. ESTATE, VASNA , IYAVA, SANAND, AHMEDABAD	GUJARAT	28	28	7.03	7.48	3807	3816	1	1	0.53	0.87	2	2	2	2	1958	2182	0.36	1.05	0.00049	0.00049
3237	BOREWELL OF L & T LTD., PLOT NO. 144/146, SARKHEJ-BAVLA ROAD, SANAND, AHMEDABAD PLOT NO. 144/146, SARKHEJ-BAVLA ROAD, SANAND, AHMEDABAD	GUJARAT	29	29	7.42	7.42	2078	2078	1	1	0.5	0.5	2	2	2	2	1068	1068	0.63	0.63	0.00049	0.00049
3238	BOREWELL OF GIDC KANSARIBORE WELL OF GIDC KANSARI, IN THE PREMISES OF GIDC WATER SUPPLY TANK, GIDC KANSARI, TA. KHAMBHAT, DIST. ANAND	GUJARAT	29	29	7.84	8.1	4650	4726	1	1.1	0.32	5.5	1.8	1.8	1.8	1.8	3076	3098	0.62	0.92	0.00049	0.00049
3239	BOREWELL OF GIDC, SOJITRABOREWELL OF GIDC, SOJITRA IN THE PREMISES OF GIDC WATER SUPPLY TANK, GIDC-SOJITRA, TA. SOJITRA, DIST. ANAND.	GUJARAT	29	29	7.71	8.32	2996	3340	1	1.2	0.32	8.12	1.8	1.8	1.8	1.8	2004	2104	0.67	0.71	0.00049	0.00049
3240	BOREWELL OF AJI GIDC ASSOCIATION OFFICE, PLOT NO. C-1/2, ROAD NO -B NR. ASHISH METAL, RAJKOTBORE WELL OF AUSTIN AUTO ENG. AJI GIDC, RAJKOT	GUJARAT	29	30	7.19	7.49	1210	1362	1	1	1.35	1.4	1.8	1.8	1.8	1.8	916	1032	0.2	0.44	0.00049	0.00049
3241	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE, NAKARWADI, RAJKOT	GUJARAT	29	30	7.1	7.54	1496	2210	1	1.2	1.35	1.4	1.8	1.8	1.8	1.8	1492	1568	0.31	0.53	0.00049	0.00049
3244	BOREWELL NEAR TSDF OF BHARUCH ENVIRO INFRASTRUCTURE LIMITED, ANKLESHWAR, BHARUCHAT BEIL TSDF SITE, GIDC ANKLESHWAR, DIST BHARUCH	GUJARAT	28	29	7.11	7.11	3666	4896	1	1	0.32	3.68	1.8	1.8	1.8	1.8	2270	2904	0.2	0.67		
3245	BOREWELL AT DHANGADHRA NEAR DHANGADHRA CHEMICALSBOREWELL AT DHRANGADHRA, NEAR DCW LIMITED, DHRANGADHRA, TAL. DHRANGADHRA, DIST. SURENDRANAGAR	GUJARAT	26	28	7.36	7.48	2160	5547	1	1	1.35	1.7	1.8	1.8	1.8	1.8	1708	3748	0.57	1.13	0.00049	0.00049
3246	BOREWELL OF GIDC OFFICE, SHANKAR TEKRI, UDHYOGNAGAR, JAMNANGARBORWELL OF GIDC ASSOCIATION OFFICE, JAMNAGAR	GUJARAT	27	29	7.05	7.52	2350	2595	1.2	1.4	0.32	0.32	1.8	1.8	2	2	1678	1858	0.21	0.22	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3247	BOREWELL OF SHRI MAHAVIR METAL CRAFT PVT. LTD., PLOT NO. 3059, ROAD NO.6, NR. MAHAVIR CIRCLE, PHASE-III, GIDC, DARED, JAMNAGARPLOT NO. 3059, ROAD NO.6, NR. MAHAVIR CIRCLE, PHASE-III, GIDC, DARED, JAMNAGAR	GUJARAT	27	29	7.05	7.05	2350	2520	1.3	1.5	0.32	0.32	1.8	1.8	2	2	1658	1786	0.2	0.23	0.00049	0.00049
4411	BOREWELL OF MR. HITENDRABHAI LAKHMANBHAI KER SHIV SAI PARK, NEW SMASHAN ROAD, GANDHINAGARSHIV SAI PARK, NEW SMASHAN ROAD, GANDHINAGAR	GUJARAT	27	27	7.82	8.11	1750	1940	1	1	0.32	0.32	1.8	1.8	2	2	1164	1360	0.2	0.21	0.00049	0.00049
4412	BOREWELL OF SHRI KANKESHWAR MAHADEV MANDIR, OPP. MSW DUMPSITE, VIBHAPAROPP. MSW DUMPSITE, VIBHAPAR	GUJARAT	27	28	6.55	7.53	3600	3762	1.1	1.6	0.32	0.32	1.8	1.8	2	2	2580	2646	0.22	0.23	0.00049	0.00049
4413	B/W OF JASHWANTBHAI PARMAR, S. NO. 18 AT: VILLAGE KALAMSAR, TA KHAMBHATB/W OF JASHWANTBHAI PARMAR S. NO. 18, NR.KHODIYAR PURA, VILL. KALAMSAR, TA. KHAMBHAT,DIST. ANAND	GUJARAT	28	29	8.19	8.36	1186	1222	1	1.2	0.32	7	1.8	1.8	1.8	1.8	798	812	0.58	0.76	0.00049	0.00049
4416	BORE WELL AT VORAGAMDINEAR MSW SITE OF VADODARA MUNICIPAL CORPORATION	GUJARAT	28	28	7.94	8.33	1374	2045	1.2	1.3	0.32	1.18	1.8	1.8	1.8	1.8	912	1284	0.96	1.03	0.00049	0.00049
4422	BORE WELL OF ITI COLLAGE OPP, M/S PALIWAL MILK AT MOTA SONELA, MODASA ROAD, TAL, LUNAVADA, DIST. MAHISAGARBORE WELL OF ITI COLLAGE, MOTASONELA, TAL. LUNAWADA, DIST. MAHISAGAR	GUJARAT	26	27	7.49	7.56	705	1550	1	1.2	0.32	6.6	1.8	1.8	1.8	1.8	480	944	0.58	0.86	0.00049	0.00049

Water Quality Data of Ground Water in Haryana Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4836	TUBEWELL NO. 1, NEAR UPSTREAM GHAGGAR RIVER, VILLAGE CHIALI	HARYANA			7.8	8.5					0.4	0.7			1.8	1.8	356	554				
4837	TUBEWELL NO. 2, NEAR GURUDWARA, VILLAGE BHATIA	HARYANA			7.9	8.7					0.6	0.7	1.8	1.8	1.8	1.8	386	584				
4839	TUBEWELL AT PRITHLA, PALWAL	HARYANA	39	39	8.06	8.06	4260	4260	1	1	4.1	4.1					2340	2340	1.1	1.1		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4840	TUBEWELL AT HATHIN, PLAWAL	HARYANA	37	37	7.85	7.85	5310	5310	4	4	3.7	3.7					2920	2920	1.9	1.9		
4841	TUBEWELL AT GARHI, HODAL , PALWAL	HARYANA	38	38	7.63	7.63	4370	4370	1	1	4.7	4.7					2410	2410	1.3	1.3		
4843	GEPII, VILLAGE PALI, MOHABATABAD CRUSHER ZONE, FARIDABAD	HARYANA	15	15	7	7	1270	1270	1	1	0.3	0.3					695	695	0.8	0.8		
4844	BOREWELL NEAR POSCO COMPANY, SECTOR - 14, PHASE - II, VILLAGE PATHUHERA, HSIIDC, IMT, BAWAL	HARYANA	27.1	27.1	7.8	7.8	1740	1740	1	1	0.3	0.3	1.8	1.8	1.8	1.8	795	795	0.2	0.2		
4845	BOREWELL OF HSIIDC PARK, SECTOR - 1, IMT, MANESAR, GURUGRAM	HARYANA	26.8	26.8	7.2	7.2	1610	1610	1	1	0.3	0.3	1.8	1.8	1.8	1.8	816	816	0.2	0.2		
4846	TUBEWELL NO. 6 OF HSIIDC, NEAR PLOT NO. 237, SECTOR - 8, IMT MANESAR, GURUGRAM	HARYANA	28.1	28.1	7.8	7.8	1620	1620	1	1	0.3	0.3	1.8	1.8	1.8	1.8	828	828	0.2	0.2		
4847	TUBEWELL NO. 4, HAILY MANDI, TEHSIL - PATAUDI (PWD), GURUGRAM	HARYANA	27.1	27.1	7.4	7.4	1780	1780	1	1	0.3	0.3	1.8	1.8	1.8	1.8	784	784	0.2	0.2		
4848	TUBEWELL HSSIIC, NEAR PLOT NO. 7, SECTOR 37, GURUGRAM	HARYANA	27.4	27.4	7.4	7.4	1780	1780	1	1	0	0					784	784	0.2	0.2		
4849	BOREWELL AT ENTRY GATE OF ANSAL PIONEER INDUSTRIAL PARK, PATHERI, BILASPUR, GURUGRAM	HARYANA	27.6	27.6	7.3	7.3	1210	1210	1	1	0.3	0.3	1.8	1.8	1.8	1.8	680	680	0.2	0.2		
4850	BOREWELL OF WATER WORKS, SECTOR - 35, HSIIDC, NH - 8, GURUGRAM	HARYANA	26.8	26.8	8	8	1350	1350	1	1	0.3	0.3	1.8	1.8	1.8	1.8	712	712	0.2	0.2		
4851	BOREWELL OF PHED OFFICE, PATAUDI, GURUGRAM	HARYANA	27.1	27.1	7.1	7.1	1410	1410	1	1	0.3	0.3	1.8	1.8	1.8	1.8	732	732	0.2	0.2		

Water Quality Data of Ground Water in Himachal Pradesh Monitored under NWMP-2024																						
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1555	TUBEWELL NEAR JSV PUMP STATION RESIDENTIAL AREA KHERI, KALA AMB,	HIMACHAL PRADESH			7.31	7.88	518	1067	1	1	0.47	0.68	1.8	1.8	1.8	1.8	444	650	0.26	0.55		
1556	BOREWELL NEAR JSV TANK HEERPUR AT PAONTA SAHIB	HIMACHAL PRADESH			7.62	7.83	670	745	1	1	0.67	0.73	1.8	1.8	1.8	1.8	454	498	0.28	0.42		
1562	BOREWELL NEAR ISBT UNA	HIMACHAL PRADESH	21	25	7.47	8.02	361	438	1	1	0.32	2.15	1.8	1.8	1.8	21	248	296	0.2	0.2	0.00049	0.00049
1874	SPRING SOURCE (GROUND WATER) BELOW SWM SITE AT SALOGRA, VILL. SALOGRA. DISTT. SOLAN	HIMACHAL PRADESH	10	20	7.02	7.72	382	774	1	1	0.58	2.84	2	4	17	26	263	392	0.24	0.28		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1877	GROUND WATER NEAR USV LIMITED HPSIDC BADDI AT BADDI INDUSTRIAL AREA	HIMACHAL PRADESH			7.29	7.29	681	681	1	1	4.95	4.95					483	483	0.47	0.47		
1878	GROUND WATER (NEAR ELECTRICITY OFFICE BAROTIWALA) BAROTIWALA INDUSTRIAL AREA	HIMACHAL PRADESH			7.11	7.11	643	643	1	1	7.02	7.02					450	450	0.56	0.56		
1879	GROUND WATER (NEAR ACME FORMULATION NALAGARH) NALAGARH INDUSTRIAL AREA	HIMACHAL PRADESH			6.85	6.85	881	881	1	1	13.69	13.69					625	625	0.92	0.92		
1880	TUBEWELL OPPOSITE IIIT COLLEGE OF ENGINEERING NEAR INDUSTRIAL AREA JOHRON KALA AMB	HIMACHAL PRADESH			7.8	7.99	569	1074	1	1	0.42	0.67	1.8	1.8	1.8	1.8	462	657	0.23	0.47		
1881	BOREWELL NEAR JSV TANK, SWCA OFFICE AT GONDPUR, INDUSTRIAL AREA, PAONTA SAHIB	HIMACHAL PRADESH			7.5	7.66	770	789	1	1	0.69	0.72	1.8	1.8	1.8	1.8	468	684	0.24	0.43		
1882	BOREWELL NEAR OVERHEAD TANK OF IADA MEHATPUR INDUSTRIAL AREA	HIMACHAL PRADESH	22	25	7.68	7.95	382	698	1	1.5	0.32	0.4	2	79	7.8	210	277	459	0.2	0.2	0.00049	0.00049
1883	BOREWELL NEAR M/S BECTOR FOOD INDUSTRIAL AREA TAHLIWAL	HIMACHAL PRADESH	24	24	7.74	7.74	468	468	1	1	1.15	1.15	1.8	1.8	1.8	1.8	309	309	0.2	0.2		
2628	HAND PUMP NEAR THE BUS STOP AT WORKSHOP CHOWK	HIMACHAL PRADESH	18	21	7.52	7.72	518	745	1	1	0.32	1.32	1.8	1.8	1.8	1.8	354	506	0.2	0.23		
2630	HANDPUMP NEAR EXIT GATE OF BUS STAND HAMIRPUR	HIMACHAL PRADESH	12	12	7.52	8.21	340	685	1	1	0.32	0.61	1.8	17	17	25	210	432	0.2	0.2	0.00049	0.00049
2631	HAND PUMP INSIDE THE BUS STAND AT NADAUN TOWN	HIMACHAL PRADESH	13	15	7.11	7.85	408	605	1	1	0.32	4.92	1.8	7.8	14	17	266	392	0.2	0.37	0.00049	0.00049
2632	HAND PUMP AT BILASPUR TOWN (NEAR LAXMINARAYAN TEMPLE)	HIMACHAL PRADESH	23	23	7.76	8.14	510	745	1	1	0.32	6.38	1.8	1.8	1.8	1.8	331	346	0.2	0.2		
2633	HAND PUMP AT RECONGPEO	HIMACHAL PRADESH			7.66	7.93	151	336	1	1	4.7	10.37	1.8	1.8	1.8	6.8	96	203	0.2	0.57		
2634	HAND PUMP NEAR VIJAYNAGAR TOTU SHIMLA	HIMACHAL PRADESH			7.78	8.12	262	302	1	1	0.32	0.41					164	196	0.2	0.2		
2635	HAND PUMP NEAR NOGLI AT RAMPUR	HIMACHAL PRADESH			7.92	8.16	144	188	1	1	1.07	1.08	1.8	1.8	1.8	6.8	92	124	0.2	0.2		
2636	HAND PUMP NEAR KANGRA TEMPLE	HIMACHAL PRADESH			6.84	7.84	186	661	1	1.5	0.3	0.91					117	383	0.2	1.51		
2637	HAND PUMP AT JWALAJI TEMPLE	HIMACHAL PRADESH			6.98	8.03	499	1168	1	1	0.6	8.79					142	702	0.2	0.95	0.00049	0.00049
2638	BOREWELL NEAR CHINTPURNI TEMPLE AT UNA TOWN	HIMACHAL PRADESH			7.91	8.06	329	379	1	1	0.32	8.18	1.8	1.8	1.8	170	233	257	0.2	0.2	0.00049	0.00049
2639	HAND PUMP NEAR CHAMUNDA DEVI TEMPLE	HIMACHAL PRADESH			7.3	7.3	140	140	1	1	0.74	0.74					87	87	0.2	0.2		
2640	HAND PUMP NEAR SANSARPUR TERRACE INDUSTRIAL AREA	HIMACHAL PRADESH	12	18	6.97	8.14	264	385	1	1	1.08	2.19					179	269	0.2	0.2		
2641	HAND PUMP NEAR TEXI STAND CHAMBA TOWN	HIMACHAL PRADESH	13	13	7.34	7.34	821	821	1	1	0.73	0.73					362	362	0.2	0.2		
2642	HAND PUMP NEAR HOTEL PINE WOOD AT DALHOUSIE ROAD	HIMACHAL PRADESH	10	12	6.84	7.94	105	216	1	1	0.4	0.89					82	181	0.2	0.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2645	HAND PUMP AT NAHAN NEAR POLICE POST GUNNUGHAT	HIMACHAL PRADESH			7.43	8.04	576	1048	1	1	0.63	0.65	1.8	1.8	1.8	1.8	440	640	0.3	0.51		
2646	HAND PUMP NEAR MOGINANAD AT KALA AMB	HIMACHAL PRADESH			7.44	7.75	516	1035	1	1	0.38	0.7	1.8	1.8	1.8	1.8	450	630	0.31	0.55		
2648	HAND PUMP AT KEYLONG	HIMACHAL PRADESH	11	18	6.74	7.6	138	356	1	1	0.32	0.32	1.8	1.8	1.8	1.8	92	241	0.24	0.6		
4434	BOREWELL NEAR UNA-HAROLI BRIDGE INDUSTRIAL AREA JEETPUR BEHRI	HIMACHAL PRADESH			7.98	8.1	375	388	1	1	0.32	5	1.8	13	21	110	260	268	0.2	0.2	0.00049	0.00049
4456	HANDPUMP NEAR SATSANG BHAWAN VILLAGE MUGLA	HIMACHAL PRADESH	11	17	7.02	8.05	289	512	1	1	0.63	3.23					179	333	0.2	0.7		
4465	GROUND WATER INTAKE POINT OF BBMB AT VILL. HARABAGH	HIMACHAL PRADESH	14	27	6.75	8.34	163	680	1	1	0.32	1.21	26	58	140	280	110	420	0.2	0.63		
4467	GROUND WATER NEAR LIFT WATER SUPPLY SCHEME AT DARI DHARAMSHALA AT HOTEL DHAULADHAR HEIGHTS DARI, DHARAMSHALA	HIMACHAL PRADESH	14	14	6.92	7.52	112	393	1	1.1	0.3	2.3	1.8	2	2	17	71	247	0.2	0.2		
4468	GROUND WATER SUPPLY SCHEME NEAR MELA GROUND DARI, DHARAMSHALA	HIMACHAL PRADESH	14	14	6.58	7.6	99	394	1	1.3	0.48	1.54	1.8	1.8	2	2	66	242	0.2	0.2		
4472	GROUND WATER NEAR SUPPLY SCHEME AT NAGROTA BHAGWAN	HIMACHAL PRADESH	14	14	7.21	8.1	143	654	1	1	0.5	2.72	2	40	2	350	100	339	0.2	0.9		
4478	LIFTING WATER SUPPLY SCHEME SHAMSHI, NEAR SABJI MANDI BHUNTER, TEHSIL KULLU	HIMACHAL PRADESH	15	16	7.17	7.72	101	260	1	1	0.32	3.11	23	32	210	240	68	169	0.26	0.51		
4483	GROUND WATER SUPPLY SCHEME (MC UNA)	HIMACHAL PRADESH	21	24	7.81	8.09	402	404	1	1.3	0.32	5.09	1.8	26	1.8	84	256	274	0.2	0.2	0.00049	0.00049
5249	GROUND WATER NEAR PULGHRAT BRIDGE ALONG NATIONAL HIGHWAY	HIMACHAL PRADESH	20	21	7.7	8.2	268	272	1	1	0.57	1.06	1.8	1.8	1.8	1.8	164	183	0.2	0.2		
5250	BOREWELL IN THE PREMISES OF M/S BHAGWATI AUTOMOBILE, PLOT NO. 13, INDL AREA SAULI KHAD, DIST. MANDI	HIMACHAL PRADESH	22	24	6.52	6.52	256	273	1	1	2.47	3.98	1.8	1.8	1.8	1.8	154	184	0.2	0.28		
5258	GROOUND WATER AT VPO SANOLI, SUB-TEHSIL MEHTAPUR (DRINKING WATER SUPPLY SCHEME)	HIMACHAL PRADESH	20	28	7.19	8.1	633	1398	1	3	0.32	11.02	8.2	920	54	1600	419	828	0.2	0.27	0.00049	0.00049

Water Quality Data of Ground Water in Jammu & Kashmir Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2759	DUGWELL AT GAGHWAL(KATHUA DISTT)	JAMMU & KASHMIR	19	20	7.36	7.56	410	448	1	1	0	9.28					238	260				

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2760	MALADHAR TALAB(POND)HATLI (KATHUA)	JAMMU & KASHMIR	18	22	7.42	7.86	412	424	2	2.3	0	1.14					240	246				
2761	TUBE WELL KATHUA SICOP INDUSTRIAL AREA KATHUA	JAMMU & KASHMIR	18	20	7.64	7.8	436	458	1	1	0	2.03					253	265				
2762	R.S. PURA TEHSIL, JAMMU	JAMMU & KASHMIR	20	24	6.5	8.36	800	982	2	2	0	1.48					466	590				
4064	BOREWELL NEAR INDUSTRIAL AREA GANGYAL	JAMMU & KASHMIR	16	18	7.66	7.8	525	540	1	1	0	3.22					305	314				
4065	BOREWELL NEAR INDUSTRIAL AREA BARI-BRAHMNA	JAMMU & KASHMIR	17	18	7.56	7.64	266	280			0	461					154	162				
4066	BOREWELL NEAR INDUSTRIAL AREA SAMBA	JAMMU & KASHMIR	18	18	7.84	7.9	324	340	1	1	0	2.86					188	198				
4067	BOREWELL NEAR INDUSTRIAL AREA UDHAMPUR	JAMMU & KASHMIR	17	18	7.58	8.1	468	478	1	1	0	2.52					272	277				
4068	BABA TALAB (ANCIENT POND) AT MISHRIWALA (WETLAND)	JAMMU & KASHMIR	18	19	7.56	7.84	300	324	1	1	0	0.02					174	188				
4069	ANCIENT BOWLIES IN UDHAMPUR AT GANGERA BOWLI	JAMMU & KASHMIR	17	18	7.26	7.56	464	486	1	1	0	0.02					270	282				
4070	ANCIENT BOWLIES IN UDHAMPUR AT REHMATI MOHALLA BOWLI	JAMMU & KASHMIR	17	18	7.2	7.36	424	428	1	1	0	0.02					246	248				
4072	BOREWELL IN SMAILPUR NEAR CHRISTIAN HOSPITAL	JAMMU & KASHMIR	17	18	7.46	7.7	312	320			0	2.64					182	186				
4073	BOREWELL NEAR MAIN CHOWK, SMAILPUR	JAMMU & KASHMIR	18	18	7.72	7.8	342	346			0	2.64					198	200				
4074	MANWAR TAWI BELOW SALAINI BRIDGE-RAJOURI	JAMMU & KASHMIR	14	24	7.8	7.86	189	212	1	1	0	0.02					110	123				

Water Quality Data of Ground Water in Jharkhand Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4492	HAND PUMP NEAR GARBAGE DUMP, RAKSHIBANDH DUMKA	JHARKHAND	18	28	7.5	7.5	210	234	1.4	1.6	0	0					182	222				
4493	HOLY POND AT VILLAGE SIKATIA	JHARKHAND	19	32	7.6	7.7	190	262	1.1	1.4	0	0					168	249				

Water Quality Data of Ground Water in Karnataka Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3564	BOREWELL WATER NEAR MANGALIYOTHI SCHOOL MSW SITE VAMMANJOOR	KARNATAKA	28	30	7.5	8	124	184	2.4	2.4	0.3	1.7	1.8	13	23	540	80	128	0.2	0.3		

Water Quality Data of Ground Water in Kerala Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
19	WELL AT ELOOR,ERNAKULAM	KERALA	27	28	6.4	6.43	120	227	1	3.8	0.72	2.93	540	1100	3100	4600	67	126	0.2	0.2	0.00049	0.00049
22	WELL AT CHUNGAPALLY, KERALA	KERALA	27	29	5.4	6.7	123	132	1	1.5	1.9	2.43	380	1100	460	2900	70	73	0.2	0.2	0.00049	0.015
35	WELL AT PUNALUR, KERALA	KERALA	25	25	7	7.8	152	246	1.1	1.2	0.3	5.36	20	20	110	110	93	137	0.2	0.2	0.00049	0.056
1581	WELL AT PAPPANAMKODE, THIRUVANANTHAPURAM, KERALA	KERALA	28	28	6	6	136	232	1	1	0.3	0.3	400	800	600	1400	75	135	0.2	0.2	0.00049	0.013
1582	WELL AT NEDUMANGAD, THIRUVANANTHAPURAM, KERALA	KERALA	28	28	6	6.9	552	670	1	1	0.3	0.3	1.8	100	400	500	302	512	0.2	0.2	0.00049	0.001
1583	WELL AT KUNDARA, KOLLAM DISTT. , KERALA	KERALA	24	25	6.5	7.5	128	188	1	1.2	0.3	0.31	2	10	40	110	86	160	0.2	0.2	0.00049	0.008
1586	WELL AT EDAYAR ERNAKULAM DISTT., KERALA	KERALA	27.2	28	6.31	6.53	310	470	1	1.7	2.09	9.2	1200	4000	1500	6300	171	259	0.2	0.2	0.00049	0.00049
1587	WELL AT KALAMASSERY ERNAKULAM DISTT. ,KERALA	KERALA	27	28	5.9	6.4	291	292	2.3	2.3	6.22	7.85	1.8	3	10	240	168	190	0.2	0.2	0.00049	0.00049
1588	WELL AT PUNKUNNAM TRISSUR DISTT. , KERALA	KERALA	26	26	5.7	7.8	150	204	1.4	3.8	0.3	5.6	1.8	70	240	250	90	122	0.2	0.2	0.00049	0.00049
1589	WELL AT MALAPURAM , KERALA	KERALA	25	31	3	5.8	146	178	1	1.6	0.3	0.42	170	280	630	630	96	98	0.2	0.5	0.00049	0.00049
1590	WELL AT MAVOOR, KOZHIKKODE DISTT. , KERALA	KERALA	27	29	6.5	6.8	103	108	1	1	1.89	2.33	520	1100	800	2600	60	62	0.2	0.2	0.00049	0.011
1591	WELL AT KANNUR MUNICIPALITY KANNUR	KERALA	26	30	5.1	6.1	100	107	1	1.8	0.3	0.3	230	500	350	2400	62	90	0.2	0.9	0.00049	0.00049
1592	WELL AT PAYYANNUR, KANNUR DISTT. , KERALA	KERALA	26	30	5.8	7.4	219	242	2.1	3.1	0.3	0.3	1.8	280	350	350	126	136	0.2	0.2	0.00049	0.001
2308	WELL AT FATHIMAPURAM (CHANGANASSERY)	KERALA	27	28	6.5	6.6	111	159	1	1.5	0.72	0.77	48	150	210	240	69	95	0.2	0.2	0.00049	0.012
2309	WELL AT KAROOR (PALA)	KERALA	27	28	5.1	6.2	76	116	1	1	0.3	0.92	49	110	150	490	50	69	0.2	0.2	0.002	0.005
2310	WELL AT VAIKOM	KERALA	27	27	6.2	6.2	180	258	1	1	0.3	0.3	150	150	350	430	108	154	0.2	0.2	0.00049	0.023
2311	WELL AT VADAVATHOOR (KOTTAYAM)	KERALA	27	27	6.4	6.4	142	142	1	1	0.3	0.3	150	150	750	750	87	87	0.2	0.2	0.00049	0.00049
2313	WELL AT SARVODAPURAM, ALAPPUZHA	KERALA	29	29	8.3	8.4	346	394	3.2	8.4	0.3	0.3	500	5300	700	12500	259	300	0.2	0.2	0.00049	0.003
2314	WELL AT KUREEPUZHA (KOLLAM)	KERALA	24	24	7.5	7.5	142	406	1	1	0.3	0.36	10	20	94	130	87	232	0.2	0.2	0.00049	0.071
2315	WELL AT K.M.M.L. (KOLLAM)	KERALA	23	24	7.2	7.5	176	389	1	1.5	0.3	0.48	20	23	70	100	135	218	0.2	0.2	0.00049	0.004

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2316	WELL AT CHELLORA TRENCHING GROUND (KANNUR)	KERALA	27	31	4.8	6.2	48	97	1.2	1.7	0.3	0.3	1.8	1.8	1.8	1.8	38	63	0.2	0.8	0.00049	0.00049
2317	WELL AT PUNNALPETTIPALAM	KERALA	26	30	6.4	7.9	244	346	1	1	0.3	0.3	10	150	40	330	152	210	0.2	0.8	0.00049	0.00049
2320	WELL AT MANJERI	KERALA	24	30	6.3	6.8	160	161	1.1	1.3	0.3	0.57	1.8	540	110	1200	89	113	0.2	0.45	0.00049	0.001
2321	WELL AT LALOOR (THRISSUR)	KERALA	27	28	4.4	7.6	233	286	3	3.8	0.3	4.6	1.8	70	140	700	140	171	0.2	0.4	0.00049	0.00049
2322	WELL AT OLLUR (THRISSUR)	KERALA	28	30	5.4	7.6	206	217	1	2	0.3	5.2	1.8	60	120	600	124	130	0.2	0.2	0.00049	0.00049
2323	WELL AT BRAHMAPURAM M.S.W. DUMPARK	KERALA	26	27	6.4	7.9	205	221	1	1	0.3	0.3	310	400	1400	3500	86	126.8	0.2	0.2	0.00049	0.00049
2324	WELL AT HAZARDOUS WASTE DUMP (AMBALAMUGAL BOREWELL)	KERALA	26	27	5.5	8.5	145	154	1	1	5.57	5.9	10	28	79	1100	86	86	0.2	0.2	0.00049	0.001
2327	WELL AT KARUKAMANI	KERALA	29	30	8.2	8.3	705	1149	1	1.4	0.3	0.74	1.8	100	300	800	400	635	0.2	0.3	0.003	0.01
3463	WELL AT VELLIPARAMBA, KOZHEKODE	KERALA	28	29	5.3	6.5	91	137	1	1	2.74	4.44	480	1100	820	2100	54	81	0.2	0.2	0.00049	0.01
3472	WELL OF TEMPLE PARASSINIKADAVU, KANNUR	KERALA	27	30	7.5	7.5	411	834	2.2	4	0.3	0.3	17	1200	24	2000	250	467	0.2	0.3	0.00049	0.003
3474	WELL AT PAYANOOR, KANNUR	KERALA	27	30	6.9	7.6	125	139	1.5	1.9	0.3	0.3	350	350	400	430	89	97	0.2	0.6	0.00049	0.001
3475	WELL AT KARIMBAM, KANNUR	KERALA	26	30	5	5.8	56	98	1	1.7	0.3	0.3	58	150	79	200	37	69	0.2	0.7	0.00049	0.00049
5219	WELL AT SRI KIRATHAMOORTHY SIVA TEMPLE, KANJIKKODE, PALAKKAD	KERALA	28	28	6.5	6.5	122	122	1.8	1.8	0.94	0.94	1.8	1.8	500	500	71	71	0.4	0.4	0.00049	0.00049

Water Quality Data of Ground Water in Lakshadweep Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1402	WELL C/O KULAKKINAPURA	LAKSHADWEEP	27.6	27.6	7.6	7.6	575	575	1	1	0	0	1600	1600	1600	1600	385	385				
1593	WELL NEAR JB SCHOOL (E)	LAKSHADWEEP	27.6	27.6	7.8	7.8	703	703	1	1	0	0	30	30	40	40	471	471				
1594	WELL NEAR OTTAVATHIL PALLI	LAKSHADWEEP	28.2	28.2	7.5	7.5	743	743	1	1	0	0	26	26	1600	1600	503	503				
1595	WELL C/O CHEKKILLAM HOUSE	LAKSHADWEEP	27.5	27.5	7.8	7.8	406	406	1	1	0	0	900	900	900	900	340	340				
1596	WELL C/O KADATH PALLI	LAKSHADWEEP	27.4	27.4	7.7	7.7	603	603	1	1	0	0	23	23	23	23	470	470				
1597	WELL C/O BADAR PALLI	LAKSHADWEEP	28	28	8	8	536	536	1	1	0	0	17	17	30	30	359	359				
1598	WELL C/O PUTHIYA PALLI	LAKSHADWEEP	27.5	27.5	7.8	7.8	542	542	1	1	0	0	22	22	130	130	350	350				
1599	WELL C/O PURATHA PALLI	LAKSHADWEEP	27.2	27.2	7.7	7.7	493	493	2	2	0	0	6	6	17	17	380	380				
1600	WELL C/O ANDAM PALLI	LAKSHADWEEP	28.8	28.8	7.4	7.4	790	790	1	1	0	0	17	17	70	70	529	529				
1601	WELL C/O CIRCUIT HOUSE	LAKSHADWEEP	25.9	25.9	7.6	7.6	729	729	1	1	0	0	26	26	900	900	488	488				
1602	WELL C/O GOVT. PRESS	LAKSHADWEEP	25.4	25.4	7.7	7.7	705	705	1	1	0	0	17	17	1600	1600	472	472				
1603	WELL C/O POLICE QUARTERS	LAKSHADWEEP	25.7	25.7	7.2	7.2	1541	1541	1	1	0	0	26	26	900	900	1200	1200				

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1604	WELL BACK SIDE OF TEMPLE	LAKSHADWEEP	27.3	27.3	7.6	7.6	1840	1840	1	1	0	0	6	6	900	900	1090	1090				
1605	WELL AT CHICKEN NECK	LAKSHADWEEP	27.6	27.6	7.8	7.8	12160	12160	1	1	0	0	4	4	1600	1600	8550	8550				
1606	WELL NEAR POWER HOUSE QUARTERS	LAKSHADWEEP	26.9	26.9	7.6	7.6	802	802	1	1	0	0	30	30	170	170	550	550				
4548	WELL C/O POULTRY FARM	LAKSHADWEEP	25.8	25.8	7.6	7.6	475	475	1	1	0	0	30	30	90	90	460	460				
4549	WELL NEAR NARANGA PURA	LAKSHADWEEP	28.3	28.3	7.5	7.5	1644	1644	1	1	0	0	4	4	23	23	1050	1050				
4550	WELL NEAR SLAUTER HOUSE	LAKSHADWEEP	27.5	27.5	7.7	7.7	606	606	1	1	0	0	17	17	80	80	460	460				
4551	WELL NEAR LTTD PLANT	LAKSHADWEEP	28.2	28.2	7.8	7.8	580	580	1	1	0	0	9	9	12	12	560	560				
4552	WELL C/O HIGH SCHOOL	LAKSHADWEEP	25.7	25.7	7.6	7.6	870	870	1	1	0	0	17	17	140	140	710	710				
4553	WELL NEAR JBS (N)	LAKSHADWEEP	28.5	28.5	7.6	7.6	1036	1036	1	1	0	0	26	26	34	34	670	670				
4554	WELL C/O IG HOSPITAL	LAKSHADWEEP	27	27	7.6	7.6	939	939	1	1	0	0	13	13	23	23	629	629				
4555	WELL NEAR WASTE DUMPING SITE	LAKSHADWEEP	26.9	26.9	7.6	7.6	978	978	2	2	0	0	8	8	33	33	790	790				
4556	WELL C/O SOLAR POWER PLANT	LAKSHADWEEP	27.6	27.6	7.8	7.8	679	679	1	1	0	0	2	2	8	8	550	550				
4558	WELL C/O BARALI SURAMBI	LAKSHADWEEP	32.8	33.4	7.3	7.4	905	1313			0	0					588.2	854				
4559	WELL C/O THAJ MANZIL	LAKSHADWEEP	32.3	33.7	7.5	7.5	1475	3420			0	0					959	2223				
4560	WELL C/O POOVALAP	LAKSHADWEEP	31.8	32.3	7.3	7.6	1145	1461			0	0					744	950				
4561	WELL C/O PUTHIYA PAKKIMADA	LAKSHADWEEP	31.6	33.9	7.4	7.7	838	1236			0	0					545	804				
4562	WELL C/O BELIYACHADA	LAKSHADWEEP	32.8	33.4	7.6	7.7	1850	2055			0	0					1203	1336				
4563	WELL C/O KANCHARAKAKADA	LAKSHADWEEP	31.6	33.5	7.2	7.3	1535	2120			0	0					998	1378				
4564	WELL C/O KUNJACHA	LAKSHADWEEP	32.7	33.2	7.5	7.5	978	1320			0	0					636	858				
4565	WELL C/O LAGOONS BATH	LAKSHADWEEP	33.4	33.7	7.5	7.5	1057	2850			0	0					687	1853				
4566	WELL NEAR S&T	LAKSHADWEEP	30.8	33.4	7.3	7.4	1067	1229			0	0					694	799				
4567	WELL C/O UJRA PALLI	LAKSHADWEEP	29.9	33.5	7.5	7.6	682	724			0	0					443.3	471				
4569	WELL C/O DARUL NOOR	LAKSHADWEEP	32.3	33.4	7.6	7.6	887	1265			0	0					577	822				
4570	WELL C/O CHC SUB CENTRE NORTH	LAKSHADWEEP	33.8	33.9	7.5	7.5	1715	5990			0	0					1115	3894				
4571	WELL C/O MAMPURAM	LAKSHADWEEP	32	33.4	7.4	7.5	1431	1547			0	0					930	1006				
4572	WELL C/O OBSERVATORY	LAKSHADWEEP	32.6	33.7	7.8	7.9	547	2110			0	0					356	1372				
4573	WELL C/O BALIYOMME CHETTA	LAKSHADWEEP	33.2	33.3	7.4	7.4	1527	2094			0	0					993	1361				
4574	WELL C/O MOULA PALLI	LAKSHADWEEP	30.7	33.7	7.3	7.5	654	1233			0	0					425.1	802				
4575	WELL C/O BEEREDAM	LAKSHADWEEP	31.4	31.5	7.5	7.5	1097	1578			0	0					713	1026				
4576	WELL C/O HUSSAIN MANZIL	LAKSHADWEEP	32.4	33	7.5	7.7	536	1258			0	0					348.4	818				

Water Quality Data of Ground Water in Madhya Pradesh Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)	pH	Conductivity (µmho/cm)	BOD (mg/L)	NitrateN + NitriteN(mg/L)	Fecal Coliform (MPN/100ml)	Total Coliform (MPN/100ml)	Total Dissolved Solids (mg/L)	Fluoride (mg/L)	Arsenic (mg/L)
----------	---------------------	------------	------------------	----	------------------------	------------	---------------------------	----------------------------	----------------------------	-------------------------------	-----------------	----------------

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
52	WELL, SHRI RAO PRAJAPATI WELL , M. P. (T/W OF HANIF KHAN S/O JABBAR KHAN, AMRAWATI ROAD, BURHANPUR)	MADHYA PRADESH	20	21	7.3	7.4	1244	1245	1	1	3.21	3.38	1.8	1.8	3.7	3.7	700	750	0.71	0.81		
1616	TUBE WELL WATER - INDUSTRIAL AREA, GOVINDPURA, BHOPAL, (M.P)	MADHYA PRADESH	26	26	7.38	7.88	1473	4872	1.2	1.3	42.7	61.36	1.8	1.8	43	120	970	3246	0.2	0.96	0.00049	0.00049
1618	HAND PUMP, MALANPUR HARI RAM KA PURA (EAST)	MADHYA PRADESH	22	24	7.2	7.6	340	620			0.8	0.84					220	400				
1619	HAND PUMP, JHIRONGI, MALANPUR BHIND (WEST)	MADHYA PRADESH	21	24	7.2	7.5	350	620			0.7	1.8					225	400				
1897	TUBE WELL AT JAINABAD, NEAR TAPTI RIVER BRIDGE, PUMPING STN. BURHANPUR, M.P.	MADHYA PRADESH	20	21	7.36	7.46	1002	1100	1	1	2.62	2.76	1.8	1.8	3.1	3.4	610	688	0.7	0.78		
2143	HAND PUMP WATER AT KATHONDA, JABALPUR	MADHYA PRADESH	22.3	26.8	7.06	7.23	532	789	1	1	3.32	3.62	1.8	1.8	2	6	495	670	0.2	0.2	0.00049	0.00049
2144	HAND PUMP WATER AT MADAI GRAM, JABALPUR	MADHYA PRADESH	23.8	26.7	7.18	7.32	272	638	1	1	0.3	4.22	1.8	1.8	2	4	242	541	0.2	0.2	0.00049	0.00049
2145	WELL AT MEHATWAS, NAGDA	MADHYA PRADESH	27	27	7.32	7.81	1078	4236	1	1.4	7.66	12.63	1.8	1.8	10	10	862	2966	0.2	0.2	0.00049	0.00049
2146	WELL AT BHAGATPURI VILLAGE, NAGDA	MADHYA PRADESH	27	27	7.13	7.17	1894	3672	1.2	1.4	4.18	8.68	1.8	1.8	12	12	1478	2938	0.21	0.21	0.00049	0.00049
2147	WELL AT PRATAL NAGAR, DEWAS	MADHYA PRADESH	21	22	6.84	7.68	1714	1960	1.4	18	0.61	6.31					1196	1360			0.00049	0.00049
2148	WELL AT DOSIGAON, RATLAM	MADHYA PRADESH	26	27	7.1	7.5	1910	2556	1.2	1.6	5.66	8.39	1.8	1.8	11	11	1428	1790	0.31	0.31	0.00049	0.00049
2149	WELL AT CULVERT ON A.B. ROAD, MAKSI	MADHYA PRADESH	22	26	7.4	7.6	1460	1640	1.4	1.4	2.16	4.98					876	1088			0.00049	0.00049
2150	WELL AT TRENCHING GROUND, NEAR GARDEN, DEV GURADIYA ROAD, INDORE	MADHYA PRADESH	21	21	7.43	7.8	1632	2042	1	1	2.04	3.22	1.8	1.8	10	12	1002	1460	0.69	0.69		
2151	WELL AT TRENCHING GROUND IN THE PREMISES OF M/S RISHABH MASALA UDYOG, INDORE	MADHYA PRADESH	20.5	21	7.3	7.41	2730	4771	1.9	2	3.02	8.38	1.8	1.8	11	14	1692	2900	0.82	0.92		
2152	WELL AT TRENCHING GROUND IN THE PREMISES OF M/S LAKHANI FOOT WEAR, INDORE	MADHYA PRADESH	20.5	21	7.32	7.36	2085	4175	1	1.4	3.11	3.63	1.8	1.8	6.8	8.1	1294	2555	0.78	0.88		
2153	TUBWELL WATER AT IBRAHIMGANJ NEAR BUS STAND, BHOPAL (M.P.)	MADHYA PRADESH	25	26	7.1	7.16	786	897	1	1.2	8.85	32.05	1.8	1.8	48	63	468	594	0.2	0.2	0.00049	0.00049
2154	WELL AT NEAR PRIMARY SCHOOL, PILUKHEDI, RAJGARH.	MADHYA PRADESH	19	23	7.03	7.48	2414	2570	1.6	2.6	7.69	46.92	1.8	1.8	1.8	70	1474	1920	0.2	0.22		
3332	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, DEWAS	MADHYA PRADESH	22	26	7.4	7.5	1210	1500	1.2	1.4	1.91	4.02					804	1170			0.00049	0.00049
3333	HAND PUMP WATER AT BANSKHEDI, BHOPAL(M.P.)	MADHYA PRADESH	22	25	7.12	7.31	785	798	1	1	2.3	6.1	1.8	1.8	1.8	14	522	522	0.2	0.2		
3334	HAND PUMP WATER SAMPLE BUS STAND, BETUL	MADHYA PRADESH	20	20	7.71	7.71	523	523	1	1	2.6	2.6	15	15			395	395	0.2	0.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3335	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA RECHHAI, JABALPUR	MADHYA PRADESH	23.9	27	7.12	7.21	278	685	1	1	1.12	5.22	1.8	1.8	1.8	4	266	583	0.2	0.2	0.00049	0.00049
3336	TUBE WELL/ HAND PUMP GROUND WATER SAMPLE INDUSTRIAL AREA IMLIKHEDA, CHHINDWARA	MADHYA PRADESH	24	24	7.74	7.74	619	619			2.86	2.86	3	3	15	15	508	508	0.2	0.2		
3337	TUBE WELL/ HAND PUMP AT INDL AREA SEONI NEAR BARAPATTHAR	MADHYA PRADESH	23	27.2	7.14	7.18	272	452	1	1	0.32	2.82	1.8	1.8	2	4	242	386	0.2	0.2	0.00049	0.00049
3338	HAND PUMP NEAR PANCHAYAT BHAWAN, VILLAGE TINAWALI RAIRU	MADHYA PRADESH	21	22	7.43	7.5	700	730			0.74	0.81					445	464				
3339	TUBE WELL/ HAND PUMP NEAR MANGLIA INDUSTRIAL AREA , INDORE	MADHYA PRADESH	20	21	7.41	7.59	710	902	1	1	1.08	2.64	1.8	1.8	3.7	3.7	440	594	0.62	0.66		
3340	TUBE WELL AT NEAR TRENCHING GROUND, INDORE	MADHYA PRADESH	20.5	21	7.3	7.8	1995	2069	1	1.1	2.1	3.02	1.8	1.8	3.7	4.5	1236	1242	0.62	0.78		
3341	TUBE WELL AT SECTOR-III, PITHAMPUR INDUSTRIAL AREA	MADHYA PRADESH	20.4	20.5	7.44	7.62	690	791	1	1	1.01	2.9	1.8	1.8	3.7	3.7	427	475	0.69	0.73		
3342	BOREWELL WATER AT VILLAGE TARPUR, SECTOR-II, PITHAMPUR,INDUSTRIAL AREA	MADHYA PRADESH	21	21	7.36	7.4	405	610	1	1	1.92	2.28	1.8	1.8	3.6	3.7	270	408	0.71	0.8		
3343	TUBE WELL NEAR INDUSTRIAL AREA UDYOG VIHAR , CHURAT, REWA	MADHYA PRADESH	24.2	24.2	7.35	7.35	1179	1179	1	1	4.47	4.47	1.8	1.8	8.2	8.2	973	973				
3344	TUBEWELL AT INDL AREA, SHAHDOLU/G WATER SAMPLE FROM INDUSTRIAL AREA,NARSARHA,DISTT. SHAHDOL(M.P.)	MADHYA PRADESH	29.1	29.1	6.89	6.89	602	602	1	1	2.65	2.65	1.8	1.8	1.8	1.8	566	566				
3345	TUBEWELL AT INDL AREA, ANUPPUR	MADHYA PRADESH	28.9	28.9	7.04	7.04	612	612	1	1	2.14	2.14	1.8	1.8	1.8	1.8	532	532				
3822	GROUND WATER NEAR BUS STAND, DIST NARSINGPUR	MADHYA PRADESH	23	27	7.32	8.14	348	683	1	1	0.32	0.32	1.8	1.8	2	2.1	342	444	0.2	0.2	0.00049	0.00049
3823	GROUND WATER NEAR BUS STAND, DIST BALAGHAT	MADHYA PRADESH	23.1	25.3	7.32	7.52	358	384	1	1	0.52	4.22	1.8	1.8	2	5.5	132	356	0.2	0.2	0.00049	0.00049
3824	GROUND WATER VILL BHEEMJORI, MALAJKH, DIST BALAGHAT	MADHYA PRADESH	24.1	25.3	7.11	7.14	292	312	1	1	0.36	0.52	1.8	1.8	1.8	4	222	288	0.2	0.2	0.00049	0.00049
3825	GROUND WATER NEAR BUS STAND, DIST MANDLA	MADHYA PRADESH	24	25.8	7.21	7.8	304	306	1	1	0.32	1.12	1.8	1.8	1.8	4	296	300	0.2	0.2	0.00049	0.00049
3826	GROUND WATER NEAR BUS STAND, DIST SEONI	MADHYA PRADESH	23	26.2	7.2	7.42	304	368	1	1	0.32	3.34	1.8	1.9	2	2.8	174	272	0.2	0.2	0.00049	0.00049
3827	GROUND WATER VILL IMALIA, DIST JABALPUR	MADHYA PRADESH	24	26.9	7.19	7.29	712	826	1	1	3.82	4.92	1.8	2	1.8	6	584	692	0.2	0.2	0.00049	0.00049
3854	TUBE WELL WATER SAMPLE OF SIDHI CITY	MADHYA PRADESH	24.8	26.3	7.08	7.8	1126	1138	1	1.1	4.38	4.88	1.8	1.8	6.8	8.1	1032	1086				
4618	GROUND WATER AT INDUSTRIAL AREA, MANERI DISTT MANDLA	MADHYA PRADESH	24.4	25.9	7.1	7.28	266	302	1	1	0.52	5.6	1.8	1.8	1.8	4	182	260	0.2	0.2	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4625	HAND PUMP WATER AT DISTRICT HOSPITAL, BHOPAL (M.P.)	MADHYA PRADESH	21	22	7.18	7.38	694	728	1	1.9	2.21	4.8	1.8	1.8	1.8	58	436	486	0.2	0.2	0.00049	0.00049
4626	HAND PUMP WATER AT DISTRICT HOSPITAL ,SEHORE (M.P.)	MADHYA PRADESH	24	25	7.14	8.04	1150	1742	1.2	1.7	23.93	38.52	1.8	5.4	33	70	736	1302	0.2	0.2	0.00049	0.00049
4628	HAND PUMP WATER AT DISTRICT HOSPITAL ,VIDISHA(M.P.)	MADHYA PRADESH	25	25	6.88	7.45	703	775	1.2	1.3	3.2	5.3	1.8	6.8	84	430	508	540	0.2	0.2		
4630	HAND PUMP DISTRICT HOSPITAL BETUL	MADHYA PRADESH	20	20	7.73	7.73	516	516	1	1	2.64	2.64	3	3	15	15			0.2	0.2		

Water Quality Data of Ground Water in Maharashtra Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1985	DUG WELL AT 5-STAR INDUSTRIAL ESTATE, VILLAGE-KASHIMIRA , TALUKA-THANE, DISTRICT-THANE.	MAHARASHTRA	26	29	7.2	7.4	2265	3728	18	20	1.2	12.18	7.8	17	39	240	1970	3170	0.22	0.93	0.00049	0.00049
1987	BORE WELL AT VASAI, VILLAGE-GOKHIWARE, TALUKA- VASAI, DISTRICT-PALGHAR.	MAHARASHTRA	26	28	7.2	7.3	836	6416	2	4	0.39	1	4.5	17	33	46	546	720	0.2	0.76	0.00049	0.00049
1989	BORE WELL AT MWML SITE AT TALOJA, VILLAGE-KARAWLA- TALOJA,TALUKA-PANVEL, DISTRICT- RAIGAD.	MAHARASHTRA	27	28	7.3	7.4	2515	2592	3	8	0.79	2.7	1.8	23	70	240	2180	2490	0.2	0.2	0.00049	0.00049
1990	BORE WELL AT BMW SITE, VILLAGE-BURUDGAON ,TALUKA-AHMEDNAGAR,DISTRICT-AHMEDNAGAR.	MAHARASHTRA	25	27	7.8	8.1	2689	2824	3.2	4	3.48	4.68	4	4.5	40	70	2098	2390	0.2	0.2	0.00049	0.00049
1991	BORE WELL AT MSW SITE,VILLAGE-PATHARDI ,TALUKA- NASHIK,DISTRICT-NASHIK.	MAHARASHTRA	20	20	7.5	7.5	1410	1410	5.5	5.5	5.75	5.75	12	12	140	140	1056	1056	0.2	0.2	0.00049	0.00049
1992	DUG WELL AT MSW SITE, OWNED BY SHRI. DATTU KONDIBA BORATE AT BORATE VASTHI, VILLAGE- MOSHI, PIMPRI CHINCHWAD, TALUKA- HAWELI, DISTRICT- PUNE.	MAHARASHTRA	27	29	7.5	7.9	615	807	2	2.5	0.39	3.14	21	70	275	900	510	664	0.29	0.42	0.00049	0.00049
1993	DUG WELL AT PANDHARPUR, VILLAGE-PANDHARPUR, TALUKA-GANGAPUR, DISTRICT - AURANGABAD.	MAHARASHTRA	28	32	7.6	7.9	1745	1774	3.2	6	4.24	5.58	1.8	1.8	17	20	1142	1284	0.82	0.83	0.00049	0.00049
1994	DUG WELL AT TPS-DURGAPUR, NEAR NASEEB KIRANA AND GENERAL STORES, VILLAGE-DURGAPUR, TALUKA-CHANDRAPUR, DISTRICT- CHANDRAPUR.	MAHARASHTRA	20	22	7.3	7.5	692	1179	3.2	3.3	0.73	2.69	34	40	280	340	540	888	0.2	0.2	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1995	GRAM PANCHAYATH DUG WELL , NEAR BALAJI GAJBHIYE HOUSE,VILLAGE-KHAPERKHEDA (WARD NO.4) , TALUKA-SAONER, DISTRICT- NAGPUR.	MAHARASHTRA	19	26	7.6	7.9	610	1150	3	3.2	4.79	5.26	21	24	110	110	470	890	0.2	0.2	0.00049	0.00049
1996	GRAM PANCHAYATH DUG WELL , NEAR JAGADAMBA G. M. S. MANDIR SAHAKARI SANSTHA, VILLAGE-KORADI,TALUKA-KAMPTEE, DISTRICT- NAGPUR.	MAHARASHTRA	26	26	8	8	1170	1170	3.4	3.4	0.62	0.62	23	23	150	150	898	898	0.2	0.2	0.00049	0.00049
1997	BORE WELL NEAR PRIMARY HEALTH CENTRE, VILLAGE-RAIPUR,TALUKA-HINGNA, DISTRICT- NAGPUR.	MAHARASHTRA	19	20	7.6	8.3	546	984	3	3.4	1.13	6.28	26	34	120	170	508	752	0.2	0.2		
1999	BORE WELL NEAR GRAM PANCHAYAT OFFICE, VILLAGE-CHANGERA,TALUKA-GONDIA, DISTRICT- GONDIA.	MAHARASHTRA	16	16	7.3	7.3	779	779	4	4	0.3	0.3	22	22	110	110	588	588	0.2	0.2		
2000	DUG WELL NEAR SARODE KIRANA STORE, VILLAGE-BHANDEWADI,TALUKA-NAGPUR, DISTRICT- NAGPUR.	MAHARASHTRA	26	26	7.9	7.9	1259	1259	3.4	3.4	0.46	0.46	32	32	220	220	948	948	0.2	0.2	0.00049	0.00049
2002	BORE WELL OPP.GAJANAN MAHARAJ TEMPLE AT ANJANGAON ROAD, VILLAGE-ANJANGAON,TALUKA- AKOT, DISTRICT- AKOLA.	MAHARASHTRA	26	26	8	8.1	872	989	3	3.6	0.92	6.07	21	32	220	220	656	764	0.2	0.2	0.00049	0.00049
2003	DUG WELL AT PLOT NO- 4, STREET NO.49-C, AT NEHRU BAL UDYAN AZAD MAIDAN, OWNED BY YAVATMAL M.C. TALUKA-YAVATMAL, DISTRICT-YAVATMAL.	MAHARASHTRA	22	22	7.4	8.4	772	898	3.2	3.4	0.4	6.55	21	33	110	350	590	680	0.2	0.2	0.00049	0.00049
2004	BORE WELL AT PARVATI INDUSTRIAL ESTATE, VILLAGE-YADRAV, TALUKA-SHIROL, DISTRICT- KOLHAPUR.	MAHARASHTRA	28	30	7.6	7.7	1127	2611	2.8	3	0.3	1.18	5.5	7.8	20	27	1068	2248	0.2	0.2	0.00049	0.00049
2005	BORE WELL AT KHANJIRENAGAR, VILLAGE-KHANJIRENAGAR,TALUKA-HATKANANGALE, DISTRICT- KOLHAPUR.	MAHARASHTRA	28	30	7.7	7.9	1268	1328	3	3.4	0.3	1.08	5.5	8.3	21	34	1014	1148	0.2	0.2	0.00049	0.00049
2006	BORE WELL AT SHINOLI NEAR M/S AQUA ALLOY STEEL ,MIDC, VILLAGE-SHINOLI, TALUKA-CHANDGAD, DISTRICT- KOLHAPUR.	MAHARASHTRA	27	30	7.6	7.7	567	675	3	3	0.3	1.12	6	6.1	24	24	523	536	0.2	0.2	0.00049	0.00049
2007	BORE WELL AT SAVALI, NEAR GRAM PANCHAYAT OFFICE, VILLAGE-SAVALI, TALUKA- MIRAJ, DISTRICT- SANGLI.	MAHARASHTRA	27	28	7.2	7.2	2593	5892	3	3.6	0.98	4.93	5.6	8.3	21	33	2241	4968	0.2	0.33	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2008	DUG WELL AT SAMBARWADI OWNED BY SHRI. KISHAN HALI RAJPUT. VILLAGE-SAMBARWADI, TALUKA- MIRAJ, DISTRICT-SANGLI.	MAHARASHTRA	26	28	7.3	7.5	1728	2656	3.2	3.4	1	5.06	6	8.2	24	32	1452	2348	0.2	0.38	0.00049	0.00049
2200	BORE WELL AT KATPUR, NEAR Z.P. SCHOOL, VILLAGE-KATPUR,TALUKA-PAITHAN,DISTRICT-AURANGABAD.	MAHARASHTRA	28	32	8.2	8.3	2772	2790	2.8	3.6	3.11	7.1	1.8	1.8	2	9	1848	1908	0.29	0.8	0.00049	0.00049
2201	DUG WELL AT RANJANGAON, VILLAGE-RANJANGAON, TALUKA-GANGAPUR, DISTRICT- AURANGABAD.	MAHARASHTRA	32	32	8.2	8.2	1885	1885	3.6	3.6	5.9	5.9	2	2	25	25	1288	1288	0.38	0.38	0.00049	0.00049
2203	HAND PUMP IN THE PREMISES OF ZILLA PARISHAD PRIMARY SCHOOL, VILLAGE-BHUGAON,TALUKA- WARDHA,DISTRICT- WARDHA.	MAHARASHTRA	19	19	8.3	8.3	910	910	3.5	3.5	8.9	8.9	21	21	110	110	711	711	0.2	0.2		
2204	DUG WELL AT GUNJALWADI,SANGAMNER NEAR PRIMARY HEALTH CARE CENTER, VILLAGE-GUNJALWADI,TALUKA-SANGAMNER,DISTRICT-AHMADNAGAR.	MAHARASHTRA	25	26	7.7	8.2	204	8742	3.2	3.8	1.12	3.84	3.7	4	43	43	158	758	0.2	0.2	0.00049	0.00049
2816	DUG WELL OF MR.SAMPAT WALUNJ, NEAR M/S MAHAJEET CLAYTON, VILLAGE-SHINDE VILLAGE, TALUKA- NASHIK, DISTRICT- NASHIK.	MAHARASHTRA	20	20	7.8	7.8	636	636	5.6	5.6	3.06	3.06	11	11	130	130	510	510	0.2	0.2	0.00049	0.00049
2817	BORE WELL AT CHITALI NEAR WAGH VASTHI, VILLAGE- CHITALI, TALUKA-RAHATA, DISTRICT- AHMEDNAGAR.	MAHARASHTRA	25	26	7.9	8.1	292	820	3	4.8	1.26	3.53	4.5	6	47	84	230	682	0.2	0.2	0.00049	0.00049
2819	DUG WELL OWNED BY SHRI DESHMUKH, VILLAGE- MALEGAON, TALUKA-BARAMATI, DISTRICT- PUNE.	MAHARASHTRA	27.5	28	7.9	8	2786	3046	2.4	6.5	0.3	2.89	6	45	350	350	2342	2496	0.2	0.38	0.00049	0.00049
2820	DUG WELL OWNED BY SHRI SHIVAJI BABAN DAREKAR, VILLAGE- SANASWADI, TALUKA- SHIRUR, DISTRICT- PUNE.	MAHARASHTRA	27	27	8.2	8.2	296	296	2.2	2.2	0.32	0.32	45	45	550	550	244	244	0.24	0.24	0.00049	0.00049
2821	BORE WELL AT BALE RAILWAY STATION PREMISES OWNED BY SHRI. DIGAMBAR JOSHI, VILLAGE- DAHEGAON, TALUKA-NORTH SOLAPUR, DISTRICT- SOLAPUR.	MAHARASHTRA	30	32	7.4	8	4996	5712	2	6.4	0.55	1.77	14	35	350	350	4098	4788	0.24	0.25	0.00049	0.00049
2822	BORE WELL NEAR CHINCHOLI MIDC, VILLAGE- CHINCHOLI, TALUKA- MOHOL, DISTRICT- SOLAPUR.	MAHARASHTRA	30	36	7.4	7.8	3113	3214	2	3.6	1.04	2.11	17	25	250	275	2634	2652	0.28	0.42	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2825	BORE WELL AT WAHEGAON, NEAR ZILLA PARISHAD SCHOOL,VILLAGE- WAHEGAON,TALUKA-PAITHAN, DISTRICT- AURANGABAD	MAHARASHTRA	28	32	7.8	8.1	1906	2042	3.4	3.8	6.12	6.18	1.8	1.8	2	17	1574	1782	0.26	0.47	0.00049	0.00049
2826	DUG WELL NEAR RAILWAY STATION & COTTON MARKET, VILLAGE- WARDHA, TALUKA- WARDHA, DISTRICT- WARDHA.	MAHARASHTRA	19	20	7.5	8.2	613	992	3.3	3.4	6.84	8.4	23	26	110	120	564	768	0.2	0.2		
2828	DUG WELL NEAR ZILLA PARISHAD PRIMARY SCHOOL, AT VILLAGE- VISAPUR, TALUKA- BALLARPUR, DISTRICT- CHANDRAPUR.	MAHARASHTRA	20	22	7.2	7.4	744	1049	3.4	3.4	0.64	3.82	21	32	110	220	585	817	0.2	0.2	0.00049	0.00049
2829	BORE WELL AT MIDC, SHIROLI NEAR M/S PRATIBHA ENTERPRISES, VILLAGE- SHIROLI,TALUKA-HATKANANGALE, DISTRICT- KOLHAPUR.	MAHARASHTRA	28	30	7.7	7.7	313	685	3	3.2	0.3	1.11	5.6	8.1	24	32	285	598	0.2	0.2	0.00049	0.00049
2830	BORE WELL AT MIDC GOKUL - SHIRGAON, VILLAGE- GOKUL-SHIRGAON, TALUKA- KARVIR, DISTRICT - KOLHAPUR.	MAHARASHTRA	26	30	8.2	8.2	317	494	3	3	0.3	1.01	5.6	6.1	21	26	302	389	0.2	0.2	0.00049	0.00049
2831	DUG WELL AT SAKHARALI, NEAR MIDC ISLAMPUR NEAR KRISHNA MILK INDUSTRY, VILLAGE- SAKHARALI, TALUKA- WALWA, DISTRICT- SANGLI.	MAHARASHTRA	28	29	7.7	7.7	915	1538	3	3	1.11	3.85	5.6	9.3	25	38	784	1378	0.2	0.35	0.00049	0.00049
2832	DUG WELL NO. 1 AT BRAHMANWADI- ANJANWEL, OWNED BY SHRI. VAIDYA, VILLAGE- ANJANWEL, TALUKA- GUHAGAR, DISTRICT- RATNAGIRI.	MAHARASHTRA	29	29	6.6	6.6	146	146	2.8	2.8	0.54	0.54	5.6	5.6	26	26	118	118	0.2	0.2	0.00049	0.00049
2833	DUG WELL NO. 1 OWNED BY GROUP GRAM PANCHAYAT AT ARKETWADI, NEAR MASJID, VILLAGE- ARKETWADI, TALUKA- KHED, DISTRICT- RATNAGIRI.	MAHARASHTRA	29	29	6.5	6.5	9914	9914	4.2	4.2	0.3	0.3	5.6	5.6	31	31	7824	7824	0.2	0.2	0.00049	0.00049
2834	DUG WELL NO. 2 AT ARKETWADI, VILLAGE- ARKETWADI, TALUKA - KHED, DISTRICT- RATNAGIRI.	MAHARASHTRA	29	29	7.2	7.2	216	216	3.2	3.2	0.67	0.67	13	13	43	43	194	194	0.2	0.2	0.00049	0.00049
2835	DUG WELL NO. 2, OWNED BY GROUP GRAM PANCHAYAT, BRAHMANWADI- ANJANWEL, VILLAGE- ANJANWEL, TALUKA- GUHAGAR, DISTRICT- RATNAGIRI.	MAHARASHTRA	29	29	8	8	155	155	2.8	2.8	0.48	0.48	6.1	6.1	25	25	126	126	0.2	0.2	0.00049	0.00049

Water Quality Data of Ground Water in Meghalaya Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3728	KHURPUI SPRING WATER, SOUTH HLIMEN, AIZAWL	MIZORAM	18	19	6.73	7.4	59	673	1	1.2	3.59	26.2										
3729	CHAWNPUI HAND PUMP, AIZAWL	MIZORAM	21	21	6.7	7.88	448	530	1	1	3.1	3.11										
3730	SELESIH HAND PUMP, AIZAWL	MIZORAM	21	22	6.75	7.58	123	247	1	1.3	9.93	28.49										
3731	TUIKUAL HAND PUMP, AIZAWL	MIZORAM	20	20	7.38	7.38	555	555	1.4	1.4	34.37	34.37										
3732	CHALTLANG HAND PUMP, NEAR REMI TYRE WORKS, AIZAWL	MIZORAM	21	22	6.86	7	426	453	1	3.8	22.08	25.66										
3733	SOUTH HLIMEN HAND PUMP, AIZAWL	MIZORAM	18	19	6.3	7.24	226	268	1	1.5	23.56	26.35										
3737	VAITUI SPRING WATER, THEIRIAT , LUNGLEI	MIZORAM	20	21	6.2	7.1	6	126	1	41	0.41	0.45										
3738	SAP TUIKHUR SPRING WATER, SERKAWN, LUNGLEI	MIZORAM	18	20	6.9	7	76	94	1	1	9.73	10.89										
3741	KHURPUI SPRING WATER, LAWNGTLAI	MIZORAM	20	21	6.6	7.1	275	308	1	1.1	14.21	25.93										
3742	CHANMARI HAND PUMP, LAWNGTLAI	MIZORAM	21	21	6.3	6.8	113	136	1	1	1.32	1.46										
3745	CHHOCHHOPA SPRING WATER, NEW COLONY, SAIHA	MIZORAM	17	18	6.4	6.9	240	273	1.3	1.3	25.31	29.11										
3748	SIHPHIR VENG SPRING WATER, SERCHHIP	MIZORAM	18	20	6.5	7.1	77	270	1	1.1	0.44	0.61										
3753	HMAR VENG SPRING WATER, KOLASIB	MIZORAM	14	16	6.1	7	42	165	1	1.5	3.19	3.87										
3758	BETHEL VENG HAND PUMP, CHAMPHAI	MIZORAM	18	19	6.2	7.8	52	360	1	1.1	1.43	2.88										
4124	ELECTRIC VENG SPRING WATER, LUNGLEI	MIZORAM	19	19	6.2	6.8	174	369	1	1.1	27.48	27.92										
4126	PAWHHAWN SPRING WATER, NR GM HSS, VENGSANG, CHAMPHAI	MIZORAM	18	18	5.5	6.5	190	225	1	1	5.39	6.08										
4127	KHURPUI SPRING WATER, NEW COLONY, SAIHA	MIZORAM	19	20	5.9	6.7	238	332	1	1.1	14.21	27.38										
4128	F LALLAWMAWMA WELL, NEW SAIHA, SAIHA DIST.	MIZORAM	22	24	5.8	6.7	293	381	1	1	26.21	27.59										
4129	TUIVAMIT SPRING WATER, AOC VENG, LAWNGTLAI	MIZORAM	19	20	6.8	7.1	160	249	1	1.2	1.59	2.91										
4133	NGHARPET VENG SPRING WATER, LUNGSIR, MAMIT	MIZORAM	20	21	6.9	7.5	189	195	1	1.4	2.04	2.48										

Water Quality Data of Ground Water in Nagaland Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2896	OPENWELL AT KOHIMA VILLAGE ?T? KHEL (HOUSE NO.21)	NAGALAND	22.4	23.5	7.5	7.6	120	250			0.5	0.6					60	125	0.2	0.2	0.00049	0.00049
2897	BOREWELL AT KAMDÍ BAZAAR	NAGALAND	26	26.6	6.6	7.1	222	241			0.5	0.6					111	120.5	0.2	0.2	0.00049	0.00049
2898	OPENWELL AT DOYAPUR NEAR DIMASA BAPTIST CHURCH	NAGALAND	26.6	28.1	6.5	6.9	160	226			0.6	0.7					80	163	0.21	0.27	0.00049	0.00049
2899	BOREWELL AT DHANSIRIPAR NEAR SIBRAI (SHIV) TEMPLE	NAGALAND	26.2	27.2	7.5	7.9	180	368			0.5	0.7					90	184	0.2	0.25	0.00049	0.00049
2900	OPENWELL AT TOULAZOUMA VILLAGE (HOUSE NO.379)	NAGALAND	24.9	28.1	6.6	7.1	175	292			0.5	0.6					87.5	146	0.2	0.2	0.00049	0.00049
2901	OPENWELL AT LUNGWIRAM VILLAGE NEAR LUNGWIRAM BAPTIST CHURCH	NAGALAND	25.4	28.4	6.8	6.9	101	254			0.5	0.6					50.5	127	0.22	0.24	0.00049	0.00049
2902	BOREWELL AT THAHEKHU VILLAGE, BLOCK 3, NEAR RAILWAY CROSSING	NAGALAND	28.5	28.8	7.1	8.2	125	250			0.6	0.7					62.5	125	0.2	0.2	0.00049	0.00049
2903	BOREWELL AT SIGNAL ANGAMI VILLAGE, HOUSE NO 93	NAGALAND	26.5	28.5	7.5	7.9	100	136			0.6	0.9					50	68	0.2	0.2	0.00049	0.00049
2904	OPENWELL NEAR NAGA CEMETERY (OLD), (HOUSE NO.10)	NAGALAND	24.3	27.7	6.9	7.5	155	430			0.7	0.8					77.5	215	0.2	0.2	0.00049	0.00049
2905	BOREWELL AT NPCB, SIGNAL POINT	NAGALAND	24.5	26.5	6.9	7.1	139	350			0.5	0.7					69.5	175	0.2	0.2	0.00049	0.00049

Water Quality Data of Ground Water in Odisha Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1644	JAGATPUR INDUSTRIAL AREA, CUTTACK	ODISHA	28	28	6.9	6.9	364	364	1	1	3.15	3.15	1.8	1.8	1.8	1.8	216	216	0.3	0.3		
1645	MADHUPATNA- KALYAN NAGAR AREA, CUTTACK	ODISHA	28	28	6.9	6.9	265	265	1	1	1.13	1.13	1.8	1.8	1.8	1.8	160	160	0.2	0.2		
1646	BIDANASHI - TULASIPUR AREA, CUTTACK	ODISHA	28	28	6.9	6.9	305	305	1	1	0.65	0.65	1.8	1.8	1.8	1.8	176	176	0.23	0.23		
1647	BADAMBARI AREA, CUTTACK	ODISHA	28	28	7.1	7.1	165	165	1	1	0.76	0.76	1.8	1.8	1.8	1.8	120	120	0.29	0.29		
1648	RANIHAT- MANGALABAG AREA, CUTTACK	ODISHA	30	30	7.1	7.1	520	520	1	1	0.55	0.55	1.8	1.8	1.8	1.8	340	340	0.21	0.21		
1649	KHANDAGIRI AREA, BHUBANESWAR	ODISHA	28	28	6.7	6.7	348	348	1.1	1.1	5.65	5.65	1.8	1.8	1.8	1.8	208	208	0.3	0.3		
1650	CAPITAL HOSPITAL AREA, BHUBANESWAR	ODISHA	28	28	6.5	6.5	375	375	1	1	0.57	0.57	1.8	1.8	1.8	1.8	228	228	0.31	0.31		
1651	OLD TOWN- SAMANTARAPUR AREA, BHUBANESWAR	ODISHA	29	29	6.9	6.9	440	440	1	1	0.85	0.85	1.8	1.8	1.8	1.8	300	300	0.26	0.26		
1652	KALPANA - LAXMISAGAR AREA, BHUBANESWAR	ODISHA	28	28	6.5	6.5	303	303	1	1	4.48	4.48	1.8	1.8	1.8	1.8	184	184	0.25	0.25		
1653	MANCHESWAR INDUSTRIAL AREA, BHUBANESWAR / CHANDRASHEKHARPUR	ODISHA	28	28	5.6	5.6	220	220	1	1	7.47	7.47	130	130	280	280	132	132	0.33	0.33		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1654	SECRETARIAT- GOVERNOR HOUSE- OLD BUS STAND AREA, BHUBANESWAR	ODISHA	28	28	6.8	6.8	370	370	1	1	4.12	4.12	1.8	1.8	1.8	1.8	220	220	0.28	0.28		
1655	NEAR SEA BEACH, PURI	ODISHA	23	23	6.8	6.8	16400	16400	1	1	4.31	4.31	1.8	1.8	1.8	1.8	14440	14440	0.39	0.39		
1656	NEAR JAGANNATH TEMPLE, PURI	ODISHA	23	23	7.3	7.3	1545	1545	1	1	16.72	16.72	1.8	1.8	1.8	1.8	1064	1064	0.29	0.29		
1657	HOSPITAL - BUS STAND- MAUSHIMA TEMPLE AREA, PURI	ODISHA	23	23	7.1	7.1	1081	1081	1	1	0.86	0.86	79	79	220	220	736	736	0.28	0.28		
1658	BALIAPANDA, PURI	ODISHA	23	23	7.5	7.5	730	730	1	1	5.57	5.57	1.8	1.8	1.8	1.8	440	440	0.36	0.36		
3964	NEAR MKCG MEDICAL COLLEGE, BERHAMPUR	ODISHA	25	25	8.4	8.4	850	850	1	1	3.94	3.94	33	33	79	79	496	496	0.2	0.2		
3965	NEAR BUS STAND, BERHAMPUR	ODISHA	26	26	8.5	8.5	890	890	1	1	0.69	0.69	1.8	1.8	1.8	1.8	536	536	0.31	0.31		
3966	NEAR BADABAZAR, BERHAMPUR	ODISHA	26	26	8.4	8.4	1018	1018	1	1	15.03	15.03	1.8	1.8	1.8	1.8	608	608	0.29	0.29		
3967	NEAR RAILWAY STATION STAND, BERHAMPUR	ODISHA	27	27	8.5	8.5	780	780	1	1	7.67	7.67	1.8	1.8	1.8	1.8	520	520	0.2	0.2		
3968	NEAR VSS MEDICAL COLLEGE, BURLA, SAMBALPUR	ODISHA	26	26	7.2	7.2	640	640	1	1	0.49	0.49	1.8	1.8	1.8	1.8	468	468	0.33	0.33		
3969	NEAR RAILWAY STATION, SAMBALPUR	ODISHA	25	25	7.3	7.3	1342	1342	1	1	8.38	8.38	220	220	540	540	924	924	0.21	0.21		
3970	NEAR PANTHANIVAS, SAMBALPUR	ODISHA	26	26	7.2	7.2	298	298	1	1	6.57	6.57	1.8	1.8	1.8	1.8	188	188	0.35	0.35		
3971	ANGUL TOWNSHIP	ODISHA	23	23	6.8	6.8	990	990	1	1	9.39	9.39	1.8	1.8	1.8	1.8	604	604	0.28	0.28		
3972	NALCO TOWNSHIP, TALCHER	ODISHA	23	23	7.2	7.2	610	610	1	1	0.68	0.68	1.8	1.8	1.8	1.8	388	388	0.25	0.25		
3973	MAHANADI COAL FIELD AREA, TALCHER	ODISHA	23	23	6.2	6.2	530	530	1	1	7.96	7.96	1.8	1.8	1.8	1.8	364	364	0.2	0.2		
3974	KANIHA, TALCHER	ODISHA	23	23	7.2	7.2	550	550	1	1	0.48	0.48	1.8	1.8	1.8	1.8	368	368	0.32	0.32		
3975	TALCHER TOWN	ODISHA	24	24	5.8	5.8	125	125	1	1	2.67	2.67	1.8	1.8	1.8	1.8	76	76	0.28	0.28		
3976	MERAMUNDALI AREA, TALCHER	ODISHA	23	23	7.1	7.1	1130	1130	1	1	2.79	2.79	1.8	1.8	1.8	1.8	864	864	0.35	0.35		
3977	TALCHER THERMAL AREA	ODISHA	22	22	7.1	7.1	1210	1210	1	1	0.62	0.62	1.8	1.8	1.8	1.8	804	804	0.38	0.38		
3978	BANARPAL, TALCHER	ODISHA	22	22	6.6	6.6	960	960	1	1	4.48	4.48	1.8	1.8	1.8	1.8	684	684	0.21	0.21		
3979	KULAD, TALCHER	ODISHA	22	22	6.9	6.9	940	940	1.1	1.1	3.85	3.85	1.8	1.8	1.8	1.8	556	556	1.19	1.19		
3981	BURKHAMUNDA, JHARSUGUDA	ODISHA	28	28	7.1	7.1	196	196	1	1	4.02	4.02	1.8	1.8	1.8	1.8	124	124	0.28	0.28		
3982	BADAMANI INDUSTRIAL ESTATE, JHARSUGUDA	ODISHA	28	28	6.9	6.9	192	192	1	1	4.12	4.12	1.8	1.8	1.8	1.8	128	128	0.3	0.3		
3983	BUDHIPADAR, JHARSUGUDA	ODISHA	29	29	6.7	6.7	146	146	1	1	0.38	0.38	1.8	1.8	1.8	1.8	88	88	0.36	0.36		
3984	BRAJARAJ NAGAR MINING BELT, JHARSUGUDA	ODISHA	29	29	7.1	7.1	185	185	1	1	1.82	1.82	1.8	1.8	1.8	1.8	108	108	0.28	0.28		
3985	RAMPUR AREA (WATER TANK), JHARSUGUDA	ODISHA	28	28	7.1	7.1	328	328	1	1	0.58	0.58	1.8	1.8	1.8	1.8	192	192	0.31	0.31		
3986	IB THERMAL POWER STATION, JHARSUGUDA	ODISHA	28	28	7.2	7.2	362	362	1	1	0.51	0.51	1.8	1.8	1.8	1.8	212	212	0.27	0.27		
3987	BELPAHAR AREA, JHARSUGUDA	ODISHA	28	28	7.6	7.6	148	148	1	1	0.46	0.46	1.8	1.8	1.8	1.8	88	88	0.33	0.33		
3988	BADAPADIA MARKET COMPLEX, PARADEEP	ODISHA	29	29	8.5	8.5	2260	2260	1	1	1.86	1.86	1.8	1.8	1.8	1.8	1560	1560	0.31	0.31		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3989	MUSADIHA, PARADEEP	ODISHA	30	30	8.1	8.1	565	565	1	1	1.2	1.2	1.8	1.8	1.8	1.8	340	340	0.33	0.33		
3991	SARUABIL, SUKINDA	ODISHA	23	23	6.6	6.6	240	240	1	1	3.05	3.05	1.8	1.8	1.8	1.8	144	144	0.2	0.2		
3992	KALIAPANI, SUKINDA	ODISHA	23	23	6.6	6.6	234	234	1	1	0.44	0.44	1.8	1.8	1.8	1.8	140	140	0.2	0.2		
3993	KAMARDA, SUKINDA	ODISHA	22	22	6.8	6.8	287	287	1	1	0.35	0.35	1.8	1.8	1.8	1.8	168	168	0.34	0.34		
3994	CHAKULIA, BALASORE	ODISHA	25	25	7.4	7.4	221	221	1	1	0.63	0.63	1.8	1.8	1.8	1.8	136	136	0.2	0.2		
3995	KUANRPUR, BALASORE	ODISHA	24	24	7.3	7.3	390	390	1	1	4.15	4.15	1.8	1.8	1.8	1.8	236	236	0.2	0.2		
3996	NAIGOPALPUR, BALASORE	ODISHA	24	24	8.3	8.3	445	445	1	1	0.72	0.72	1.8	1.8	1.8	1.8	264	264	4.92	4.92		
4862	MARKET COMPLEX, COURT CHHAK, KHADIA ROAD, KENDRAPARA	ODISHA	29.6	29.6	7.9	7.9	710	710	1	1	0.33	0.33	1.8	1.8	1.8	1.8	420	420	0.29	0.29		
4863	INSIDE GAJMARA UP SCHOOL, GAJAMARA, DHENKANAL	ODISHA	22	22	5.7	5.7	75	75	1	1	0.33	0.33	1.8	1.8	1.8	1.8	48	48	0.29	0.29		
4864	DHENKANAL DAILY MARKET AREA	ODISHA	22	22	6.3	6.3	420	420	1	1	0.43	0.43	79	79	350	350	288	288	0.31	0.31		
4865	DISTRICT HEAD QUARTER HOSPITAL PREMISES, BHADRAK	ODISHA	25	25	7.7	7.7	524	524	1	1	1.4	1.4	1.8	1.8	1.8	1.8	312	312	0.48	0.48		
4866	SALANDI HOSPITAL PREMISES NEAR UNAUTHORISED GARBAGE DISPOSAL SITE BY THE SIDE OF NH, BHADRAK	ODISHA	25	25	7.8	7.8	360	360	1	1	0.6	0.6	1.8	1.8	1.8	1.8	212	212	0.94	0.94		
4867	DHANGIDIMUTA VILLAGE (KUSUMI GP OFFICE NEAR BADAMPAHAR MINING AREA, MAYURBHANJ	ODISHA	25	25	7.3	7.3	172	172	1	1	0.5	0.5	1.8	1.8	1.8	1.8	112	112	0.27	0.27		
4868	DHANGIDIMUTA VILLAGE (BASTI SAHI) NEAR CATCH POND OF MINE RUN-OFF WATER NEAR BADAPAHAR MINING AREA, MAYURBHANJ	ODISHA	25	25	7.1	7.1	302	302	1	1	3.99	3.99	1.8	1.8	1.8	1.8	176	176	0.2	0.2		
4869	JODA WEST MANGANESE MINE OF M/S TATA STEEL LTD. (BICHHAKUNDI COLONY), JODA, KEONJHAR	ODISHA	26	26	7.1	7.1	103	103	1	1	1.9	1.9	1.8	1.8	1.8	1.8	60	60	0.2	0.2		
4870	BALDA BLOCK IRON ORE MINES OF M/S SIRAJUDDIN & CO. (NEAR TIME OFFICE INSIDE THE MINE LEASEHOLD AREA), KEONJHAR	ODISHA	26	26	6.3	6.3	92	92	1	1	0.46	0.46	1.8	1.8	1.8	1.8	56	56	0.2	0.2		
4871	ROIDA-II IRON ORE MINES OF M/S K N RAM & CO., TANTO, BHADRASAHI, BARBIL, KEONJHAR	ODISHA	26	26	6.3	6.3	90	90	1	1	0.66	0.66	1.8	1.8	1.8	1.8	64	64	0.32	0.32		
4872	THAKURANI IRON ORE MINES OF M/S KAYPEE ENTERPRISES NEAR VT CENTRE, BARBIL, KEONJHAR	ODISHA	25	25	6.1	6.1	108	108	1	1	1.34	1.34	1.8	1.8	1.8	1.8	68	68	0.39	0.39		
4873	DDM OFFICE, KOIRA PREMISES, SUNDARGARH	ODISHA	26	27	6.9	7.1	90	176	1	1	0.47	0.55	1.8	1.8	1.8	1.8	64	112	0.2	0.43		
4874	TENSA RESIDENTIAL AREA, KOIRA, SUNDARGARH	ODISHA	26	27	6.8	7.2	231	275	1	1	0.38	0.75	1.8	1.8	1.8	1.8	140	172	0.2	0.27		
4875	COLLECTOR OFFICE PREMISES, DEOGARH	ODISHA	29	29	6.6	6.6	455	455	1	1	0.41	0.41	1.8	1.8	1.8	1.8	296	296	0.2	0.2		
4876	GOVT. MODEL DEGREE COLLAGE PREMISES, DEOGARH	ODISHA	28	29	7.1	7.3	310	420	1	1	0.36	0.36	1.8	33	1.8	130	212	256	0.2	0.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4877	INSIDE THE PREMISES OF DISTRICT HEAD QUARTER HOSPITAL, PARALAKHEMUNDI, GAJAPATI	ODISHA	23	23	7.3	7.3	668	668	1	1	0.82	0.82	1.8	1.8	1.8	1.8	388	388	0.28	0.28		
4878	NEAR SOLID WASTE DISPOSAL SITE OF GAJAPATI MUNICIPALITY AT KELLY SAHI, GAJAPATI	ODISHA	23	23	7.7	7.7	820	820	1	1	0.52	0.52	1.8	1.8	1.8	1.8	516	516	0.27	0.27		
4879	INSIDE THE PREMISES OF DISTRICT HEAD QUARTER HOSPITAL, PHULBANI	ODISHA	27	27	8	8	320	320	1	1	5.5	5.5	1.8	1.8	1.8	1.8	188	188	0.32	0.32		
4880	NEAR SOLID WASTE DISPOSAL SITE OF PHULBANI MUNICIPALITY AT DADA PUJA MOUZA, PHULBANI	ODISHA	27	27	8.4	8.4	580	580	1	1	0.65	0.65	1.8	1.8	1.8	1.8	340	340	0.3	0.3		
4881	INSIDE THE PREMISES OF DISTRICT HEAD QUARTER HOSPITAL, NAYAGARH	ODISHA	28	28	8.2	8.2	1020	1020	1	1	1.67	1.67	1.8	1.8	1.8	1.8	696	696	0.2	0.2		
4882	NEAR SOLID WASTE DISPOSAL SITE OF NAYAGARH NAC AT BHALUKHOLA VILLAGE, NAYAGARH	ODISHA	28	28	8.4	8.4	826	826	1	1	2.63	2.63	1.8	1.8	1.8	1.8	476	476	0.25	0.25		
4883	NEAR BARGARH GOVT. HOSPITAL, BARGARH	ODISHA	26	26	7.1	7.1	798	798	1	1	6.08	6.08	1.8	1.8	1.8	1.8	492	492	0.3	0.3		
4884	NEAR GANAPATI GOVT. HOSPITAL, BARGARH	ODISHA	25	25	7.1	7.1	1080	1080	1	1	8.91	8.91	1.8	1.8	1.8	1.8	664	664	0.2	0.2		
4885	NEAR NUAPADA GOVT. HOSPITAL, NUAPADA	ODISHA	28	28	7.3	7.3	520	520	1	1	2.51	2.51	49	49	350	350	304	304	0.24	0.24		
4886	NEAR NILASAILA NAGAR (BACKSIDE OF VETERINARY OFFICE, NUAPADA	ODISHA	27	27	7.6	7.6	370	370	1	1	0.71	0.71	130	130	350	350	216	216	0.2	0.2		
4887	NEAR BOLANGIR MEDICAL COLLEGE, BALANGIR	ODISHA	26	26	7.5	7.5	1210	1210	1	1	8.87	8.87	1.8	1.8	1.8	1.8	728	728	0.43	0.43		
4888	NEAR SUDPADA POST OFFICE, BALANGIR	ODISHA	26	26	7.5	7.5	1390	1390	1	1	4.57	4.57	1.8	1.8	1.8	1.8	848	848	0.44	0.44		
4889	NEAR TOWN GIRLS PRIMARY SCHOOL AND IN FRONT OF HEAD POST OFFICE, BOUDH	ODISHA	27	27	7.3	7.3	950	950	1	1	4.7	4.7	1.8	1.8	1.8	1.8	636	636	0.35	0.35		
4890	NEAR BUTUPALLI CHHAK, MAULISINGHA ROAD, BOUDH	ODISHA	28	28	7.4	7.4	680	680	1	1	2.43	2.43	1.8	1.8	1.8	1.8	396	396	0.35	0.35		
4891	DISTRICT HEAD QUARTER HOSPITAL CAMPUS, SONEPUR	ODISHA	26	26	7.8	7.8	640	640	1	1	2.5	2.5	79	79	240	240	412	412	0.36	0.36		
4892	NEAR GUNDICHA TEMPLE AT TENTEL GHAT, SONEPUR	ODISHA	27	27	8.1	8.1	810	810	1	1	4.7	4.7	1.8	1.8	1.8	1.8	572	572	0.38	0.38		
4893	WITNIN THE PREMISES OF BURDELLA PULLAMA TEMPLE, RAYAGADA	ODISHA	23	23	7.7	7.7	725	725	1	1	6.84	6.84	1.8	1.8	1.8	1.8	420	420	0.25	0.25		
4894	KASTURI NAGAR, RAYAGADA	ODISHA	23	23	7.5	7.5	425	425	1	1	5.43	5.43	1.8	1.8	1.8	1.8	256	256	0.2	0.2		
4895	BADACHINDRI, KORAPUT	ODISHA	25	25	6.6	6.6	580	580	1	1	16.65	16.65	1.8	1.8	1.8	1.8	360	360	0.23	0.23		
4896	JAGANNATH TEMPLE, KORAPUT	ODISHA	19	19	6.9	6.9	97	97	1	1	0.36	0.36	1.8	1.8	1.8	1.8	56	56	0.22	0.22		
4897	TOTAGUDA, NAWARANGPUR	ODISHA	25	25	7.1	7.1	112	112	1	1	0.47	0.47	1.8	1.8	1.8	1.8	68	68	0.2	0.2		
4898	GABRALGUDA, NAWARANGPUR	ODISHA	24	24	7.1	7.1	790	790	1	1	15.76	15.76	1.8	1.8	1.8	1.8	460	460	0.28	0.28		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4899	GOSALPADA COLONY (WARD NO. 7), BHAWANIPATNA	ODISHA	22	22	7.6	7.6	810	810	1	1	0.69	0.69	1.8	1.8	1.8	1.8	504	504	0.32	0.32		
4900	SITABUDIPARA (IRRIGATION COLONY, WARD NO. 17), BHAWANIPATNA	ODISHA	22	22	7.6	7.6	1214	1214	1	1	6.48	6.48	1.8	1.8	1.8	1.8	740	740	0.24	0.24		
4901	MV-43, MALKANIGIRI	ODISHA	20	20	6.7	6.7	260	260	1	1	0.4	0.4	1.8	1.8	1.8	1.8	164	164	0.2	0.2		
4902	TEKBADI OF NETAJI NAGAR, MALKANIGIRI	ODISHA	22	22	6.9	6.9	764	764	1	1	2.12	2.12	1.8	1.8	1.8	1.8	476	476	0.2	0.2		
4903	HAZARIBAGICHA PRIMARY SCHOOL, HAZARIBAGICHA, KENDRAPARA	ODISHA	29.7	29.7	8.1	8.1	420	420	1	1	0.41	0.41	1.8	1.8	1.8	1.8	252	252	0.27	0.27		

Water Quality Data of Ground Water in Puducherry Monitored under NWMP-2024																						
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1397	KRISHNA NAGAR BOREWELL, PUMPING STATION, EAST COAST ROAD, LAWSPET, NEAR DEPUTY COLLECTOR OFFICE, PUDUCHERRY.	PUDUCHERRY	30	30	6.16	6.38	1123	1125	1	1	3.56	4.51	1.8	1600	1.8	1600	666	974	0.75	0.75	0.00049	0.00049
1398	THENGAITHITTU BOREWELL, PUMPING STATION, II CROSS, PUDHU NAGAR, THENGAITHITTU, PUDUCHERRY.	PUDUCHERRY	32	32	6.15	6.89	1897	3100	1	1	0.32	0.32	1.8	1.8	1.8	1.8	1318	2106	0.7	0.7	0.00049	0.00049
1453	MUTHIRAIPPALAYAM BOREWELL, PUMPING STATION, MUTHIRAIPPALAYAM, PUDUCHERRY.	PUDUCHERRY	30	32	6.21	6.34	840	923	1	1	3.05	3.16	1.8	130	1.8	130	462	538	0.3	0.3	0.00049	0.00049
1454	PONDICHERRY UNIVERSITY BOREWELL, PUMPING STATION, STAFF QUARTERS, PONDICHERRY UNIVERSITY CAMPUS, KALAPET, PUDUCHERRY.	PUDUCHERRY	29	30	5.39	6.21	454	476	1	1	1.35	1.63	1.8	300	1.8	500	220	308	0.2	0.2	0.00049	0.00049
1687	CHETTY KOIL OPENWELL, CHETTY KOIL, MISSION STREET, PUDUCHERRY.	PUDUCHERRY	29	30	6.78	7.08	1929	1971	1	1	1.03	1.91	1.8	1.8	1.8	1.8	1130	1152	0.3	0.3	0.00049	0.00049
1688	KATTERIKUPPAM BOREWELL, PUMPING STATION, ERIKKARAI ROAD, KATTERIKUPPAM, PUDUCHERRY.	PUDUCHERRY	29	30	6.88	7.03	906	919	1	1	0.5	1.42	1.8	1.8	1.8	1.8	453	550	0.2	0.2	0.00049	0.00049
2009	KURUMBAPET BOREWELL, PUMPING STATION, GOPALAN KADAI ROAD, KURUMBAPET, PUDUCHERRY.	PUDUCHERRY	30	30	6.19	6.33	583	636	1	1	2.65	3.02	1.8	1.8	1.8	1.8	340	413	0.36	0.36	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2010	METTUPALAYAM BOREWELL, PUMPING STATION, PIPDIC INDUSTRIAL ESTATE, METTUPALAYAM, PUDUCHERRY.	PUDUCHERRY	30	32	6.15	6.28	1000	1039	1	1	0.49	0.56	1.8	1.8	1.8	1.8	688	905	0.76	0.76	0.00049	0.00049
2011	URUVAIYAR BOREWELL, PUMPING STATION, LAKSHMI NARASIMMAR NAGAR, URUVAIYAR, PUDUCHERRY.	PUDUCHERRY	32	32	7.07	7.39	2370	2450	1	1	0.32	0.32	1.8	7	1.8	7	1342	1689	0.43	0.43	0.00049	0.00049
2012	MARUTHI SCHOOL BOREWELL, MARUTHI SCHOOL, MARUTHI NAGAR, KARUVADIKUPPAM, PUDUCHERRY.	PUDUCHERRY	30	30	6.42	6.46	1845	1946	1	1	1.17	1.24	1.8	1600	1.8	1600	1022	1425	0.52	0.52	0.00049	0.00049
2013	T.R.PATTINAM BOREWELL, PUMPING STATION, NAGAPATTINAM MAIN ROAD, T.R. PATTINAM, KARAIKAL, U.T OF PUDUCHERRY.	PUDUCHERRY	33	34.5	8.1	8.25	1983	2020	1	1	0.32	0.32	1.8	1.8	1.8	16	1096	1191	0.89	0.89	0.00049	0.00049
2014	VADAMATTAM BOREWELL, PUMPING STATION, KOTTUCHERRY - NEDUNKADU ROAD, VADAMATTAM, KARAIKAL, U.T OF PUDUCHERRY.	PUDUCHERRY	34	34	8.09	8.28	1529	1615	1	1	0.32	3.08	1.8	1.8	1.8	16	844	946	0.32	0.32	0.00049	0.00049
2446	PALLUR OPENWELL, GOVT HEALTH STAFF QUARTERS CAMPUS, PALLUR, MAHE, U.T OF PUDUCHERRY.	PUDUCHERRY	26	26	4.97	4.97	357	357	1	1	4.88	4.88					92	92	0.26	0.26	0.00049	0.00049
2447	PANDAKKAL OPENWELL, KIZHAKKU EDUTHA COLONY, PANTHAKKAL, MAHE, U.T OF PUDUCHERRY.	PUDUCHERRY	27	27	5.64	5.64	253	253	1	1	3.93	3.93					67	67	0.2	0.2	0.00049	0.00049
3882	ECHANGADU BOREWELL, PUMPING STATION, PANITHITTU ROAD, ECHANGADU, KIRUMAMPAKKAM, PUDUCHERRY.	PUDUCHERRY	29	30	6.06	6.3	470	574	1	1	0.32	0.32	1.8	1.8	1.8	1.8	226	290	0.46	0.46	0.00049	0.00049
3883	BAHOUR BOREWELL, PUMPING STATION, BAHOUR LAKE ROAD, BAHOUR, PUDUCHERRY.	PUDUCHERRY	29.5	30	6.73	6.81	436	472	1	1	0.32	0.32	1.8	1.8	1.8	1.8	150	241	0.92	0.92	0.00049	0.00049
3884	CHEVALIER SELLANE GOVT SCHOOL BOREWELL, CHEVALIER SELLANE GOVT HIGHER SECONDARY SCHOOL, EAST COAST ROAD, KALAPET, PUDUCHERRY.	PUDUCHERRY	29	30	6.11	6.6	814	840	1	1	3.07	4.53	1.8	1600	1.8	1600	504	585	0.2	0.2	0.00049	0.00049
3885	SEDARAPET BOREWELL, PUMPING STATION, DHANDERAR KULAM, SEDARAPET, PUDUCHERRY.	PUDUCHERRY	29	30	6.65	7.02	1389	1963	1	1	1	2.12	1.8	1.8	1.8	1.8	858	981	0.74	0.74	0.00049	0.00049
3886	KOTHAPURINATHAM BOREWELL, PUMPING STATION, THIRUVANDOR KOIL MAIN ROAD, KOTHAPURINATHAM, PUDUCHERRY.	PUDUCHERRY	29.5	30	6.81	6.92	1191	1400	1	1	1.89	4.24	1.8	8	1.8	90	634	736	0.58	0.58	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4631	THIRUKKANUR BOREWELL, PUMPING STATION, OPP. BONNE NEHRU HIGHER SECONDAR SCHOOL, THIRUKKANUR, MCP ROAD, THIRUKKANUR, PUDUCHERRY.	PUDUCHERRY	29	30	6.46	7.29	978	1136	1	1	2.31	4.11	1.8	1600	1.8	1600	568	580	0.2	0.2	0.00049	0.00049
4632	MADUKARAI BOREWELL, PUMPING STATION, MOLAPAKKAM ROAD, NEAR DR THOPPU, MADUKARAI, PUDUCHERRY	PUDUCHERRY	29	30	6.84	7.11	1167	1699	1	1	3.88	6.36	1.8	1.8	1.8	1.8	859	972	0.49	0.49	0.00049	0.00049
4633	PANITHITTU BOREWELL, PUMPNG STATION, PANITHITTU ROAD, KIRUMAMPAKKAM, PUDUCHERRY.Y	PUDUCHERRY	30	30	6	6.26	1015	1089	1	1	0.32	0.32	1.8	1.8	1.8	1.8	532	536	0.29	0.29	0.00049	0.00049

Water Quality Data of Ground Water in Punjab Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1898	PETROL PUMP OPP. HERO CYCLE, LUDHIANA	PUNJAB			7.5	7.7	1802	1871	1	1	0.5	0.6	1.8	1.8	1.8	1.8	1118	1171	0.5	0.6	0.00049	0.00049
1901	DUSSHERA GROUND INDUSTRIAL ESTATE, LUDHIANA	PUNJAB			7.1	7.3	1331	1358	1	1	0.3	0.9	1.8	1.8	1.8	1.8	817	864	0.2	0.5	0.00049	0.00049
1902	SHUKLA TEA STAL POINT, LUDHIANA	PUNJAB			7.3	7.4	1602	1660	1	1	0.4	0.6	1.8	1.8	1.8	1.8	995	1041	0.3	0.4	0.00049	0.00049
2916	NEAR LANDFILL SITE, AMRITSAR, PUNJAB	PUNJAB			7.3	7.4	1353	1991	1	1	0.3	0.6	1.8	1.8	1.8	1.8	814	1293	0.2	0.3	0.00049	0.00049
2917	NEAR HARMANDIR SAHEB, AMRITSAR, PUNJAB	PUNJAB			7.3	7.5	1263	1976	1	1	0.3	0.5	1.8	1.8	1.8	1.8	758	1285	0.2	0.4	0.00049	0.00049
2918	DERA BASSI, PUNJAB	PUNJAB			7.5	7.5	2095	2095	1	1	0.5	0.5	1.8	1.8	1.8	1.8	1250	1250	0.6	0.6	0.00049	0.00049
2919	DERA BASSI, PUNJAB	PUNJAB			8.3	8.3	2573	2573	1	1	0.7	0.7	1.8	1.8	1.8	1.8	1522	1522	0.7	0.7	0.00049	0.00049
2920	HAMIRA VILLAGE, PUNJAB	PUNJAB	31	31	7	7.2	1115	1176	1	1	0.3	0.3	1.8	1.8	1.8	1.8	707	719	0.2	0.2	0.00049	0.00049
2921	HAMIRA VILLAGE, PUNJAB	PUNJAB	31	31	7.4	7.6	948	951	1	1	0.3	0.3	1.8	1.8	1.8	1.8	569	617	0.2	0.2	0.00049	0.00049
2922	LEATHER COMPLEX, JALANDHAR, PUNJAB	PUNJAB	30	30	7.4	7.5	815	875	1	1	0.3	0.3	1.8	1.8	1.8	1.8	524	531	0.2	0.2	0.00049	0.00049
2923	LEATHER COMPLEX, JALANDHAR, PUNJAB	PUNJAB	30	30	7.6	7.8	1210	1227	1	1	0.3	0.5	1.8	1.8	1.8	1.8	724	788	0.2	0.3	0.00049	0.00049
2924	MANDI GOBINDGARH, PUNJAB	PUNJAB			7.3	7.4	882	887	1	1	0.3	0.4	1.8	1.8	1.8	1.8	533	573	0.2	0.2	0.00049	0.00049
2925	MANDI GOBINDGARH, PUNJAB	PUNJAB			7.5	7.6	847	849	1	1	0.3	0.3	1.8	1.8	1.8	1.8	508	551	0.2	0.2	0.00049	0.00049
2926	NANGAL, PUNJAB	PUNJAB			7.4	7.6	710	761	1	1	0.3	0.3	1.8	1.8	1.8	1.8	457	458	0.2	0.2	0.00049	0.00049
2927	NANGAL, PUNJAB	PUNJAB			7.5	7.5	710	721	1	1	0.3	0.3	1.8	1.8	1.8	1.8	427	467	0.2	0.2	0.00049	0.00049
2928	ROPAR, PUNJAB	PUNJAB			7.2	7.3	881	893	1	1	0.3	0.3	1.8	1.8	1.8	1.8	533	570	0.2	0.2	0.00049	0.00049
2929	ROPAR, PUNJAB	PUNJAB			7.3	7.4	681	682	1	1	0.3	0.3	1.8	1.8	1.8	1.8	409	445	0.2	0.2	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2931	TOANSA, PUNJAB	PUNJAB			7.4	7.4	887	887	1	1	0.4	0.4	1.8	1.8	1.8	1.8	528	528	0.2	0.2	0.00049	0.00049
4137	HANDPUMP IN M/S DEEP STEEL LTD, MUGHAL MAJRA, MANDI GOBINDGARH	PUNJAB			7.7	7.8	723	761	1	1	0.3	0.5	1.8	1.8	1.8	1.8	432	497	0.2	0.2	0.00049	0.00049
4138	HANDPUMP, 149 NEAR SANT PRITAM SCHOOL, AMBEY MAJRA, MANDI GOBINDGARH	PUNJAB			7.6	7.7	1124	1133	1	1	0.5	0.6	1.8	1.8	1.8	1.8	679	731	0.2	0.3	0.00049	0.00049
4139	HANDPUMP AT PARK ADJOINING TO NATIONAL INDUSTRIES, E-128, PH-IV, FOCAL POINT LUDHIANA	PUNJAB			7	7.3	1931	1981	1	1	0.7	0.8	1.8	1.8	1.8	1.8	1158	1287	0.2	0.7	0.00049	0.00049
4140	HANDPUMP IN SAHOTA BAGHBANI FARM, VILL HARIAN, MACHIWARA	PUNJAB			7.4	7.5	641	651	1	1	0.3	0.3	1.8	1.8	1.8	1.8	391	415	0.2	0.2	0.00049	0.00049
4141	HANDPUMP INSTRIAL GROWTH CENTRE, DEFENCE ROAD, PATHANKOT	PUNJAB			7.4	7.5	1058	1059	1	1	0.3	0.3	1.8	1.8	1.8	1.8	638	689	0.2	0.2	0.00049	0.00049
4142	HANDPUMP, VILL DHERIWAL, DIST PATHANKOT	PUNJAB			7	7	941	941	1	1	0.3	0.3	1.8	1.8	1.8	1.8	565	565	0.2	0.2	0.00049	0.00049
4143	HANDPUMP NEAR ASH DYKES OF NABHA POWER LTD, VILL NALASH, RAJPURA	PUNJAB			7.8	7.8	510	510	1	1	0.3	0.3	1.8	1.8	1.8	1.8	298	298	0.2	0.2	0.00049	0.00049
4144	GROUND WATER SAMPLING BLOCATION IN VILLAGE MAIN	PUNJAB			8	8	448	448	1	1	0.3	0.3	1.8	1.8	1.8	1.8	265	265	0.2	0.2	0.00049	0.00049
4145	SAGAR PARA DRAIN MEETING WITH GHAGGAR NEAR VILL SAGAR PARA, PATRAN	PUNJAB			7.4	7.4	487	487	1	1	0.3	0.3	1.8	1.8	1.8	1.8	293	293	0.2	0.2	0.00049	0.00049
4147	NEAR ASH DYKES OF GURU NANAK THERMAL POWER PLANT/ NFL, BHATINDA	PUNJAB			7.5	7.7	1324	1366	1	1	0.3	95	1.8	1.8	1.8	1.8	816	860	0.2	0.2	0.00049	0.00049
4148	VILLAGE KANAKWAL/ PHUKOKARI GGS HMEL REFINERY, BHATINDA	PUNJAB			7.4	7.5	1281	1309	1	1	0.3	0.3	1.8	1.8	1.8	1.8	783	835	0.2	0.2	0.00049	0.00049
4149	ASH DYKES OF THERMAL POWER PLANT LEHRA MOHABBAT, BHATINDA	PUNJAB			7.5	7.6	1410	1433	1	1	0.4	119	1.8	1.8	1.8	1.8	863	917	0.3	0.4	0.00049	0.00049
4150	100 M D/S OF VILL RURIANWALI, DIST MUKTSAR	PUNJAB			7.9	7.9	1653	1653	1	1	147	147	1.8	1.8	1.8	1.8	993	993	0.3	0.3	0.00049	0.00049
4154	TSSM SR SEC SCHOOL SHIMLAPURI, LUDHIANA	PUNJAB			7.8	7.9	481	491	1	1	0.3	0.3	1.8	1.8	1.8	1.8	291	314	0.2	0.2	0.00049	0.00049
4156	HANDPUMP IN AREA ON SUA ROAD NEAR DHANDARI KALAN, LUDHIANA	PUNJAB			7	7.3	1035	1251	1	1	0.3	0.3	1.8	1.8	1.8	1.8	670	750	0.2	0.2	0.00049	0.00049
4157	HANDPUMP SHALLOW TUBEWELL IN THE AREA OF JANTA NAGAR, LUDHIANA	PUNJAB			6.9	7.3	1331	1413	1	1	0.3	0.4	1.8	1.8	1.8	1.8	543	847	0.2	0.4	0.00049	0.00049

Water Quality Data of Ground Water in Rajasthan Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1415	WELL OF LOOMJI, CHAUDHARY, NEAR NAYAGAON, PALI, (U/S 1 KM. FROM PALI TOWN), RAJASTHAN	RAJASTHAN	29.9	31.8	7.66	8.48	10612	10761	1	1	5.03	6.14	1.8	1.8	5	7	7110	7210	1.35	1.44		
1706	RIICO PUMP HOUSE NEAR MONTO MOTORS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	26	26	7.24	7.87	891	909			1.34	1.64	7	9	11	14	437.6	591.17	0.2	0.8		
1707	BORE WELL IN MODI ALKALIS & CHEMICALS, MIA, ALWAR, RAJASTHAN	RAJASTHAN	24	24	7.54	8.16	1818	1851			0.64	0.76	11	12	14	21	891.8	1203.15	0.6	1		
1708	KOTHI WALA WELL IN VILLAGE BAGAR RAJPUT, ALWAR, RAJASTHAN	RAJASTHAN	26	26	7.39	8.48	1302	1475			1.23	1.47	11	12	17	21	725.3	846.3	1	1.8		
1710	BOREWELL OF SHRI DULI CHAND DAYMA S/O SH. CHETRAM DAYMA, NEAR GOVT. SCHOOL, VILLAGE- ALUPUR (ALAMPUR), BHIWADI, DISTT- ALWAR, TEHSIL- TIJARA	RAJASTHAN	29	29	7.31	8.19	1030	1136			1.86	2.02	4	4	9	9	498	608	0.66	0.71		
1713	BOREWELL OF SH JAGDISH BHATI, NEAR SANJEEV ENTERPRISES, RIA, VILLAGE- GHATAL,BHIWADI, DISTRICT - ALWAR	RAJASTHAN	28	29	7.18	8.05	930	959			1.62	2.02	3	3	11	11	466	538	0.77	0.92		
1715	HAND PUMP NEAR SECONDARY SCHOOL ABOUT 300MT. FROM KANSUA NALLAH KOTA, RAJASTHAN	RAJASTHAN	26	29	7.3	7.5	1451	1452			0.62	1.13	1.8	1.8	3.6	6.1	943	943	0.69	0.9		
1720	CHAUDHARY KA WELL VILLAGE PANIALA, KOTAPUTALI NEAR ASSOCIATED ALCOHOL BREVERIES LTD JAIPUR, RAJASTHAN	RAJASTHAN	27	27	7.18	8.18	1351	2330			1.66	2.43	9	9	17	17	659.5	1514.5	0.9	1		
1721	PHED WELL NEAR RAILWAY LINE JHOTAWARA, JAIPUR, RAJASTHAN	RAJASTHAN	24	31	8.55	8.86	426	546			8.82	9.07	1.8	1.8	4	5.6	252	268	0.2	0.2	0.00049	0.00049
1723	HAND PUMP OF VIDHANI VILLAGE GONER ROAD JAIPUR, RAJASTHAN	RAJASTHAN	26	27	8.54	9.31	4578	4710			20.32	32.6	4	4	8.3	9.1	2480	3085	1.8	2.4		
1724	WELL OF GOOJARON KI TALAI, MOHANA ROAD SANGANER JAIPUR, RAJASTHAN	RAJASTHAN	26	27	8.43	8.63	466	569			0.54	1.82	1.8	2	4	5.5	297	338	0.29	0.3	0.00049	0.00049
1725	PUBLIC HAND PUMP BEFORE SANGANER PULIA, RAJASTHAN	RAJASTHAN	26	27	7.84	7.99	3154	3310			11.2	15.92	4	5.5	9.2	12	1517	1892	0.68	1.2		
2015	PABUPURA ROAD NEAR CIVIL AIR PORT, JODHPUR (MANGILAL RATHOR)	RAJASTHAN	27	28.4	6.91	7.53	4119	4671	1	1	12.7	14.22			7	11	2760	3130	1.77	3.06		
2017	VILLAGE VINAYAKIA, JODHPUR (BADRI KUMHAR)	RAJASTHAN	27.1	29	7.18	7.44	4015	4298			8.12	9.33			4	5	2690	2880	0.92	1.89		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2018	VILLAGE VINAYAKIA, JODHPUR (HUKUM SINGH RATHORE)	RAJASTHAN	21	26.9	6.91	8.14	8867	9283	1	1	18.66	21.02			9	9	5940	6220	1.61	3.53		
2019	NEAR UIT BRIDGE, UDAIPUR	RAJASTHAN	26	26	7.89	7.89	1456	1489			1.12	1.53	9.1	9.1	21	21	1019	1042	0.39	0.48		
2020	NEW FATEHPURA, 200 FT.FROM PANCHWATI NALLAH, UDAIPUR	RAJASTHAN	26	26	8.01	8.01	1647	1730			2.13	2.85	9.1	9.1	21	32	1171	1211	0.46	0.67		
2021	NEAR ARVIND GENERAL STORE, ALOO FACTORY, KACCHI BASTI, SARDARPURA, UDAIPUR	RAJASTHAN	25	25	8.4	8.41	1798	1850			1.38	2.17	6.1	8.1	17	17	1258	1295	0.27	0.46		
2022	NEAR RANA PRATAP NAGAR, RAILWAY STATION, UDAIPUR	RAJASTHAN	26	26	8.38	8.45	1670	1705			2.76	3.45	6.1	9.1	21	32	1169	1193	0.33	0.59		
2023	HOTEL ORIENT PLACE, SUBHAS NAGAR, UDAIPUR	RAJASTHAN	26	26	8.38	8.45	1209	1397			2.77	3.56	9.1	9.1	21	32	846	978	0.56	0.71		
2024	IN SIDE SHIV TEMPLE NEAR AIR FORCE STATION AMER ROAD, JAIPUR	RAJASTHAN	25	32	7.84	8.12	1619	2080			1.62	2.04	1.8	3.7	4	8.2	842	1195	0.68	0.87	0.00049	0.00049
2025	NEAR SHREE KALYANESHWAR MAHADEV TEMPLE, JAI SINGH PURA KHURD, JAIPUR.	RAJASTHAN	24.5	33	7.62	8.05	1336	1386			9.26	14.72	2	3.6	6	8.1	756	763	0.28	0.38	0.00049	0.00049
2028	NEAR SAMSHAN VISHWAKARMA NAGAR, MAHARANIFARM, JAIPUR	RAJASTHAN	26	27	8.52	8.53	524	937			6.82	8.42	1.8	2	5.5	6.1	314	636	0.2	0.97	0.00049	0.00049
2029	NEAR GANDHI BHWAN, AJMER	RAJASTHAN	23	30	7.1	7.1	2250	2380			3.17	8.44	1.8	4	5.6	9.3	1459	1547	0.64	0.79		
2031	NEAR 9 NO. PETROL PUMP, NEAR ADARSH NAGAR GATE, AJMER	RAJASTHAN	29	29	6.9	6.9	1127	1127			3.12	3.12	2	2	6	6	733	733	0.54	0.54		
2032	NEAR KHANPURA TALAB, AJMER	RAJASTHAN	23	29	7.1	7.7	466	545			0.52	2.86	4	6.8	9.1	14	312	354	0.72	0.97		
2960	WELL INFRONT OF SINGHANA POLICE STATION, SINGHANA, JHUNJHUNU, RAJASTHAN	RAJASTHAN	30	34	6.9	7.15	5350	6756			17.5	36.72	3.6	9.1	6.1	14	3893	4483	0.4	0.4	0.00049	0.00049
2961	WELL OF SH MNAGAL CHAND MEENA, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	24	32	8.4	8.84	612	862			14.42	16.74	1.8	1.8	2	3.6	342	450	0.36	0.39	0.00049	0.00049
2962	WELL OF SH MOOL CHAND RAIGER, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	25.5	32	7.85	8.57	629	867			12.12	18.55	1.8	2	3.7	4	377	477	0.34	0.42	0.00049	0.00049
2963	WELL OF RIICO AT LEATHER COMPLEX, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	25	32	7.57	8.17	3930	4280			21.92	38.81	3.6	6	6.8	9.3	2592	2625	0.22	0.26	0.00049	0.00049
2964	WELL AT INDIA PUBLIC SCHOOL, MANPUR MACHERI, JAIPUR, RAJASTHAN	RAJASTHAN	24.5	31	7.74	8.14	1569	2320			8.52	9.55	5.5	6.8	8.3	9.1	1044	1387	0.36	0.5	0.00049	0.00049
2965	SHRI GIRDHARI SINGH CHOUDHARY NEAR BANDI BRIDGE, PALI BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	28.6	29.8	7.23	7.95	8627	8716	1	6	6.22	7.22	1.8	1.8	9	14	5780	5840	1.41	1.48		
2966	SHRI GIRDHARI SINGH RAJPUROHIT NEAR VILLAGE PUNAYATA, JODHPUR-SUMERPUR BYE PASS ROAD, PALI, RAJASTHAN	RAJASTHAN	28.7	28.8	7.34	9.08	5840	6134	1	1	3.58	4.08	1.8	1.8	4	7	4110	4220	0.92	0.98		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
2967	SH. POL SINGH PUROHIT, VILLAGE PUNAYATA, PALI, RAJASTHAN	RAJASTHAN	29.8	29.9	7.19	7.54	7896	7955	1	6	5.32	5.93	1.8	1.8	4	7	5290	5330	1.31	1.35		
2968	SH. BHANA RAM KALAL, DHARU NAGAR, NEAR MAIN MANDIA ROAD, OPP. VILLAGE MANDIA, PALI, RAJASTHAN	RAJASTHAN	25.6	28.8	8.14	8.3	8239	8373	1	2	4.44	5.23	1.8	1.8	4	5	5520	5610	1.53	1.56		
2970	RIICO TUBE WELL, RIA, BEHROR, RAJASTHAN	RAJASTHAN	26	26	7.91	8.41	1410	1453			1.18	1.28	4	6	7	11	690.4	944.45	0.7	1		
2971	RIICO TUBE WELL, RIA, NEEMRANA, RAJASTHAN	RAJASTHAN	27	27	7.89	8.17	1487	2616			2.16	2.22	7	11	17	17	703.5	1700	1	1.8		
2972	RIICO TUBE WELL, RIA, SOTANALA, RAJASTHAN	RAJASTHAN	25	25	8.11	8.3	1588	2664			2.34	2.35	2	4	4	14	776.3	1731.6	0.7	1		
2973	RIICO TUBE WELL, RIA, SHAHJAHANPUR, RAJASTHAN	RAJASTHAN	26	26	7.35	8.5	1382	1754			2.25	2.43	7	9	17	26	678.8	1140.1	0.8	1		
2974	VILLAGE AGYARA, TEHSIL- RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	25	26	7.62	8.62	1354	1730			1.45	1.53	4	6	17	17	843.8	880.1	1	1.6		
2975	VILLAGE BAGER MEO, TEHSIL- RAMGARH, ALWAR, RAJASTHAN	RAJASTHAN	27	27	7.72	8.24	1510	2370			1.78	1.98	9	11	21	27	981	1162	0.8	1		
2976	SUJAN GANGA, BHARATPUR, RAJASTHAN	RAJASTHAN	28	29	8.64	8.79	3344	4414	10.4	13.1	1.7	3.44	14	220	40	350	1640	2869.1	0.8	3		
2977	WELL OF RAM CHANDRA DEWRA, VILLAGE- SANGARIA, JODHPUR, RAJASTHAN	RAJASTHAN	23.1	23.1	7.3	7.3	23194	23194			21.53	21.53			9	9	15540	15540	1.99	1.99		
2982	WELL OF BIRMA RAM PATEL, SALAWAS, JODHPUR, RAJASTHAN	RAJASTHAN	24.1	27	7.6	8.48	16000	16597	1	1	24.58	28.02			16	20	10720	11120	2.05	2.56		
2985	WELL OF GIRDHARI RAM MEGHWAL, VILLAGE- NANDWAN, JODHPUR, RAJASTHAN	RAJASTHAN	26.6	29	7.15	7.46	13074	13940	1	1	19.4	23.13			7	9	8760	9340	1.32	3.95		
2987	CWR OF PHED, BHITUJA, RAJASTHAN	RAJASTHAN	30	31	7.15	7.23	9820	13015			6.04	6.24	1.8	1.8	4	9	6580	8720	1.65	1.98		
2988	WELL OF PEMA RAM MALI, BHITUJA, RAJASTHAN	RAJASTHAN	28	29	7.3	7.62	10656	11537			6.16	6.37	1.8	1.8	11	16	7140	7730	2.11	2.28		
2991	WELL OF BHAG JI LAXMAN RAM MALI, SAKARNA BERA, BALOTRA, BARMER, RAJASTHAN	RAJASTHAN	30	32	7.24	7.28	12179	12254			4.99	5.23	1.8	1.8	7	13	8160	8210	0.98	1.12		
2993	WELL OF CHOUTHAM RAM PUSA PAM, LEFT SIDE OF BRIDGE LUNI, BALOTRA, RAJASTHAN	RAJASTHAN	29	31	7.52	7.65	7402	10328			5.9	6.13	1.8	1.8	5	11	4960	6920	1.81	2.1		
3001	BORE WELL OF M/S SHRI . BHRAM JEET SERVICE STATION, NEAR BUS STAND BHIWADI,TEHSIL-TIJARA, DISTT-ALWAR	RAJASTHAN	28	29	6.96	8.21	2060	2259			2.7	3.02	4	4	11	11	1019	1331	0.85	1.2		
3002	BORE WELL M/S R.C. PALACE HOTEL,HOTERL,NEAR LIC OFFICE, ALAMPUR ROAD ,BHIWADI,TEHSIL-TIJARA DISS-ALWAR	RAJASTHAN	29	29	7.43	8.36	1347	1768			2.08	2.64	3	3	9	9	657	839	1.1	1.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3003	BORE WELL OFFICE OF RAJ. HOUSING BOARD OFFICE , BHIWADI,TEHSIL-TIJARA,DISTT-ALWAR	RAJASTHAN	27	29	6.9	8.17	1282	1449			1.86	2.64	3	3	9	9	622	749	0.85	1.2		
3004	BORE WELL OF M/S MODERN PUBLIC SCHOOL,NEAR BHAGAT SINGH COLONY,ALWAR BY PASS ROAD BHIWADI,TEHSIL-TIJARA,DISTT-ALWAR	RAJASTHAN	28	30	7.55	8.38	1384	1740			2.08	2.22	4	4	9	9	686	797	0.78	1.2		
3006	HAND PUMP NEAR NEVTA TIRAHA, NEVTA DAM, SANGANER, JAIPUR, RAJASTHAN	RAJASTHAN	26	27	8.38	8.55	2440	2820			2.49	5.12	3.6	4.5	9.1	11	1153	1403	0.58	0.98	0.00049	0.00049
4165	BORE WELL NEAR STP AT GAJADHARPURA, JAIPUR	RAJASTHAN	25.5	31	7.71	8.04	1214	1558			9.62	9.72	1.8	3.7	4	8.3	762	891	0.2	0.26	0.00049	0.00049
4166	BORE WELL NEAR MSW SITE/ KANOTA DAM, JAIPUR	RAJASTHAN	24	31	7.65	8.16	2150	2800			6.13	7.92	2	4	6	8.2	1104	1609	1.28	1.78	0.00049	0.00049
4169	HAND PUMP AT VILLAGE MANGROP, BHILWARA	RAJASTHAN	23.5	23.6	7.3	7.5	1027	1362			0.92	0.95	2	4.5	6.8	6.8	732	885	0.78	0.94		
4170	HAND PUMP AT VILLAGE ATOON, BHILWARA	RAJASTHAN	24	24	7.5	8.1	1231	1572			1.92	3.92	1.8	3.6	6.1	6.1	800	1023	0.69	1.13		
4176	HAND PUMP NEAR RIICO INDUSTRIAL AREA, AAJOLIYON KA KHERA, GANGRAR, CHITTORGARH	RAJASTHAN	23	28	7.44	7.46	667	667			1.75	2.26	4.5	9.3	21	34	467	467	2.56	3.24		
4180	BOREWELL OF JYOTI UCHCH MADHYMIC VIDHYALAYA, NAYAGAON, RAMPUR MUNDANA, BHIWADI	RAJASTHAN	30	30	8.27	8.27	1545	1545			2.82	2.82	3	3	11	11	762	762	0.82	0.82		
4181	BOREWELL IN THE HOUSE AKRAM KHAN, AMLAKI, KAHARANI INDUSTRIAL AREA,BHIWADI,TEHSIL- TIJARA, ALWAR	RAJASTHAN	26	29	6.97	8.21	2170	2647			3.05	3.09	4	4	9	9	1069	1371	0.82	0.85		
4183	BOREWELL AT STAR HOSPITAL, INFRONT OF STP, BHIWADI, TIJARA, ALWAR	RAJASTHAN	27	28	7.37	8.46	1760	2072			1.86	2.67	3	3	9	9	872	1014	0.66	0.77		
4184	BOREWELL IN CETP PREMISES,NEAR BUS STAND BHIWADI, TIJARA, ALWAR	RAJASTHAN	28	29	7.33	8.22	1955	2107			2.76	3.09	3	3	11	11	956	1017	0.85	0.88		
4759	HANDPUMP IN FRONT OF URBAN IMPROVEMENT TRUST, CIVIL LINES, AJMER	RAJASTHAN	23	23	7.3	7.3	2080	2080			8.63	8.63	4	4	9.1	9.1	1350	1350	0.93	0.93		
4760	HANDPUMP WITHIN PREMISES OF NAGAR PARISHAD OFFICE, OLD CITY ROAD, DESHWALI MOHALLA, KRISHANGARH	RAJASTHAN	23	29	7.1	7.3	2160	2740			7.05	7.52	1.8	4	4	6.8	1405	1781	0.71	0.98		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4761	TUBE WELL OF M/S BALOTRA WATER POLLUTION CONTROL AND RESEARCH FOUNDATION TRUST (CETP) KHED ROAD, BALOTRA, BARMER, RAJASTHAN	RAJASTHAN	31	32	6.98	6.99	57597	66910			4.64	5.14	1.8	1.8	7	11	38590	44830	1.21	1.47		
4763	BOREWELL OF SHRI PEMARAM MALI/DHUDARAM MALI, BITHUJA, BALOTRA, BARMER, RAJASTHAN	RAJASTHAN	30	30	7.09	7.48	10865	12776			5.91	6.33	1.8	1.8	9	13	7280	8560	1.02	1.2		
4764	M/S ABHISHEK KOTHARI, NAKODA ROAD MEWA NAGAR, JASOL, PACHPADRA, BARMER, RAJASTHAN	RAJASTHAN	34	34	6.74	6.93	4268	5090			3.43	3.6	1.8	1.8	2	5	2860	3410	0.88	1.12		
4765	BOREWELL OF AJANTA TEXTILES NAKODA ROAD, JASOL, BARMER, RAJASTHAN	RAJASTHAN	30	31	7.03	7.46	28910	31522			8.14	9.12	1.8	1.8	5	9	19370	21120	0.64	0.78		
4766	BOREWELL OF AMRITLAL S/O BACHARAJ & JOINT KRISHI FORM KH. NO. 66/15, BITHUJA, BARMER, RAJASTHAN	RAJASTHAN	32	35	7.42	7.54	15672	15672			6.24	7.03	1.8	1.8	4	9	9540	10500	0.64	0.71		
4768	OPENWELL OF SHRI ISHWAR SINGH MALI S/O BHURJI MALI, DHANNA KI DHANI BILASAR, BARMER	RAJASTHAN	26	30	7.14	7.25	11731	12645			6.1	6.25	1.8	1.8	2	7	7860	8470	1.58	1.71		
4774	RIICO TUBWELL NO. 1, LOCATED NEAR GANPATI TUBES & FABRICATION (P) LTD SP-A-53(A), RIA, BHIWADI, OPPOSITE TO WHEEL'O CITY AT T-POINT, TEHSIL-TIJARA	RAJASTHAN	28	29	7.8	8.06	1498	1502			1.78	2.22	3	3	11	11	734	756	0.4	0.66		
4775	RIICO TUBEWELL NO. 3 LOCATED ON ROAD SIDE CLOSE TO INDAG RUBBER AND OPPOSITE TO HONDA SHOWROOM, NEELAM CHOWK, BHIWADI, TEHSIL-TIJARA	RAJASTHAN	28	30	7.05	8.1	1227	1505			1.86	2.08	4	4	11	11	739	861	0.82	0.98		
4777	RIICO TUBEWELL NO. 31, LOCATED NEAR BKL LIFESTYLE, PLOT NO. 1228, RIA, BHIWADI, OPP. TO ACRO PAINTS-II, TIJARA	RAJASTHAN	30	30	6.89	8.18	1288	1506			1.68	1.78	4	4	9	9	625	779	1.2	1.3		
4778	RIICO TUBEWELL NO. 34, LOCATED ON ROAD SIDE OF 220 KVA POWER STATION, CLOSE TO BKT(ESI HOSPITAL), RAMPUR MUNDANA RIS BHIWADI, TIJARA,	RAJASTHAN	28	29	8.11	8.43	1374	1500			1.68	1.78	3	3	9	9	707	735	0.4	0.66		
4779	BOREWELL OF VKIA RECREATIONAL CLUB JAIPUR	RAJASTHAN	25	31	7.68	8.21	1142	2710			11.92	13.22	5.5	6.1	9.2	10	778	1698	0.2	0.2	0.00049	0.00049
4782	OFFICE OF ASSISTANT ENGINEER, JAIPUR, VIDHUT VITRAN NIGAM LTD, RIICO IND. AREA, BAGRU, TEHSIL-SANGANER,	RAJASTHAN	26	26	8.61	8.72	4130	4290			7.34	8.52	2	3.7	5.6	6.1	2473	2604	5.83	7.4	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4783	JHALANA FOREST PARK, NEAR MALVIYA NAGAR IND. AREA, MALVIYA NAGAR JAIPUR	RAJASTHAN	26	27	8.15	8.48	770	945			1.45	1.62	3.5	4	5.6	6.1	466	574	0.23	0.3	0.00049	0.00049
4784	WELL OF SHRI HAZARI SINGH GEHLOT, NEAR PATWAR BHAWAN, SALAWAS JODHPUR	RAJASTHAN	26.7	31	7.24	8.17	2806	6597	1	1	10.22	12.62			4	5	1880	4420	0.44	2.07		
4785	WELL OF SHRI TILARAM, NANDWAN, JODHPUR	RAJASTHAN	28	29	7.01	7.05	6255	9447	1	1	28.27	31.22			7	11	4190	6330	5.17	10.3		
4786	WELL OF SHRI DEVARAM, HEER KHERA, JODHPUR	RAJASTHAN	28	29	6.9	7.69	10104	12492	1	1	14.54	18.32			5	9	6770	8370	1.88	5.15		
4787	WELL OF SHRI DALARAM, AHEER KHERA, JODHPUR	RAJASTHAN	26.1	30	7.25	7.37	4224	5985	1	1	12.59	15.02			7	13	2830	4010	3.61	10.2		
4788	WELL OF SHRI MAGARAM, NANDWAN, JODHPUR	RAJASTHAN	28.7	29	7.04	7.26	13792	14208	1	1	9.29	11.62			9	11	9240	9520	3.01	14.8		
4789	WELL OF SHRI BHAGARAM BHATIA, SALAWAS-JODHPUR ROAD, SALAWAS, JODHPUR	RAJASTHAN	28.1	29	7.25	7.33	8269	9880	1	1	19.22	21.22			11	14	5540	6620	4.86	6.22		
4791	HANDPUMP NEAR M/S CHAMBLE FERTILIZER & CHEMICALS, GADEPAN	RAJASTHAN	24	27	7.9	7.9	464	630			1.32	1.32	1.8	3.6	12	12	306	409	0.41	0.51		
4792	HANDPUMP NEAR M/S RAJASTHAN TEXTILE MILLS, BHAWANI MANDI	RAJASTHAN	27	29	7.5	7.6	2080	2920			4.87	7.33	4	4	8.2	9.1	1352	1900	0.39	0.53		
4793	PUBLIC TUBEWELL, VILLAGE-NANI, TEHSIL-SIKAR,DIST-SIKAR	RAJASTHAN	28	28	7.41	7.47	1560	1693			6.62	8.04	1.8	6.8	3.7	9.1	947	998	0.32	0.36	0.00049	0.00049
4794	TUBEWELL OF HARIPRASAD PANNALAL, BADA TALAB, VILL-NANI, TEHSIL-SIKAR	RAJASTHAN	26	28	7.61	8.6	812	1038			6.62	8.83	1.8	6.1	4	8.3	616	869	0.83	0.92	0.00049	0.00049
4796	OPEN WELL OF SARAS DAIRY, VILAS, NH-08, UDAIPUR	RAJASTHAN	25	25	7.8	7.8	1571	1658			3.88	4.18	9.1	9.1	26	26	1099	1160	0.39	0.59		
4797	BOREWELL NEAR MAIN GATE, CITY PALACE, NEAR SHEETLA MATA TEMPLE, UDAIPUR	RAJASTHAN	26	26	7.89	7.89	1449	1534			4.26	4.98	8.3	8.3	14	14	1014	1073	0.63	0.76		
4798	BOREWELL OF BSNL OFFICE, SECTOR-03, HIRAN MARG, UDAIPUR	RAJASTHAN	25	25	8.3	8.3	1318	1318			1.95	2.74	8.3	8.3	26	26	673	922	0.81	0.89		
4799	DISTRICT COLLECTOR, BARAN	RAJASTHAN	29	30	7.2	7.3	1803	2090			4.52	5.42	4	6.8	6.8	11	1172	1356	0.34	0.38		
4800	DISTRICT COLLECTOR, CHURU	RAJASTHAN	27	35	7.48	7.69	3750	4110			12.12	17.92	3.7	6	6.8	8.2	2212	2610	0.76	1.46	0.00049	0.00049
4801	DISTRICT COLLECTOR, DAUSA	RAJASTHAN	26	36	8	8.3	2820	5290			9.22	20.5	4	6.1	10	12	1699	3596	1.35	1.37	0.00049	0.00049
4802	DISTRICT COLLECTOR, KARAUJI	RAJASTHAN	31	34	7.1	7.87	1907	1993			1.23	4.52	4	4	7	9.1	1239.55	1295	0.27	0.7		
4803	SHAHID CAPT, CHANDRA CHOUDHARY PARK, BIKANER	RAJASTHAN	26.4	29.9	7.49	7.84	4892	5230			5.05	20.52	3.6	4.1	5.6	6.8	3310	3318	0.55	0.67	0.00049	0.00049
4806	SHRI BABUAL SOPATRA, SHEKHO KI DDHANI PALI	RAJASTHAN	26.9	28.8	7.81	8.48	6627	6656	1	2	2.34	2.48	1.8	1.8	5	7	4440	4460	1.26	1.32		
4807	SHRI MUKESH RAJPUROHIT, INFORNT OF GS-197-A, PUNAYATA INDUSTRY ROAD, NEAR BY NATIONAL HIGHWAY PALI-JODHPUR, CETP-IV, PALI	RAJASTHAN	28.7	29.4	7.28	7.4	8224	8447	1	4	5.22	5.62	1.8	1.8	5	5	5510	5660	1.36	1.41		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4809	SHRI RANARAM, NEAR BHANWAR SINGH MANDLI FROM HOUSE NH-PALI-SUMERPUR	RAJASTHAN	27	29.4	7.23	7.28	10388	10477	1	1	4.14	6.32	1.8	1.8	4	5	6960	7020	1.83	1.88		
5453	Tube well of vimal metro ,khasra no. 449/127, tilwara, bolara, tehsil- pachpadra, dis- barmer	RAJASTHAN	31	33	6.85	7.17	26686	28925			5.01	5.24	1.8	1.8	4	11	17880	19380	1.72	1.91		
5454	Tube well of atul Textike, unit-II rai ka bagh,Balotra, tehsil- pachpadra, dist- barmer	RAJASTHAN	31	33	7.36	8.3	29656	34239			6.17	6.44	1.8	1.8	4	13	19870	22940	2.03	2.19		
5455	Bore well situated at khajur anusandhan, in front of administration block of swamin keshwanand Rajasthan agricultural university, Bikaner	RAJASTHAN	25.9	29.8	7.84	7.92	2910	3060			1.62	3.32	1.8	3.7	4	6.8	1765	1929	1.47	1.56	0.00049	0.00049
5456	Bore well situated at Rajasthan university of verterinary and animal sciences (RAJUVAS) near ICICI bank, Bikaner	RAJASTHAN	27	30.2	7.74	7.74	3290	3810			5.07	12.12	3.7	3.7	6.8	7.8	2361	2396	0.73	0.9	0.00049	0.00049
5457	Bore well situated of government dungar collage, Bikaner	RAJASTHAN	26.5	30.1	7.43	7.82	3540	4160			13.32	18.02	4	4	7.8	9.1	2573	2684	0.68	0.68	0.00049	0.00049
5458	Bore well situated at custom colony, Jaipur road, bikaner	RAJASTHAN	26.3	29.8	7.77	8	2150	2160			5.23	9.42	1.8	3.6	3.6	6.1	1241	1255	0.95	1.12	0.00049	0.00049
5463	Bore well of regional office, RSPCB, Kota	RAJASTHAN	27	28	7.4	7.6	472	533			1.22	2.63	1.8	4	5.5	9.3	314	349	0.26	0.29		
5465	Handpump near Hanuman mandir, Mathmadri, MIA, Udaipur	RAJASTHAN	25	26	7.54	8.09	1457	1897			2.15	3.96	6.1	6.3	14	24	1019	1327	0.74	0.78		
5466	Handpump near govt. school, Naya khet, RIICO industrial area, kaladawas, udaipur	RAJASTHAN	26	26	8.4	8.4	1457	1457			3.96	3.96	6.3	6.3	49	49	1019	1019	0.74	0.74		
5470	Borewell of mr. jale singh, village- jainpurbas, near RIICO industrial area, sotanala, tehsil- behror, dist- Alwar	RAJASTHAN	26	26	8.06	8.19	1643	2562			2.32	2.64	2	4	6	7	803.9	1665.3	0.8	1.4		
5471	Borewell of M/s Jagatjit industries Ltd., sp1-2, RIICO industrial area, Sotanala, tehsil- behror, dist- Alwar	RAJASTHAN	27	27	7.79	7.88	1636	9904			1.71	1.96	4	6	11	14	802.2	6437.6	0.9	1		
5472	Open well of aadam khan, Near Nextgen Textile park, sardar samand road, Pali	RAJASTHAN	27	31	7.68	8.33	4433	4656	1	1	3.27	4.03	1.8	1.8	4	5	2970	3120	1.24	1.31		
5474	Open well of Ganpat singh ji,near khadeshwar mahadev mandir, Falna, district- Pali	RAJASTHAN	22.6	31	7.38	7.5	5672	5940	1	1	3.23	3.47	1.8	1.8	4	7	3800	3980	1.24	1.29		
5475	Govt. handpump near anadra chauraha, Sirohi	RAJASTHAN	29.7	29.7	7.03	7.03	2731	2731	1	1	1.44	1.44	1.8	1.8	5	5	1830	1830	0.35	0.35		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
5478	BORE WELL OF RAJASTHAN STATE PATH PARIVAHAN NIGAM, CENTRAL BUS STAND, TEHSIL-TIJARA, DIST- ALWAR	RAJASTHAN	29	30	7.52	8.43	602	635			2.48	2.7	3	3	9	9	290	302	0.98	1.2		
5479	Bore well of RIICO water supply Campus ,RIA, Karoli (khushkhera), Tehsil- tijara, Dist- Alwar	RAJASTHAN	28	29	8.12	8.53	541	572			2.48	2.7	4	4	9	9	264	272	1.1	1.3		
5480	Borewell of Ashiana Tarang, near village- Milkpurgurjar, Bhiwadi, Tehsil- Tijara, Dist- Alwar	RAJASTHAN	29	29	7.47	8.29	377	431			1.22	1.56	3	3	11	11	120	186	0.95	1.3		
5481	Bore well of Upper Primary School, Chopanki, Bhiwadi, Tehsil- tijara, Dist- Alwar	RAJASTHAN	27	29	7.92	8.07	1267	1279			1.22	1.56	3	3	11	11	592	621	0.96	0.98		
5482	BoreWell of RIICO water Supply Campusof M/S Aksh Optifibre ltd. Plot no. A-56,RIA,Kehrani, Tehsil- Tijara, Dist- Alwar	RAJASTHAN	28	29	6.89	8.61	1207	1433			1.84	2.76	3	3	9	9	600	735	0.94	0.96		
5483	BoreWell of RIICO Mahendra Dayma,Village- Alampur, Bhimadi, Tehsil- Tijara, Dist- Alwar	RAJASTHAN	26	29	7.34	8.38	944	1053			1.68	1.86	4	4	9	9	461	563	0.7	0.83		
5484	Bore well of M/S Shree cement Ltd., Plot no. SP-3/A-11, RIA, Khushkhera, Tehsil- Tijara, District- Alwar	RAJASTHAN	29	30	8.05	8.31	684	712			1.42	1.68	3	3	9	9	335	380	0.68	0.88		
5485	Bore well of Shre Satnam Singh S/o Bhop singh , Village- Bahadri, Chopanki, Tehsil- Tijara, District- Alwar	RAJASTHAN	28	29	6.67	8.04	1535	1566			2.7	2.76	3	3	9	9	754	868	0.74	0.89		

Water Quality Data of Ground Water in Tamil Nadu Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
32	WELL AT MUSIRI, TAMIL NADU	TAMIL NADU	24	24	7.51	7.51	1200	1200	2.6	2.6	0.66	0.66	1.8	1.8	317	317	788	788	0.2	0.2		
1449	COLLECTOR WELL AT THIRUPUVANAM FOR TAMILNADU	TAMIL NADU	26	27	7.72	7.91	917	1332	2	2.5	0.32	0.86	1.8	14	3.1	21	624	780	0.2	16		
4810	SURIYAMPALAYAM BOREWELL (HAND PUMP) OWNED BY ERODE CORPORATION LOATED OPPOSITE TO M/S. PIONEER PROCESSING INDIA PVT. LTD., BHAVANI MAIN ROAD, R.N. PUDUR POST, ERODE	TAMIL NADU	27	27	7.84	7.84	1972	1972	1.9	1.9	0.32	0.32	15	15	37	37	900	900	0.2	0.2		
4811	BOREWELL LOCATED AT M/S. PHOENIX TEXTILE PROCESSORS, VENDIPALAYAM, ERODE	TAMIL NADU	27	27	7.25	7.25	3700	3700	2.1	2.1	0.36	0.36	20	20	34	34	1816	1816	0.2	0.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4814	HOUSE OF THIRU MURUGAN, S/O. ESAKKI, NO.16B, MEENAKSHIPURAM, ANNA NAGAR, TIRUNELVELI	TAMIL NADU	30	30	7.99	7.99	2270	2270	3.7	3.7	0.32	0.32	1.8	1.8	3.6	3.6	1756	1756	0.2	0.2		
4815	MUNICIPAL CORPORATION BORE WELL LOCATED IN PERUMALPURAM STREET, NARANAMMALPURAM, TIRUNELVELI	TAMIL NADU	30	30	8.18	8.18	1175	1175	3.2	3.2	0.32	0.32	1.8	1.8	1.8	1.8	914	914	0.2	0.2		
4816	AUTHOR ,- MUKKANI AGRAGARAM STREET INFRONT OF THIRU N. SAMUTHRAPANDI HOUSE BORE WELL	TAMIL NADU	26	27	7.17	7.53	3200	3340	2.6	2.7	0.32	0.34	1.8	3.7	1.8	9.2	1780	1838	0.2	0.2		
4817	ERAL ,- CHARMAM ARUNACHALA SWAMY TEMPLE WEST OF BORE WELL	TAMIL NADU	27	28	7.65	7.66	862	980	2.5	2.7	0.32	0.32	1.8	1.8	1.8	3.6	496	504	0.2	0.2		
4818	ALWARTHIRUNAGARI ,- VETERINARY DISPENSARY, WEST CAR STREET NEAR OVER HEAD TANK OF BORE WELL	TAMIL NADU	28.5	29	7.8	8.11	470	744	2.4	2.5	0.32	0.42	1.8	1.8	3.7	6.8	320	428	0.2	0.2		
4819	SRIVAIKUNDAM ,- BLOCK DEVELOPMENT OFFICE ,- OPEN WELL	TAMIL NADU	29	29	7.06	7.08	248	480	2.3	2.6	0.32	0.32	1.8	1.8	2	2	168	326	0.2	0.2		
4820	SRIVAIKUNDAM ,- TNEB SUB STATION 33 KVA OPPOSITE TO TIRUNELVELI MAIN ROAD OPEN WELL	TAMIL NADU	28	29	7.42	7.56	1509	1600	2.1	2.2	0.32	0.33	1.8	1.8	1.8	5.5	880	880	0.2	0.2		
4824	PARAMASIVAM WATER SERVICE STATION, BLOCK NO.13 BSNL EXCHANGE OPPOSITE, METTUR DAM ,- 636 402.	TAMIL NADU	31	31	7.72	7.72	1455	1455	3.6	3.6	0.72	0.72	16	16	38	38	928	928	0.48	0.48		
4825	M. KALIAPPAN, SANGILIMUNIYAPPAN KOVIL, ERIKKADU, METTUR	TAMIL NADU	30	30	7.78	7.78	1107	1107	2.4	2.4	0.48	0.48	19	19	37	37	784	784	0.21	0.21		
4826	SAKTHI NAGAR, NEAR MUNICIPALITY SEWAGE TREATMENT PLANT, KOMPURANKADU, METTUR	TAMIL NADU	31	31	7.77	7.77	1656	1656	2.7	2.7	0.53	0.53	16	16	34	34	1120	1120	0.66	0.66		
4907	KOMBUPALLAM, SATHYAMANGALAM	TAMIL NADU	29	29	8.37	8.37	437	437	2.3	2.3	0.49	0.49	22	22	42	42	218	218	0.2	0.2		
4908	ARIYAPPAMPALAYAM, SATHYAMANGALAM	TAMIL NADU	27	27	8.65	8.65	424	424	1.8	1.8	0.52	0.52	25	25	52	52	220	220	0.2	0.2		
4909	THALAVAIPETTAI, BHAVANI	TAMIL NADU	27.5	27.5	7.53	7.53	314	314	1.9	1.9	0.87	0.87	18	18	43	43	288	288	0.2	0.2		
4911	BOREWELL AT PASUPATHY PUDUR VILLAGE, PALANI TALUK, DINDIGUL DIST.	TAMIL NADU	26	26	6.9	7.96	1001	1111	2.1	2.2	0.4	0.4	1.8	1.8	1.8	6.1	684	764	0.2	0.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4912	BORE WELL AT VANNIARVALASU VILLAGE, NEAR ELEMENTARY SCHOOL, THOPPAMPATTI PANCHAYAT UNION, PALANI TALUK, DINDIGUL DIST	TAMIL NADU	27	28	7.08	8.01	1096	1129	2.2	2.3	0.46	0.51	1.8	2	1.8	8.1	758	768	0.2	0.2		

Water Quality Data of Ground Water in Telangana Monitored under NWMP-2024																						
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
15	BOREWELL AT KOYYURA, JAYASHANKAR BHUPALAPALLI	TELANGANA	26	26	7.89	7.89	294	294			0	0	1.8	1.8	1.8	1.8	186	186	0.87	0.87		
16	OPEN WELL AT GOVT ASHRAM SCHOOL, TADVAI (V), SS TADVAI (M), MULUGU DISTRICT	TELANGANA	27	27	7.85	8.07	978	1004	1	1	0	4.2	1.8	1.8	11	47	626	632	0.42	0.93		
27	BOREWELL AT PEDDAVOORA (V&M), NALGONDA	TELANGANA	23	25	7.52	7.84	1854	1885			15.22	18.23					1006	1131	0.2	0.21	0.00049	0.00049
1515	BOREWELL AT NAGARAM, PALVANCHA, BHADRADRI KOTHAGUDEM	TELANGANA	25	26	7.33	7.5	1738	1745			0	5.1	1.8	1.8	1.8	27	1094	1098	0.64	1.28		
1525	BOREWELL AT PASHAMYLARAM NEAR M/S.SRI CHAITANYA CHLORIDES, SANGAREDDY	TELANGANA	25	25	7.16	7.16	3048	3048			18.31	18.31					1829	1829	0.3	0.3	0.00049	0.00049
1791	BOREWELL AT PYDIPALLY NEAR EAST SIDE OF SAI CHERUVU , PAIDIPALLY (V), WARANGAL (M&D)	TELANGANA	27	27	7.43	7.82	1179	1202			0	3.7	1.8	1.8	2	17	744	748	1.22	1.48		
1792	BOREWELL AT CKM COLLEGE, ENAMAMULA (V), WARANGAL (M&D)	TELANGANA	27	27	7.48	8.1	1320	1349			0	8.2	1.8	1.8	2	21	824	836	1.12	1.33		
1793	OPEN WELL AT KUNDANPALLY NEAR ASH PONDS OF NTPC, PEDDAPALLI , RAMAGUNDAM	TELANGANA	26	26	7.88	7.96	1567	2182	1	1	0	3.1	1.8	1.8	1.8	17	972	1354	0.55	1.25		
1794	BOREWELL AT MANAKONDUR , RAMAGUNDAM	TELANGANA	26	26	7.71	7.8	1046	1107	1.8	1.8	0	2.9	1.8	1.8	8	79	668	690	0.69	0.75		
1795	BOREWELL AT BOLLARAM NEAR PANCHAYAT OFFICE, SANGAREDDY	TELANGANA	25	25	7.26	7.29	3039	3462			15.2	18.24					1694	2077	0.2	0.2	0.00049	0.00049
1810	BOREWELL AT BODHAN, SRIRAMNAGAR COLONY, SHAKKARNAGAR, NIZAMABAD	TELANGANA	25	25	6.86	8.01	1662	1826			12.24	15.23					1080	1109	0.25	0.25	0.00049	0.00049
3088	BOREWELL AT J.NARASIMHA RAO'S HOUSE, 14NOS. AREA, RAMAVARAM, NEAR MWS DUMPSITE, KOTHAGUDEM	TELANGANA	26.1	26.1	6.74	7.14	1640	1668			0	4.6	1.8	1.8	1.8	27	1034	1050	0.84	1.16		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3094	BOREWELL AT AKBARNAGAR, RAMAGUNDAM	TELANGANA	26	26	8	8.14	912	964	1	1	0	0.3	1.8	1.8	4	11	566	566	0.89	1.48		
4260	BOREWELL NEAR MSW DUMP YARD, MEDAK TOWN, MEDAK DISTRICT	TELANGANA	19	28	6.98	7.36	925	1326			9.26	10.15					600	785	0.2	0.31	0.00049	0.00049
4262	BOREWELL NEAR GRAMPANCHYAT OFFICE, KISTAIPALLY VILLAGE, JINNARM MANDAL, SANGAREDDY DISTRICT	TELANGANA	25	28	7.26	7.63	2197	2212			16.32	17.3					1220	1438	0.32	0.35	0.00049	0.00049
4263	BOREWELL NEAR MPP SCHOOL, GADDAPOTHARAM VILLAGE, JINNARAM MANDAL, SANGAREDDY DISTRICT	TELANGANA	25	28	6.37	7.16	3781	4710			28.22	32.3					2004	2826	0.3	0.32	0.00049	0.00049
4264	BOREWELL WATER POINT AT ZP GIRLS HIGH SCHOOL, BHUDAN POCHAMPALLY (V&M), YADADRI DISTRICT.	TELANGANA	24	24	7.5	8.12	2005	2203	1	1	28.2	37.21					1086	1344	0.32	0.41	0.00049	0.00049
4265	BOREWELL AT GRAM PANCHAYATH OFFICE NEAR SHIVA TEMPLE & WATER TANK , DOTHIGUDEM (V) , YADADRI BHUVANAGIRI DISTRICT	TELANGANA	23	23	7.39	8.16	1239	1325			8.32	9.37					696	861	0.2	0.2	0.00049	0.00049
4266	BOREWELL, NEAR PRIMARY SCHOOL, ADLOOR YELLAREDDY (V), SADASHIVANAGAR (M), KAMAREDDY DIST.	TELANGANA	25	25	7.41	7.52	1229	1425			12.17	14.17					725	869	0.26	0.31	0.00049	0.00049
4268	BOREWELL LOCATED AT HOUSE OF SRI VITAL RAO, H.NO.2-42, 875, ABESTOS COLONY, GANDHI NAGAR, BALANAGAR, MEDCHAL DISTRICT	TELANGANA	27	27	7.32	7.41	936	1472			0	4.4	1.8	1.8	11	11	570	912	0.96	1.06		
4270	BOREWELL LOCATED AT HOUSE OF P.ANJANEYULU , PLOT NO.25, SHAKTHIPURAM, PRASHANTH NAGAR, I.E.KUKATPALLY, MEDCHAL DISTRICT	TELANGANA	25	25	7.19	7.22	1845	2366			0	17.2	1.8	11	350	350	1144	1466	1.26	1.26		
4271	BOREWELL LOCATED AT GOVERNMENT PRIMARY SCHOOL, SY.NO.32, DHULAPALLY (V), QUTHBULLAPUR (M), MEDCHAL DISTRICT.	TELANGANA	25	25	7.19	7.2	1868	1954			0	18.6	1.8	1.8	27	27	1196	1230	0.78	1.26		
4272	BOREWELL LOCATED AT RAJIV GRUHA KALPA, AHMEDGUDA, AMBEDKAR NAGAR, KAPRA MEDCHAL DISTRICT.	TELANGANA	25	25	7.46	7.55	844	960			0	3.7	1.8	1.8	11	11	514	596	0.91	1.23		
4273	BOREWELL LOCATED AT THANDA DUNDIGAL (V), DHUNDIGAL (M), MEDCHAL DISTRICT.	TELANGANA	26	26	7.08	7.28	2028	2258			0	15.2	1.8	1.8	21	21	1279	1398	0.86	1.32		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4274	BOREWELL POINTS AT THE PERIPHERY OF THE IDA, JEEDIMETLA, MEDCHAL	TELANGANA	26	26	7.04	7.27	1084	1233			0	7.9	1.8	1.8	17	17	682	764	1.04	1.28		
4275	BOREWELL POINTS AT THE PERIPHERY OF THE IDA, BALANAGAR, MEDCHAL	TELANGANA	25	25	7.2	7.67	2303	2571			0	18.6	1.8	22	540	540	1474	1594	1.2	1.21		
4276	BOREWELL NEAR GRAMPANCHYAT OFFICE, KHAZIPALLY VILLAGE, SANGAREDDY DISTRICT	TELANGANA	29	29	7.32	7.89	1534	2377			16.11	37.13					906	1426	0.21	0.24	0.00049	0.00049
4279	BOREWELL NEAR M/S. AUROBINDO PHARMA UNIT -I, GATE 1 BORAPATLA (V), HATNOORA (M), SANGAREDDY DISTRICT	TELANGANA	24	25	7.12	7.29	1235	1402	1	1	14.12	17.16					680	841	0.4	0.4	0.00049	0.00049
4282	BOREWELL NEAR AARLA BAVI (V) (AGRICULTURAL FIELD), POCHAMPALLY MANDAL, YADADRI BHUVANAGIR DISTRICT	TELANGANA	24	24	7.88	8.02	1305	1380			17.13	17.16					814	848	0.2	0.21	0.00049	0.00049
4284	BOREWELL NEAR MALKAPUR LAKE, MALKAPUR VILLAGE (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL, NALGONDA	TELANGANA	24	24	7.45	7.62	1794	1925			19.14	24.12					990	1251	0.21	0.24	0.00049	0.00049
4285	BOREWELL NEAR PEDDAKONDUR VILLAGE (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL, NALGONDA	TELANGANA	23	23	6.93	7.23	2125	2346			12.23	14.23	1.8	1.8	1.8	1.8	1179	1414	0.29	0.32	0.00049	0.00049
4286	BOREWELL NEAR ANKIREDDIGUDEM VILLAGE (AGRICULTURAL FIELD), CHOUTUPPAL MANDAL, NALGONDA	TELANGANA	23	23	6.9	7.41	2496	2654			24.25	26.26	1.8	1.8	1.8	1.8	1373	1619	0.25	0.31	0.00049	0.00049
4287	BOREWELL NEAR LINGAREDDYGUDEM VILLAGE (BESIDE CHOUTUPPAL-VALIGONDA ROAD), CHOUTUPPAL MANDAL, NALGONDA	TELANGANA	23	23	8.21	8.21	1296	1296			24.16	24.16					842	842	0.27	0.27	0.00049	0.00049
4288	BOREWELL NEAR NAGARAM CHERUVU, DEVALAMMA NAGARAM VILLAGE, NALGONDA	TELANGANA	22	22	7.4	8.43	928	1602			6.15	12.23					548	1041	0.21	0.24	0.00049	0.00049
4289	BOREWELL NEAR PITTAM PALLE VILLAGE (OPEN LAND BESIDE VILLAGE ROAD), CHITYAL MANDAL, NALGONDA	TELANGANA	24	24	8.02	8.02	1211	1211			13.22	13.22					787	787	0.31	0.31	0.00049	0.00049
4290	BOREWELL NEAR PEDDAKAPARTHI VILLAGE (OPEN LAND BESIDE VILLAGE ROAD), CHITYAL MANDAL , NALGONDA	TELANGANA	23	23	7.87	8.09	2031	2253			24.2	26.19					1198	1374	0.26	0.3	0.00049	0.00049
5493	Bore well in mallapur IALA office, Mallapur, Rangareddy, dist.	TELANGANA	25	28	7.13	7.29	447	2090			0	6.2	1.8	1.8	26	26	278	1316	1.34	1.36		
5494	Bore well in Nacharam IALA office, Nacharam, Rangareddy, dist.	TELANGANA	25	28	7.12	7.28	766	820			0	9.4	1.8	1.8	32	32	474	498	1.03	1.1		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
5495	Bore well in Uppal IALA office, Uppal, Rangareddy, dist.	TELANGANA	25	29	7.02	7.23	1698	1848			0	8.4	1.8	1.8	21	21	1018	1164	1.23	1.28		
5496	Bore well at Malkaram, Jawaharnagar (V), Shameerpet (M), Medchal dist.	TELANGANA	28	28	7.32	7.32	1110	1110			0	0	1.8	1.8			698	698	0.98	0.98		

Water Quality Data of Ground Water in Tripura Monitored under NWMP-2024																						
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1405	WELL AT UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	26	27	6.05	6.29	98	101	1	1	0.64	0.74	1.8	1.8	1.8	1.8	56	62	0.2	0.2	0.00049	0.00049
1406	WELL AROUND UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	26	27	5.63	5.99	119	123	1	1	0.57	0.7	1.8	1.8	1.8	1.8	68	72	0.2	0.2	0.00049	0.00049
1730	KUNJBAN, AGARTALA, TRIPURA	TRIPURA	29	30	6.59	6.69	99	113	1	1	0.44	0.6	1.8	1.8	1.8	1.8	56	58	0.2	0.2	0.00049	0.00049
1731	LANKAMURA, TRIPURA	TRIPURA	28.5	30	6.39	6.55	90	978	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	54	0.2	0.2	0.00049	0.00049
1732	A.D.NAGAR, AGARTALA, TRIPURA	TRIPURA	28.5	30	6.09	6.22	121	144	1	1	0.32	0.32	1.8	1.8	1.8	1.8	74	82	0.2	0.2	0.00049	0.00049
1733	SHIBNAGAR, AGARTALA, TRIPURA	TRIPURA	28.5	30	6.29	6.48	125	141	1	1	0.32	0.32	1.8	1.8	1.8	1.8	74	78	0.2	0.2	0.00049	0.00049
1734	GANDHIGRAM, AGARTALA, TRIPURA	TRIPURA	28	30	6.39	6.41	129	137	1	1	0.32	0.32	1.8	1.8	1.8	1.8	74	76	0.2	0.2	0.00049	0.00049
3423	TUBE WELL AT HAPANIA, WEST TRIPURA	TRIPURA	25	25.5	6.51	6.79	79	96	1	1	0.32	0.32	1.8	1.8	1.8	1.8	44	52	0.2	0.2	0.00049	0.00049
3424	TUBE WELL AT NAGICHERRA, WEST TRIPURA	TRIPURA	25	25	6.29	6.65	88	913	1	1	0.32	0.32	1.8	1.8	1.8	1.8	48	50	0.2	0.2	0.00049	0.00049
3425	TUBE WELL AT BODHJUNG NAGAR, WEST TRIPURA	TRIPURA	25	25.5	6.18	6.39	106	115	1	1.1	0.32	0.32	1.8	1.8	1.8	1.8	60	66	0.2	0.2	0.00049	0.00049
3426	TUBE WELL AT B.C.MANU, SOUTH TRIPURA	TRIPURA	25	25	6.19	6.28	108	111	1	1	0.32	0.32	1.8	1.8	1.8	1.8	58	60	0.2	0.2	0.00049	0.00049
3427	TUBE WELL AT SHANTIR BAZAR, SOUTH TRIPURA	TRIPURA	25	25	6.39	6.45	81	936	1	1	0.32	0.32	1.8	1.8	1.8	1.8	44	52	0.2	0.2	0.00049	0.00049
3428	TUBE WELL AT BAGAFA, SOUTH TRIPURA	TRIPURA	25	25	6.22	6.41	82	96	1	1	0.32	0.32	1.8	1.8	1.8	1.8	46	54	0.2	0.2		
3430	TUBE WELL AT JAWAHANAGAR, DHALAI	TRIPURA	25	25	6.37	6.54	91	998	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	58	0.2	0.2		
3431	TUBE WELL AT KULAI, DHALAI	TRIPURA	25	25	6.45	6.61	88	102	1	1	0.32	0.32	1.8	1.8	1.8	1.8	46	58	0.2	0.2	0.00049	0.00049
3432	TUBE WELL AT CHURAIBARI (INTERSTATE BOUNDRY), NORTH TRIPURA	TRIPURA	25	25	6.21	6.39	97	108	1	1	0.32	0.32	1.8	1.8	1.8	1.8	48	54	0.2	0.2		
3433	TUBE WELL AT KAMESWAR, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	25.5	25.5	6.64	6.78	104	118	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	58	0.2	0.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3434	TUBE WELL AT KUMARGHAT, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	25	25.5	6.51	6.71	101	115	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	58	0.2	0.2		
3435	TUBE WELL AT GOUR NAGAR, NORTH TRIPURA	TRIPURA	25	25	6.52	6.79	89	92	1	1	0.32	0.32	1.8	1.8	1.8	1.8	48	52	0.2	0.2	0.00049	0.00049
3436	TUBE WELL AT KAILASHAHAR, NORTH TRIPURA	TRIPURA	25	25	6.09	6.26	83	91	1	1	0.32	0.32	1.8	1.8	1.8	1.8	46	52	0.2	0.2	0.00049	0.00049
4185	TUBE WELL AT JIRANIA	TRIPURA	26.5	27	5.79	5.81	121	134	1	1	0.32	0.32	1.8	1.8	1.8	1.8	68	70	0.2	0.2	0.00049	0.00049
4186	TUBE WELL AT DUKLI INDUSTRIAL AREA	TRIPURA	26.5	27	5.89	6.02	120	131	1	1	0.32	0.32	1.8	1.8	1.8	1.8	64	68	0.2	0.2	0.00049	0.00049
4187	TUBE WELL AT BADHARGHAT	TRIPURA	26.5	27	6.19	6.21	118	127	1	1	0.32	0.32	1.8	1.8	1.8	1.8	64	68	0.2	0.2	0.00049	0.00049
4188	TUBE WELL AT ARUNDHATI NAGAR	TRIPURA	26.5	27	6.27	6.36	109	125	1	1	0.32	0.32	1.8	1.8	1.8	1.8	60	66	0.2	0.2	0.00049	0.00049
4189	TUBE WELL AT NANADANNAGAR	TRIPURA	26	27	6.14	6.31	99	108	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	58	0.2	0.2	0.00049	0.00049
4190	TUBE WELL AT DEBENDRA CHANDRA NAGAR	TRIPURA	27	28.5	5.77	5.89	115	124	1	1	0.32	0.32	1.8	1.8	1.8	1.8	66	68	0.2	0.2	0.00049	0.00049
4191	TUBE WELL AT SURYAMONI NAGAR	TRIPURA	27	28.5	6.24	6.29	101	130	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	64	0.2	0.2	0.00049	0.00049
4200	TUBE WELL AT BISHALGARH	TRIPURA	27	28	5.94	6.18	101	113	1	1	0.32	0.32	1.8	1.8	1.8	1.8	58	62	0.2	0.2	0.00049	0.00049
4201	TUBE WELL AT SONAMURA	TRIPURA	27	28	5.61	5.79	103	108	1	1	0.32	0.32	1.8	1.8	1.8	1.8	58	60	0.2	0.2		
4202	TUBE WELL AT BISHRAMGANJ	TRIPURA	27	28	6.09	6.18	106	121	1	1	0.32	0.32	1.8	1.8	1.8	1.8	58	68	0.2	0.2	0.00049	0.00049
4203	TUBE WELL AT KARBOOK	TRIPURA	27	28	5.69	5.97	107	116	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	60	0.2	0.2	0.00049	0.00049
4204	TUBE WELL AT AMARPUR	TRIPURA	27	27.5	5.21	5.61	101	108	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	56	0.2	0.2	0.00049	0.00049
4205	TUBE WELL AT AMAR SAGAR, UDAIPUR	TRIPURA	27	28.5	6.41	6.71	105	118	1	1	0.32	0.32	1.8	1.8	1.8	1.8	54	58	0.2	0.2	0.00049	0.00049
4206	TUBE WELL AT DHANI SAGAR, UDAIPUR	TRIPURA	27	28.5	6.41	6.58	101	111	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	54	0.2	0.2	0.00049	0.00049
4207	TUBE WELL AT SABROOM	TRIPURA	27	28	6.29	6.35	105	119	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	58	0.2	0.2	0.00049	0.00049
4208	TUBE WELL AT JOLAIBARI	TRIPURA	27	28	6.01	6.23	98	108	1	1	0.32	0.32	1.8	1.8	1.8	1.8	54	56	0.2	0.2	0.00049	0.00049
4209	TUBE WELL AT BELONIA	TRIPURA	27	28	5.97	6.11	91	106	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	56	0.2	0.2	0.00049	0.00049
4210	TUBE WELL AT AMBASSA	TRIPURA	26	27	5.7	5.98	94	113	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	58	0.2	0.2	0.00049	0.00049
4211	TUBE WELL AT KAMALPUR	TRIPURA	26.5	27.5	6.34	6.55	96	118	1	1	0.32	0.32	1.8	1.8	1.8	1.8	58	60	0.2	0.2	0.00049	0.00049
4213	TUBE WELL AT TELIAMURA	TRIPURA	27.5	27.5	6.48	6.48	101	101	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	56	0.2	0.2	0.00049	0.00049
4214	TUBE WELL AT KHOWAI	TRIPURA	26.5	27	6.56	6.61	102	118	1	1	0.32	0.32	1.8	1.8	1.8	1.8	56	60	0.2	0.2	0.00049	0.00049
4215	TUBE WELL AT DHARMANAGAR	TRIPURA	26.5	27	6.28	6.39	143	157	1	1	0.32	0.32	1.8	1.8	1.8	1.8	78	82	0.2	0.2	0.00049	0.00049
4216	TUBE WELL AT DAMCHERRA	TRIPURA	26	26	6.39	6.86	105	135	1	1	0.32	0.32	1.8	1.8	1.8	1.8	60	66	0.2	0.2	0.00049	0.00049
4217	TUBE WELL AT KANCHANPUR	TRIPURA	26	26	6.19	6.36	101	125	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	62	0.2	0.2	0.00049	0.00049
4218	TUBE WELL AT PANISAGAR	TRIPURA	26	26.5	6.05	6.23	98	111	1	1	0.32	0.32	1.8	1.8	1.8	1.8	54	58	0.2	0.2	0.00049	0.00049
4636	TUBE WELL AT BISHALGARH	TRIPURA	26.5	27	6.59	6.71	108	119	1	1	0.32	0.32	1.8	1.8	1.8	1.8	66	68	0.2	0.2	0.00049	0.00049
4637	TUBE WELL AT RAJNAGAR	TRIPURA	27	27	6.44	6.59	118	128	1	1	0.32	0.32	1.8	1.8	1.8	1.8	68	68	0.2	0.2	0.00049	0.00049
4638	TUBE WELL AT CHAMPAKNAGAR	TRIPURA	26.5	27	6.59	6.84	115	123	1	1	0.32	0.32	1.8	1.8	1.8	1.8	66	68	0.2	0.2	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4639	TUBE WELL AT RANIRBAZAR	TRIPURA	27	27	6.36	6.63	108	129	1	1	0.32	0.32	1.8	1.8	1.8	1.8	60	68	0.2	0.2	0.00049	0.00049
4641	TUBE WELL AT MELAGHAR	TRIPURA	26.5	27	5.52	5.79	105	119	1	1	0.32	0.32	1.8	1.8	1.8	1.8	54	62	0.2	0.2	0.00049	0.00049
4647	TUBE WELL AT MANUBAZAR	TRIPURA	26	26.5	6.37	6.73	118	996	1	1	0.32	0.32	1.8	1.8	1.8	1.8	52	58	0.2	0.2	0.00049	0.00049
4648	TUBE WELL AT KALADEPHA MANU	TRIPURA	26.5	26.5	6.22	6.29	96	96	1	1	0.32	0.32	1.8	1.8	1.8	1.8	50	52	0.2	0.2	0.00049	0.00049
4651	TUBE WELL AT CHAKMAGHAT, TELIAMURA	TRIPURA	26	26.5	6.35	6.48	112	124	1	1	0.32	0.32	1.8	1.8	1.8	1.8	58	64	0.2	0.2	0.00049	0.00049
4652	TUBE WELL AT TELIAMURA MARKET	TRIPURA	26.5	27	6.08	6.15	112	996	1	1	0.32	0.32	1.8	1.8	1.8	1.8	54	60	0.2	0.2	0.00049	0.00049
4653	TUBE WELL AT PECHARTHAL	TRIPURA	26	26.5	6.21	6.31	105	111	1	1	0.32	0.32	1.8	1.8	1.8	1.8	54	58	0.2	0.2	0.00049	0.00049

Water Quality Data of Ground Water in Uttar Pradesh Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1736	GROUND WATER QUALITY STATION SARDARNAGAR, GORAKHPUR,U.P	UTTAR PRADESH	18	20	6.78	6.78	668	672	5.1	5.6	0	0					362	370				
1737	GROUND WATER QUALITY STATION CAPTANGANJ, KHUSHINAGAR,U.P	UTTAR PRADESH	18	20	6.68	6.78	672	672	5.2	5.2	0	0					406	416				
1738	SITE 1, INDUSTRIAL AREA NEAR ELECTRIC CONVERTOR REPAIRING WORKSHOP,THANA-DAHI UNNAO	UTTAR PRADESH	26	26	7.42	7.74	280	788	1	1	0.3	0.3	1.8	1.8	1.8	4	174	498	0.2	0.31	0.00049	0.00049
1739	SITE 2, INDUSTRIAL AREA NEAR M/S JAIJAGDAMBA METALOYS UNNAO, U.P	UTTAR PRADESH	27	27	7.48	7.6	516	742	1	1	0.3	0.3	1.8	1700	1.8	2600	326	472	0.4	458	0.00049	0.00049
1740	AT ROADWAYS BUS STATION, UNNAO, U.P	UTTAR PRADESH	27	27	7.38	7.62	440	440	1	1	0.3	0.3	1.8	1.8	1.8	1.8	278	526	0.2	0.32	0.00049	0.00049
1741	MAGAWARA INDUSTRIAL AREA NEAR ORIENTAL PALACE UNNAO, U.P	UTTAR PRADESH	19	28	7.48	7.61	637	637	1	1	0.3	0.3	1.8	1.8	1.8	1.8	398	640	0.2	0.2	0.00049	0.00049
1742	CHINHAT INDUSTRIAL AREA IN LUCKNOW NEAR M/S INDIA PESTICIDES LUCKNOW, U.P	UTTAR PRADESH			7.25	7.25	714	714	1	1	1.24	1.24	1.8	1.8	1.8	1.8	428	428	0.52	0.52	0.00049	0.00049
1743	AISHBAGH INDUSTRIAL AREA AT LUCKNOW NEAR M/S EVEREADY INDUSTRIES LTD. LUCKNOW, U.P	UTTAR PRADESH			7.65	7.65	762	762	1	1	1.22	1.22	1.8	1.8	1.8	1.8	457	457	0.5	0.5	0.003	0.003
1746	NAGAR PALIKA TUBE WELL, SULTANPUR, U.P	UTTAR PRADESH	19	25	7.91	7.98	891	897			0.3	0.3	1.8	1.8	1.8	1.8	426	442	0.6	0.62		
1747	INDIA MARKA HAND PUMP IN SAROWNI BLOCK AT RAIBAREILLY, U.P	UTTAR PRADESH	19	24	8.11	8.19	974	981			0.3	0.3	1.8	1.8	1.8	1.8	520	528	0.82	0.88		
1749	TUBE WELL AT MEERUT CITY, U.P	UTTAR PRADESH	14	15	7.28	7.32	460	480			1	1					288	310	0.2	0.3		
1750	TUBE WELL AT BAGPAT CITY, U.P	UTTAR PRADESH	14	16	7.32	7.36	560	580			1	1.1					350	368	0.2	0.2		

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1751	TUBE WELL IN INDUSTRIAL AREA AT GAJRAULA, AMROHA, U.P	UTTAR PRADESH			7.78	7.87	516	536	1	1	0	0					330	345			0.01	0.01
1752	SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P	UTTAR PRADESH	20	27	6.88	7	2400	3020	1.5	1.5	0.54	0.55	1.8	1.8	1.8	1.8	1959	2070	0.2	0.2		
1753	MEERUT ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	21	27	6.95	7.1	1515	2210	1	1	0.33	0.34	1.8	1.8	1.8	1.8	1311	1439	0.2	0.2		
1754	HAPUR ROAD INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	21	27	7.12	7.35	1092	1265	1	1	0.3	0.3	1.8	1.8	1.8	1.8	772	821	0.2	0.2		
1755	PILKHUA INDUSTRIAL AREA GHAZIABAD, U.P	UTTAR PRADESH	20	27	7	7.35	1120	1285	1	1	0.3	0.3	1.8	1.8	1.8	1.8	772	821	0.2	0.2		
1756	GOPIGANJ INDUSTRIAL AREA BHADOHI, VARANASI, U.P	UTTAR PRADESH	26	26.5	7.28	7.84	783	928			0	0					480	556			0.00049	0.00049
1758	GROUND AROUND STP DINAPUR, VARANASI, U.P	UTTAR PRADESH	26.5	27	7.22	8.04	624	710			0	0					388	428			0.00049	0.00049
1759	IFFCO, PHOOLPUR, PRAYAGRAJ ,U.P	UTTAR PRADESH	24.8	25.1	6.96	7.12	1185	1373	1	1	1.67	2.1	1.8	1.8	1.8	1.8	487	515	0.41	0.48	0.00049	0.00049
2467	CHANDPUR INDUSTRIAL AREA, LAHARTARA, VARANASI	UTTAR PRADESH	26.5	27	7.14	7.81	663	714			0	0					402	430			0.00049	0.00049
2468	BHADOHI INDUSTRIAL AREA, DEVELOPMENT AUTHORITY, SANT RAVIDAS NAGAR	UTTAR PRADESH	26	27	7.23	7.92	812	1057			0	0					496	635			0.00049	0.00049
2469	AT INDUSTRIAL AREA. NAINI, ALLAHABAD	UTTAR PRADESH	24.8	25.1	6.75	7.01	1256	1276	1	1	1.27	1.28	1.8	1.8	1.8	1.8	328	365	0.46	0.49	0.00049	0.00049
2470	AT INDUSTRIAL AREA, FATEHPUR	UTTAR PRADESH	24.9	25.1	6.89	6.89	1674	1705	1	1	1.09	1.22	1.8	1.8	1.8	1.8	438	475	0.46	0.53	0.00049	0.00049
2471	GORAKHPUR INDUSTRIAL DEVELOPMENT AUTHORITY AREA (GIDA), GORAKHPUR	UTTAR PRADESH	18	20	6.72	6.88	598	602	4.8	4.8	0	0					278	278				
2472	VILLAGE DAURALA, MEERUT	UTTAR PRADESH	14	16	7.38	7.42	460	510			0	1.1					300	326	0.4	0.5		
2473	KHEKRA, BAGHPAT	UTTAR PRADESH	15	15	7.38	7.41	600	620			1.2	1.5					360	384	0.2	0.2		
2474	UNCHAHAAR (NEAR THERMAL POWER PLANT)	UTTAR PRADESH	18	24	8.02	8.04	997	1013			0.3	0.3	1.8	1.8	1.8	1.8	574	588	0.68	0.7		
2475	INDUSTRIAL AREA, SULTANPUR ROAD	UTTAR PRADESH	19	23	7.98	8.1	1021	1042			0.3	0.3	1.8	1.8	1.8	1.8	592	618	0.78	0.8		
2478	DEVA ROAD, INDUSTRIAL AREA, CHAINHAT, LKO NEAR UPTRON POLICE CHOWKI, LUCKNOW	UTTAR PRADESH			7.58	7.58	548	548	1	1	1.46	1.46	1.8	1.8	1.8	1.8	352	352	0.58	0.58	0.004	0.004
2479	NEAR M/S KUMAR INTER NATIONAL LAKDI FAZALPUR, DELHI ROAD, MORADABAD	UTTAR PRADESH	18	19	6.94	7.12	482	710			0	0					210	280			0.053	0.053
2480	NEAR BRAHMAN MAJRA, PILKHANI	UTTAR PRADESH	22	22	7.3	7.3	260	260			0	0					186	186				
2481	NEAR PEER BEGRAJ INDUSTRIAL AREA, MUZAFFARNAGAR	UTTAR PRADESH	23.1	23.2	7.5	7.6	480	484	1	1	0	0					364	366			0.0023	0.0023

Water Quality Data of Ground Water in Uttarakhand Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1748	HANDPUMP IN VILLAGE DAMAUDA AT KASHIPUR NEAR M/S INDIA GLYCOLES LTD.	UTTARAKHAND	26	27	7.45	7.93	330	337			0.6	0.81	1.8	1.8	1.8	1.8	195	219	0.58	0.72	0.00049	0.00049
3440	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 1,US NAGAR	UTTARAKHAND	26	27	6.77	7.69	354	823			0.33	0.78	1.8	1.8	1.8	1.8	228	498	0.44	0.73	0.00049	0.00049
3441	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 2,US NAGAR	UTTARAKHAND	26	27	7.04	7.2	850	905			0.32	0.65	1.8	1.8	1.8	1.8	542	543	0.42	0.64	0.00049	0.00049
3442	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 1,US NAGAR	UTTARAKHAND	25	26	7.14	7.82	422	428			0.32	0.71	1.8	1.8	1.8	1.8	258	271	0.39	0.51	0.00049	0.00049
3443	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 2,US NAGAR	UTTARAKHAND	26	27	7.17	7.73	381	389			0.94	1.69	1.8	1.8	1.8	1.8	228	246	0.58	0.79	0.00049	0.00049
3444	GROUND WATER AT SANTIPURI KICHHA-1,US NAGAR	UTTARAKHAND	26	27	6.98	7.6	419	512			0.8	1.65	1.8	1.8	1.8	1.8	251	332	0.54	0.71	0.00049	0.00049
3445	GROUND WATER AT SANTIPURI KICHHA-2,US NAGAR	UTTARAKHAND	26	26	7.36	7.87	348	356			0.89	1.52	1.8	1.8	1.8	1.8	210	229	0.46	0.55	0.00049	0.00049
3446	GROUND WATER AT KASHIPUR MORADABAD ROAD- 1,US NAGAR	UTTARAKHAND	26	27	7.04	7.85	905	945			0.32	0.69	1.8	1.8	1.8	1.8	543	610	0.42	0.56	0.00049	0.00049
3447	GROUND WATER AT KASHIPUR MORADABAD ROAD- 2,US NAGAR	UTTARAKHAND	26	26	7.48	7.77	582	591			0.32	0.68	1.8	1.8	1.8	1.8	352	379	0.48	0.71	0.00049	0.00049
3448	GROUND WATER AT KASHIPUR BAZPUR ROAD- 1,US NAGAR	UTTARAKHAND	26	28	7.1	7.53	636	642			0.53	0.96	1.8	1.8	1.8	1.8	390	404	0.32	0.4	0.00049	0.00049
3449	HAND PUMP NEAR KENDRIYA VIDYALAYA, BAZPUR ROAD KASHIPUR,US NAGAR	UTTARAKHAND	25	27	7.37	7.98	387	404			0.44	0.92	1.8	1.8	1.8	1.8	235	262	0.51	0.68	0.00049	0.00049
3450	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 1, ROSHANABAD COLLECTORATE, HARIDWAR	UTTARAKHAND	22.5	23.9	7.16	7.46	310	362			0.41	0.44	1.8	1.8	1.8	1.8	198	238	0.2	0.32	0.00049	0.00049
3451	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 2, SALEEMPUR CHOWK,ROORKEE,HARIDWAR	UTTARAKHAND	23.5	24.3	7.18	7.22	322	379			0.48	0.63	1.8	1.8	1.8	1.8	206	251	0.23	0.29	0.00049	0.00049
3452	GROUND WATER AT RAMNAGAR INDUSTRIAL AREA-1,ROORKEE ,HARIDWAR	UTTARAKHAND	23.4	23.4	7.14	7.36	284	292			0.36	0.4	1.8	1.8	1.8	1.8	186	186	0.24	0.26	0.00049	0.00049
3453	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 2, SIKANDERPUR, LAKHESWARI, ROORKEE, HARIDWAR	UTTARAKHAND	22.5	23.2	7.1	7.66	300	312			0.5	0.5	1.8	1.8	1.8	1.8	198	199	0.2	0.25	0.00049	0.00049
3454	GROUND WATER AT ROORKEE INDUSTRIAL AREA- 1, CHC BHAGWANPUR,HARIDWAR	UTTARAKHAND	22.8	23.6	7.21	7.3	329	336			0.41	0.53	1.8	1.8	1.8	1.8	210	218	0.3	0.4	0.00049	0.00049
3455	GROUND WATER AT ROORKEE INDUSTRIAL AREA- 2, SUNEHRA	UTTARAKHAND	22.8	23	6.97	7.12	312	340			0.36	0.39	1.8	1.8	1.8	1.8	199	226	0.24	0.29	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
3456	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 1, DEHRADUN	UTTARAKHAND	20	21	6.59	6.89	196	240			0.32	0.32	1.8	1.8	1.8	1.8	120	157	0.25	0.28	0.00049	0.00049
3457	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 2, DEHRADUN	UTTARAKHAND	21	22	6.6	6.96	93	143			0.32	0.32	1.8	1.8	1.8	1.8	56	85	0.24	0.26	0.00049	0.00049

Water Quality Data of Ground Water in West Bengal Monitored under NWMP-2024

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1766	MINE PIT WATER ASSANSOL, WEST BENGAL	WEST BENGAL	27	28	7.2	7.34	1479	1760	1	1	0.3	6.66	1.8	1.8	1.8	1.8	612	1004	0.2	0.44	0.009	0.009
1767	DURGAPUR TOWN, NEAR IISCO, BURDWAN, WEST BENGAL	WEST BENGAL	27	28	7.32	7.75	1023	1024	1	1	0.68	8.58	1.8	1.8	1.8	1.8	480	558	0.38	0.42	0.005	0.005
1768	DURGAPUR TOWN, BURDWAN, WEST BENGAL	WEST BENGAL	28	28	6.72	6.76	1290	1450	1	1	0.3	1.05	1.8	1.8	2.2	4	604	632	0.34	0.46	0.00049	0.00049
1769	INSIDE HINDUSTAN LIVER FACTORY, HALDIA, WEST BENGAL	WEST BENGAL	32	34	7.4	7.54	1326	1721	1	1	0.3	1.58	1.8	1.8	1.8	1.8	584	1224	0.2	0.28	0.00049	0.00049
1770	NEAR IOC REFINERY HALDIA, WEST BENGAL	WEST BENGAL	29	31	7.4	7.55	1845	2756	1	1	0.3	0.48	1.8	1.8	1.8	1.8	1422	1628	0.2	0.27	0.00049	0.00049
1771	KALYANI INDUSTRIAL AREA, NADIA, WEST BENGAL	WEST BENGAL	28.5	29	7.4	7.62	622	805	1	1	0.3	0.74	1.8	1.8	1.8	4.5	346	388	0.2	0.3	0.00049	0.00049
1772	BARSAT MUNICIPALITY NORTH 24-P, WEST BENGAL	WEST BENGAL	29	29	7.81	7.88	1046	1049	1	1	0.3	2.38	1.8	1.8	1.8	1.8	482	540	0.2	0.2	0.00049	0.007
1773	TANGRA, CALCUTTA , WEST BENGAL	WEST BENGAL	24	25	7.08	7.1	1749	3664	1	1	0.38	0.52	1.8	1.8	1.8	1.8	550	2982	0.32	0.34	0.00049	0.00049
1774	TOPSIA CALCUTTA, WEST BENGAL	WEST BENGAL	25	33	7.59	7.6	1687	1921	1	1	0.3	0.3	1.8	6.8	1.8	33	1490	1598	0.29	0.31	0.00049	0.00049
1776	GARIA CALCUTTA, WEST BENGAL	WEST BENGAL	25	32	7.55	7.65	971	1781	1	1	0.3	0.3	1.8	2	1.8	23	580	1072	0.61	0.69	0.00049	0.00049
1777	BEHALA CALCUTTA, WEST BENGAL	WEST BENGAL	25	32	7.24	7.46	897	1213	1	1	0.3	2.43	1.8	1.8	1.8	1.8	548	824	0.3	0.4	0.00049	0.00049
1778	DOMJUR HOWRAH, WEST BENGAL	WEST BENGAL	20	23	7.07	7.36	710	732	1	1	0.3	2.75	1.8	1.8	1.8	1.8	400	462	0.27	0.29	0.00049	0.00049
1779	DANKUNI (NEAR COAL COMPLEX), WEST BENGAL	WEST BENGAL	26	28	7.41	7.42	933	1228	1	1	0.3	0.38	1.8	2	1.8	4	464	606	0.2	0.53	0.00049	0.007
1813	RISHRA, WEST BENGAL	WEST BENGAL	28	28	7.28	7.42	791	845	1	1	0.3	2.63	1.8	1.8	1.8	1.8	390	406	0.2	0.28	0.00049	0.00049
1932	CENTRAL KOLKATA	WEST BENGAL	24	25	7.38	7.59	763	1150	1	1	0.3	0.54	1.8	1.8	1.8	1.8	466	690	0.51	0.66	0.00049	0.00049
1933	NEAR GALVANISATION UNIT, HOWRAH	WEST BENGAL	26	28	7.26	7.59	673	1103	1	1	0.62	1.14	1.8	11	13	33	326	932	0.33	0.35	0.00049	0.00049
1934	CENTRAL HOWRAH-RESIDENTAIL AREA	WEST BENGAL	24	26	7.34	7.44	417	2148	1	1	0.64	0.86	1.8	1.8	1.8	1.8	240	1444	0.32	0.44	0.00049	0.00049
1935	INSIDE KOLKATA LEATHER COMPLEX	WEST BENGAL	25	31	6.98	7.45	1301	1481	1	1	0.3	0.3	1.8	1.8	1.8	13	1014	1168	0.33	0.39	0.00049	0.00049
1936	RESIDENTIAL AREA - SONARPUR	WEST BENGAL	25	33	7.15	7.29	1252	1344	1	1	0.3	0.3	1.8	1.8	1.8	1.8	776	882	0.24	0.25	0.00049	0.00049
1937	RAJARHAT - NEW TOWNSHIP	WEST BENGAL	25	25	7.25	7.25	2108	2108	1.2	1.2	0.42	0.42	1.8	1.8	13	13	1160	1160	0.47	0.47	0.00049	0.00049
1938	BSIRHAT MUNICIPALITY	WEST BENGAL	28	30	7.61	8.34	1729	1776	1	1	0.3	0.3	2	4.5	4	7.8	792	840	0.2	0.2	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
1939	BARRAKPORE MUNICIPALITY	WEST BENGAL	26	29	7.66	8.02	392	504	1	1	0.47	2.47	1.8	1.8	1.8	1.8	212	220	0.2	0.42	0.00049	0.00049
1940	NEAR THE PHOSPHATE COMPANY- RISHRA	WEST BENGAL	28.5	29	7.44	7.59	1103	1195	1	1	0.3	2.98	1.8	1.8	1.8	1.8	462	510	0.2	0.5	0.00049	0.00049
1941	NEAR FLY ASH DUMPING SITE- KUNTIGHAT, BANDEL	WEST BENGAL	28	28.5	7.45	7.83	444	544	1	1	0.3	0.33	1.8	1.8	1.8	4.5	208	260	0.2	0.2	0.00049	0.00049
1942	NEAR EXIDE INDUSTRIES-HALDIA	WEST BENGAL	30	32	7.31	7.5	1405	1552	1	1	0.4	0.42	1.8	1.8	1.8	1.8	730	984	0.2	0.29	0.00049	0.00049
1943	INSIDE TATA METALIKS, KHARAGPUR	WEST BENGAL	27	31	7.3	7.57	571	627	1	1	0.3	0.3	1.8	1.8	1.8	1.8	268	322	0.2	0.22	0.00049	0.00049
1944	KHARAGPUR INDUSTRIAL AREA	WEST BENGAL	28	32	6.1	6.2	262	287	1	1	0.65	1.74	1.8	1.8	1.8	1.8	72	92	0.2	0.2	0.00049	0.00049
1945	ENGLISH BAZAR- MALDAH	WEST BENGAL	27	32	7.21	7.69	1274	1832	1	1	0.3	2.01	2	2	4.5	7.8	528	860	0.22	0.3	0.00049	0.00049
2510	GEOKHALI BUNGLOW MIDNAPUR-EAST	WEST BENGAL	27	30	7.6	7.92	1137	1171	1	1	0.3	2.22	1.8	1.8	1.8	1.8	640	758	0.2	0.31	0.00049	0.00049
2515	SDO OFFICE, RANAGHAT	WEST BENGAL	28	28	7.65	7.98	1018	1614	1	1	0.31	2.31	1.8	1.8	1.8	1.8	530	766	0.2	0.24	0.00049	0.008
2516	SDO OFFICE, KRISHNANAGAR	WEST BENGAL	28	29	7.06	7.24	835	1024	1	1	0.3	1.3	1.8	1.8	1.8	2	410	504	0.2	0.2	0.00049	0.00049
2526	FULBARI BARRAGE	WEST BENGAL	24	27	6.39	7.14	140	145	1	1	0.67	0.97	1.8	1.8	1.8	1.8	80	80	0.2	0.2	0.00049	0.00049
2528	GROUND WATER POINT INSIDE BURDWAN UNIVERSITY	WEST BENGAL	23	29	7.02	8.1	762	1521	1	1	0.53	7.8	1.8	1.8	1.8	2	252	876	0.26	0.55	0.00049	0.00049
2529	GROUND WATER POINT NEAR BURDWAN STATION	WEST BENGAL	22	29	7.1	7.66	1317	1678	1	1	0.56	10.33	1.8	1.8	1.8	1.8	674	840	0.32	0.4	0.01	0.01
2530	HOT SPRING AT BAKRESHWAR	WEST BENGAL	64	66	9.4	9.56	706	811	1	1	0.3	0.59	1.8	1.8	1.8	1.8	352	414	8.15	10.4	0.009	0.009
2533	SURI TOWN NEAR BUS STAND	WEST BENGAL	28	33	6.8	7.4	835	1036	1	1	0.3	0.83	1.8	1.8	1.8	1.8	556	586	0.3	0.35	0.006	0.006
2535	VISVA BHARATI	WEST BENGAL	28	28	7.2	7.2	487	487	1	1	0.3	0.3	1.8	1.8	1.8	1.8	354	354	0.21	0.21	0.00049	0.00049
2536	NALHATI RAILWAY STATION OF BIRBHUM	WEST BENGAL	27	28	6.84	7.16	972	1099	1	1	0.63	10.07	1.8	1.8	1.8	2	622	832	0.24	0.35	0.006	0.006
2537	BOLPUR NEAR RAILWAY STATION	WEST BENGAL	28	28	6.35	6.35	205	205	1	1	0.61	0.61	1.8	1.8	1.8	1.8	164	164	0.43	0.43		
2538	MOREGRAM CROSSING	WEST BENGAL	26	26	7.36	7.36	415	415	1	1	6.96	6.96	1.8	1.8	1.8	1.8	218	218	0.45	0.45		
2540	SATI GHAT AT BANKURA TOWN	WEST BENGAL	23	23	6.82	6.82	1318	1318	1	1	1.22	1.22	1.8	1.8	1.8	1.8	746	746	0.72	0.72		
2542	DWARIKA AT BISHNUPUR TOWN	WEST BENGAL	27	27	7.04	7.04	1313	1313	1	1	5.98	5.98	1.8	1.8	1.8	1.8	782	782	0.65	0.65		
2543	SDO OFFICE AT BISHNUPUR TOWN	WEST BENGAL	27.5	27.5	5.8	5.8	315	315	1	1	8.53	8.53	1.8	1.8	1.8	1.8	256	256	0.2	0.2		
2545	GROUND WATER POINT AT PURULIA RK MISSION	WEST BENGAL	23	23	6.68	6.68	1774	1774	1	1	4.15	4.15	1.8	1.8	1.8	1.8	1118	1118	0.41	0.41		
2546	ULUBERIA COLLEGE AT HOWRAH	WEST BENGAL	21	31	7.24	7.46	917	953	1	1	0.33	0.46	1.8	1.8	1.8	1.8	578	588	0.2	0.2	0.00049	0.00049
2547	AMTOLA ON DIAMOND HARBOUR ROAD, 24 PARGANAS (S)	WEST BENGAL	25	32	7.13	7.43	3109	3420	1	1	0.48	0.58	1.8	7.8	1.8	23	2010	2090	0.32	0.33	0.00049	0.00049
2548	HIDCO OFFICE, RAJARHAT	WEST BENGAL	25	30	7.35	7.4	1494	1584	1	1	0.4	0.46	4.5	13	33	49	756	984	0.31	0.33	0.00049	0.00049
4706	GROUND WATER AT KHARDAH	WEST BENGAL	26	28	7.79	7.86	1007	1176	1	1	0.3	0.41	1.8	1.8	1.8	1.8	522	542	0.44	0.62	0.00049	0.00049
4707	GROUND WATER AT NAIHATI	WEST BENGAL	29	29	6.62	7.39	320	544	1	1	0.3	1.46	1.8	1.8	1.8	1.8	176	256	0.2	0.4	0.00049	0.00049
4708	GROUND WATER AT BERHAMPORE	WEST BENGAL	26	28	7.14	7.34	959	1149	1	1	0.51	1.37	1.8	2	2	7.8	406	522	0.2	0.29	0.00049	0.00049
4709	GROUND WATER AT CHINSURA	WEST BENGAL	29	32	7.66	7.67	439	502	1	1	0.3	0.42	1.8	1.8	1.8	1.8	202	232	0.2	0.41	0.00049	0.00049

STN Code	Monitoring Location	State Name	Temperature (°C)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Total Dissolved Solids (mg/L)		Fluoride (mg/L)		Arsenic (mg/L)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
BIS IS 10500 : 2012 Drinking Water -Specification			-		6.5-8.5		-		-		< 45 mg/L		-		-		< 2000 mg/L		< 1.5 mg/L		< 0.05 mg/L	
4712	BORE WELL INSIDE M/S UNITED PHOSPHOROUS LIMITED	WEST BENGAL	31	32	7.1	7.56	1362	1701	1	1	0.3	0.55	1.8	1.8	1.8	1.8	782	806	0.2	0.27	0.00049	0.00049
4713	TUB WELL BESIDE GREEN BELT CANAL POINT NO.8	WEST BENGAL	28	33	7.3	7.48	1599	1950	1	1	0.31	0.69	1.8	1.8	1.8	1.8	846	1024	0.2	0.29	0.014	0.014
4714	GROUND WATER AT ANGADPUR ANGADPUR DURGAPUR	WEST BENGAL	28.5	28.5	6.7	6.7	832	832	1	1	2.49	2.49	1.8	1.8	1.8	1.8	542	542	0.69	0.69		
4715	GROUND WATER AT MUCHIPARA DURGAPUR	WEST BENGAL	28	28	5.49	5.49	305	305	1	1	6.67	6.67	1.8	1.8	1.8	1.8	260	260	0.2	0.2		
4716	GROUND WATER AT HURALALPUR, PURULIA	WEST BENGAL	24	24	7.06	7.06	1466	1466	1	1	3.31	3.31	1.8	1.8	2.2	2.2	824	824	0.52	0.52		
4721	GROUND WATER AT MATIGARA BAZAAR	WEST BENGAL	26	29	7.06	7.53	68	122	1	1.2	0.3	0.5	1.8	1.8	1.8	1.8	41	80	0.2	0.2	0.00049	0.00049
4726	GROUND WATER MIRIK DUGWELL	WEST BENGAL	18	18	7.06	7.25	231	325	1	1	0.86	4.13	1.8	1.8	1.8	1.8	80	266	0.3	0.32	0.00049	0.00049
4730	GROUND WATER (DUGWELL) AT HARISHPAL MORE	WEST BENGAL	27	29	6.91	7.15	387	573	1	1	1.97	3.07	1.8	1.8	1.8	1.8	200	320	0.2	0.23	0.00049	0.00049
4731	GROUNDWATER AT UTTARBANGA KRISHI VISHWAVIDYALAYA	WEST BENGAL	27	28	7.26	7.5	222	515	1	1	0.89	1.29	1.8	1.8	1.8	1.8	150	310	0.2	0.2	0.00049	0.00049
4732	GROUNDWATER AT ANANDA MOHAN COMMERCE COLLEGE	WEST BENGAL	25	28	6.85	7.3	170	285	1	1.4	1.5	8.7	1.8	1.8	1.8	1.8	103	189	0.22	0.35	0.00049	0.00049
4733	GROUNDWATER AT SUKNA FOREST RANGE	WEST BENGAL	25	28	6.92	7.52	120	184	1	1.5	0.3	0.3	1.8	1.8	1.8	1.8	58	83	0.2	0.2	0.004	0.004
4734	TUBE WELL INSIDE MAHISHADAL RAJBARI	WEST BENGAL	28	30	7.4	7.83	1011	1063	1	1	0.3	0.3	1.8	1.8	1.8	1.8	622	746	0.32	0.33	0.00049	0.00049
4735	TUBE WELL INSIDE MECHEDA BUS STAND	WEST BENGAL	20	28	7.2	7.29	871	871	1	1	0.3	2.13	1.8	1.8	1.8	1.8	422	428	0.2	0.32	0.00049	0.00049
4736	TUBE WELL AT OLD DIGHA	WEST BENGAL	28	28	7.3	7.72	1406	2024	1	1	0.71	1.32	1.8	1.8	1.8	1.8	746	1422	0.2	0.41	0.011	0.011
4737	GROUND WATER AT SHYAMPUR BUDGE BUDGE	WEST BENGAL	24	24	7.49	7.49	753	753	1	1	0.3	0.3	1.8	1.8	1.8	1.8	490	490	0.2	0.2	0.00049	0.00049