

WATER QUALITY DATA OF CANAL IN ANDHRA PRADESH MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2354	SAMARLA KOTA CANAL,SAMARLA KOTA (V & M)	ANDHRA PRADESH	24	25	2.1	6.2	6.3	8.2	274	506	2.4	3.8	0.32	1.85	3	9	93	240		
3051	BUDAMERU CANAL NEAR BDG AT NH-5, KEESARAPALLI (V), GANNAVARAM (M)	ANDHRA PRADESH	24	30	1.6	4.5	7.02	7.52	813	1622	5.4	14.4	3.63	6.93	64	380	1100	1100	14	64
4356	ELERU CANAL, NEAR PHARMA CITY,THADI (V),PARAVADA (M)	ANDHRA PRADESH	26	28	5	6.8	6.45	8.46	241	479	1.8	2.5	0.48	1.59	3	7	75	210	1.8	3
4370	KRISHNA CANAL AT HANUMAN NAGAR, NEAR SAIBABA TEMPLE, ELURU	ANDHRA PRADESH	24	28	4.5	6.7	7.05	8.03	450	905	1.8	2.6	0.66	2.23	3	4	93	150		
4374	GOSTTA NADI- VELPURU CANAL AT HANUMAN TEMPLE, DOWNSTREAM OF TANUKU TOWN, TANUKU	ANDHRA PRADESH	24	30	3	6.1	7.15	8.17	239	602	2	3.8	0.52	1.93	3	9	93	210		

WATER QUALITY DATA OF CANAL IN DELHI MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1479	WESTERN YAMUNA CANAL AT HAIDERPUR WATER WORKS, DELHI	DELHI					7.5	7.7					0.3	0.56						
2057	AGRA CANAL, MADANPUR KHADAR, DELHI	DELHI			0.3	2.5	6.98	7.75			27	55			35000	7000000				

WATER QUALITY DATA OF CANAL IN GOA MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2265	CANAL UP STREAM OF CUNCOLIM INDL.EST. CUNCOLIM, SALTETE (1 KM FROM M/S NICOMENT INDUSTRIES)	GOA	27	30	4.3	8	6.7	7.7	71	8872	1	1.9	0.32	0.47	460	3300	1100	24000	23	490
2266	CANAL DOWNSTREAM OF CUNCOLIM INDL.EST. CUNCOLIM, SALTETE (NEAR RAILWAY BRIDGE)	GOA	27	30	5.2	8.8	6.18	7.61	60	4727	1	1.8	0.32	1.58	240	4900	680	7900	70	320
2268	CUMBARJUA CANAL CORLIM(DISCHARGE POINT OF SYNGENTA LIMITED)	GOA	26	33	4.4	7.8	6.51	7.87	183	61610	1	1.7	0.32	2.22	130	1300	230	3500	46	280

WATER QUALITY DATA OF CANAL IN GUJARAT MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2073	NARMADA MAIN CANAL, NR. VILLAGE. LIMBADIA, DIST. GANDHINAGAR.NARMADA CANAL AT LIMBADIYA	GUJARAT	26	37	6	7.5	7.4	8.37	265	514	1	1	0.3	1.69	1.8	1.8	2	12		

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2074	TAPI CANAL AT VILLAGE UMARWADA, NEAR GIDC ESTATE OF PANOLI.AT VILLAGE UMARVADA, TA: ANKLESHWAR, DIST BHARUCH	GUJARAT	27	36	6.9	8.5	7.87	8.49	360	500	1	1	0.32	1.68	1.8	45	20	110		
4421	FROM NARMADA MAIN CANAL AT INDORAHMEDABAD HIGHWAY BRIDGE NEAR VILLAGE MOTIKANTADI TAL, GODHRA, DIST PANCHMAHALNARMADA MAIN CANAL AT INDOR-AHMEDABAD HIGHWAY, VILLAGE MOTI KANTADI, TAL. GODHRA, DIST.	GUJARAT	24	28	7.2	7.8	7.79	8.44	231	342	1	1	0.32	0.76	2	6	9	26		

WATER QUALITY DATA OF CANAL IN HARYANA MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1109	WESTERN YAMUNA CANAL WC-1(Y.NAGAR)100M D/S AFTER RECEIVING IND.&SEW.EFFL	HARYANA			6.1	7.8	7.13	7.8	292	431	1	2.5	0.3	0.3	1.8	200	1.8	800	1.8	100
1110	WESTERN YAMUNA CANAL WC-2 (NEAR KARNA LAKE)G.T.ROAD KARNAL	HARYANA			6.4	7.8	7	7.65	291	406	1	11	0.3	0.32	1.8	200	300	800	1.8	100
1111	WESTERN YAMUNA CANAL C-3 DELHI BRANCH AT R.D.245250	HARYANA			6	7.8	6.57	7.9	305	370	1	2.2	0.3	0.3	1.8	100	300	600	1.8	1.8
1112	WESTERN YAMUNA CANAL C-4 BEFORE ENTER INTO DELHI BRANCH, R.D.282628	HARYANA			6	7.2	7.61	7.82	305	440	1	3	0.3	0.3	1.8	100	300	600	1.8	1.8
1114	WESTERN YAMUNA CANAL WC-6 SIRSA BRANCH AT RD.BRIDGE JIND KAITHAL ROAD	HARYANA			4.6	5.8	7.7	8.2	430	574	7	8			56	72	390	580	45	62
1115	WESTERN YAMUNA CANAL C-7 DELHI PARALLEL BRANCH AT KHUBRU FALL RD-145250	HARYANA			6.2	7	7.7	8.09	317	386	1.6	2	0.3	0.3	1.8	100	200	700	1.8	1.8
1116	WESTERN YAMUNA CANAL WC-4 DELHI PARALLEL BRANCH AT PANIPAT	HARYANA			6.8	7.2	6.89	7.78	213	343	1	2.8	0.3	0.3	100	400	400	900	1.8	100
1419	GURGAON CANAL, GC-1, (NEAR BADARPUR BORDER)	HARYANA	20	46	4.8	6	7.04	7.87	1580	2310	19	30	0.3	0.82	1100	4700	13000	21000	360	630
1886	WESTERN YAMUNA CANAL AT TAJEWALA	HARYANA			6	7.8	7.3	7.76	286	420	1.2	3	0.3	0.3	1.8	200	300	900	1.8	100
2056	WESTERN YAMUNA CANAL AT DAMLA D/S OF YAMUNA NAGAR	HARYANA			7	7.9	7.28	7.85	294	430	1	1.8	0.3	0.3	1.8	100	200	500	1.8	1.8
3034	WESTERN YAMUNA CANAL-KHUBRU OUTFALL	HARYANA			7	7.6	7.2	7.92	291	422	1	1.8	0.3	0.3	1.8	100	400	400	1.8	1.8
4858	AGRA CANAL AT VILLAGE MANDKOLA IN NUH DIST.	HARYANA	19	41	3.2	4.8	7.18	7.64	1720	3150	24	48	0.3	1.15	930	3000	15000	49000	840	840
4859	CONFLUENCE OF SOUTHERN GHAGGAR CANAL, SHERANWALI PARALLEL GHAGGAR CANAL AND HISAR GHAGGAR DRAIN	HARYANA			5.6	5.7	7.8	7.9	664	780	8	8			9200	9600	15000	25000	4100	5200

WATER QUALITY DATA OF CANAL IN KERALA MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
----------	---------------------	------------	------------------	--	---------------------	--	----	--	------------------------	--	------------	--	---------------------------	--	----------------------------	--	----------------------------	--	--------------------------------	--

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3461	CANOLI CANAL AT ERANJIKKAL	KERALA	26	32	3.8	8	6.5	7.4	520	45200	1	8.3	0.3	0.59	310	14000	430	28000	49	520
3467	UNTHITHODU AT ELOOR, ERNAKULAM	KERALA	26	30	1.3	5.4	6.6	9.5	117	17600	1	5.5	0.3	3.65	1600	6300	2600	17000	200	1200
3469	PALAKKATTUTHAZHAMTHODU AT PERUMBAVOOR, ERNAKULAM	KERALA	27	30	1.9	5.3	6.6	9.1	43	150	1	3.9	0.3	0.54	3300	9200	4300	16000	250	2200

WATER QUALITY DATA OF CANAL IN MANIPUR MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2836	MORAMBAMARINE CANAL NEAR PRESBYTERIAN CHURCH, TOKPACHING	MANIPUR	18	30.6	7.1	7.4	7.1	7.4	140	190	3.1	3.3			25	40	50	65		
5499	NINGTHOUKHONG CANAL AT NINGTHOUKHONG	MANIPUR	21	80	7.1	7.3	7.1	7.3	170	230	3.3	3.5			35	60	75	125		

WATER QUALITY DATA OF CANAL IN ODISHA MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2428	TALADANDA CANAL AT JOBRA(ORIGIN OF TALADANDA CANAL)	ODISHA	20	31	6.8	8.3	7.2	8	185	320	1.2	2	0.32	1.8	330	4900	1700	35000		
2429	TALADANDA CANAL AT NAUBAZAR, CUTTACK CITY	ODISHA	22	30	6.9	8.9	7.6	8	225	245	2	2.6	0.35	1.33	790	54000	2400	160000		
2430	TALADANDA CANAL AT ATHARABANKI(WATER INTAKE POINT OF PPL, IFFCO & PPT)	ODISHA	23.6	30.6	5.4	7.6	7.5	8.5	184	402	1.5	1.9	0.35	1.12	790	160000	2400	160000		
3950	TALADANDA CANAL AT RANIHAT	ODISHA	20	32	6.8	8.5	7.5	8.3	194	315	2.2	2.5	0.32	1.91	1300	92000	2400	160000		
3951	TALADANDA CANAL AT CHHATRABAZAR	ODISHA	20	31	6.8	8.9	7.2	8.5	210	365	2.5	2.8	0.4	2.04	1100	160000	2800	160000		
3952	TALADANDA CANAL AT BIRIBATI	ODISHA	22	30	6.8	9.5	7.3	7.8	215	240	1.6	1.9	0.39	1.3	2300	54000	4900	92000		
3958	PURI CANAL AT HANSAPAL	ODISHA	16	30	5.9	8.5	6.7	8.5	130	260	1.4	1.7	0.39	0.76	130	3300	490	17000		
3959	PURI CANAL AT JAGANNATHPUR	ODISHA	24	31	5.6	8.2	6.7	8.2	185	265	1.7	2	0.32	1.43	170	7900	700	24000		
3960	PURI CANAL AT CHANDANPUR	ODISHA	22	32	5.8	8.6	6.9	8.2	170	320	1.5	2.7	0.42	5.43	130	2300	170	4900		

WATER QUALITY DATA OF CANAL IN RAJASTHAN MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2932	NARMADA MAIN CANAL (BEFORE ENTERING IN RAJASTHAN STATE), TEHSIL SANCHORE, JALORE, RAJASTHAN	RAJASTHAN	17	35.5	4.4	6.7	7.66	8.4	358	776	1	2	2.13	2.69	1.8	1.8	1.8	11	1.8	1.8

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2933	GANG CANAL AT KHAKKA HEAR NEAR HINDUMAL KOT, GANGANAGAR, RAJASTHAN	RAJASTHAN	18.5	33.6	5.3	6.6	7.21	8.5	210	413	1	1.8	0.33	5.35	6	130	94	350	1.8	63
2934	MASITAWALA HEAD HANUMANGARH	RAJASTHAN	14.2	31.5	5.1	6.8	7.31	8.24	212	335	1	1.3	0.32	6.2	11	130	70	540	3.6	79
4773	INDIRA GANDHI FEEDER AT RAJASTHAN BORDER, TEHSIL-TIBI,	RAJASTHAN	16	33.6	5.2	6.5	7.45	8.22	211	356	1	1.5	0.39	4.23	9	120	84	920	1.8	94
30022	INDIRA GANDHI CANAL AT SIRSA HANUMANGARH (RAJASTHAN)	RAJASTHAN	6	22	6	9.4	7.4	8.35	295	328	1	4	0.7	3.72	45	38000	1100	170000	2	350

WATER QUALITY DATA OF CANAL IN TAMIL NADU MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
10049	CHENNAI WATERWAYS AT CAPTAIN COTTON CANAL (ERUKANJERI)	TAMIL NADU	28	34	0.3	1.8	6.58	7.08	802	2340	10	120	0.3	8.55	330	1733	1700	11588		
10054	CHENNAI WATERWAYS AT BUCKINGHAM CANAL (ICE HOUSE)	TAMIL NADU	27	32	0.3	0.3	6.62	7.09	1481	2310	16	141	0.32	23.16	470	2452	2600	17320		

WATER QUALITY DATA OF CANAL IN TRIPURA MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1729	KATAKHAL CANAL AT NEAR PRAGATI VIDYABHAWAN, AGARTALA, TRIPURA	TRIPURA	26	32.5	0.3	0.3	5.22	6.09	395	564	35	68	17.7	27.4	780	2200	3800	9800		
3387	GILATALI CANAL, WEST TRIPURA	TRIPURA	23	31	5.4	6.2	6.74	7.45	120	171	1.2	1.6	0.8	1.2	41	70	150	280		
3388	PALATANA CANAL AT D/S OF POLLUTION OUTFALL, SOUTH TRIPURA	TRIPURA	24	31	5.5	6.1	6.93	7.74	128	179	1.2	1.7	0.8	1.4	46	63	170	280		
3389	GHANDHA CHARRA CANAL AT DOMBURNAGAR, DHALAI	TRIPURA	23	30.5	5.6	6.2	6.95	7.72	117	169	1.1	1.5	0.6	1.2	39	58	110	220		
3390	SAMANU CHARRA CANAL AT CHAWMANU, DHALAI	TRIPURA	23	30.5	5.5	6.1	6.89	7.51	115	165	1.1	1.5	0.6	1.1	38	58	110	220		
4198	CHANDRAPUR CANAL	TRIPURA	25	31	5.1	5.7	7.01	7.69	109	181	1.2	2.1	0.8	1.3	48	63	170	350		
4199	KATAKHAL CANAL AT KALIKAPUR	TRIPURA	25.5	31	3.4	4.9	6.65	7.29	142	206	4.8	7.6	1.5	3.2	58	70	240	430		

WATER QUALITY DATA OF CANAL IN UTTARAKHAND MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2726	UPPER GANGA CANAL D/S HARIKIPAURI, RISHIKUL BRIDGE,HARIDWAR	UTTARAKHAND	15	23.5	7.4	10	7.09	8.4	153	380	1.2	2.4	0.32	1.1	70	110	110	170	4.5	14

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3998	UPPER GANGA CANAL AT LALITA RAO BRIDGE, HARIDWAR	UTTARAKHAND	15.7	23	7.4	10	7.02	8.3	123	381	1.2	2.4	0.49	0.89	70	120	110	170	6.1	12
3999	UPPER GANGA CANAL AT DAM KOTHI, HARIDWAR	UTTARAKHAND	16.1	24	7.4	10.1	7.05	8.1	138	379	1.2	2.4	0.44	1.06	63	140	84	170	4	12

WATER QUALITY DATA OF CANAL IN WEST BENGAL MONITORED UNDER NWMP, 2024

STN Code	Monitoring Location	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2512	NOAI CANAL NORTH 24 PARGANAS, NEAR GANGA NAGAR MOTIBRIDGE	WEST BENGAL	21	34	0.3	0.3	6.99	7.71	526	2261	11.4	23.7	0.3	0.78	1300000	3500000	2400000	5400000	170000	540000
2513	KHARDA CANAL NORTH 24 PARGANAS, NEAR JAYSHREE CHEMICAL INDUSTRY	WEST BENGAL	21.5	34	0.3	0.3	6.96	7.96	624	1278	37	57.5	0.3	1.07	7900000	17000000	14000000	35000000	700000	2400000