

WATER QUALITY DATA OF DRAINS, STPS IN ANDHRA PRADESH MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2355	TEKI DRAIN AT TALLAREVU, TALLAREVU (V & M), BEFORE JOINING CORINGA WILDLIFE SANCTUARY	DRAIN	ANDHRA PRADESH	24	27	3.2	6.2	6.3	8.2	526	11900	1.9	4.4	1.02	5.92	3	11	120	240		
3052	GUNTATHIPPA DRAIN B/C WITH RIVES CANAL AT RAMAVARAPPADU, VIJAYAWADA TOWN	DRAIN	ANDHRA PRADESH	26	29	0.3	2.2	7.0	7.8	1246	2210	10.2	18.0	4.29	9.60	210	470	2400	2400	39	93
3053	TULIA BAGH DRAIN AT MATLAPALEM (V), VEMULAVADA (M)	DRAIN	ANDHRA PRADESH	24	27	2.2	6.4	6.8	8.0	527	27500	2.2	4.2	0.71	3.07	3	9	75	150	5	5
4369	COLLING WATER BLOW DOWNS FROM ANDHRA SUGARS LTD., KOVVUR, BEFORE JOINING RIVER GODAVARI	DRAIN	ANDHRA PRADESH	25	28	5.3	7.6	5.9	8.3	217	434	1.9	2.3	0.32	1.18	3	4	39	120		
20004	STP AT RAJAHMUNDRY	STP	ANDHRA PRADESH			5.3	7.3	6.9	7.7	545	1144	8.0	14.0	1.60	11.48	4	11	120	240		

WATER QUALITY DATA OF DRAINS IN CHANDIGARH MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2047	N-CHOE (ATTAWA CHOE), CHANDIGARH(EXIT POINT)	DRAIN	CHANDIGARH	15	31	2.8	9.6	7.0	7.7	470	806	2.3	26.0	1.90	2.90	1700	26000	7000	94000		
2048	PATIALA KI RAO, CHANDIGARH(EXIT POINT)	DRAIN	CHANDIGARH	18	30	0.3	3.5	6.8	7.8	511	1490	24.0	976.0	1.90	3.20	33000	310000	170000	5400000		
2049	SUKHNA CHOE, CHANDIGARH(EXIT POINT)	DRAIN	CHANDIGARH	15	31	0.3	7.8	6.3	7.8	689	984	9.3	200.0	1.70	3.10	7000	94000	17000	170000		

WATER QUALITY DATA OF DRAINS & WTPS IN DELHI MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1377	NAJAFGARH DRAIN AT WAZIRABAD BEFORE CONF. TO RIV.YAMUNA, DELHI	DRAIN	DELHI					6.9	8.3			43.0	78.0								
1502	CIVIL MILL DRAIN, DELHI	DRAIN	DELHI					7.2	7.2			42.0	42.0								
1503	POWER HOUSE DRAIN, DELHI	DRAIN	DELHI					6.9	8.2			38.0	83.0								
1504	SEN NURSING HOME DRAIN, DELHI	DRAIN	DELHI					7.0	7.7			35.0	86.0								
1505	BARAPULA DRAIN, DELHI	DRAIN	DELHI					6.9	8.1			38.0	90.0								
1506	SHAHDARA DRAIN, DELHI	DRAIN	DELHI					6.9	8.2			47.0	120.0								
1857	MAHARANI BAGH DRAIN, DELHI	DRAIN	DELHI					6.8	7.7			40.0	80.0								
1858	SARITA VIHAR, DELHI	DRAIN	DELHI					7.0	7.6			30.0	60.0								

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
5259	MAGZINE ROAD DRAIN	DRAIN	DELHI					7.1	7.2			12.0	32.0								
5260	SWEEPER COLONY DRAIN	DRAIN	DELHI					6.9	7.5			40.0	72.0								
5261	KHYBER PASS DRAIN	DRAIN	DELHI					7.0	7.0			38.0	38.0								
5262	METCALF HOUSE DRAIN	DRAIN	DELHI					7.1	7.4			22.0	26.0								
5263	ISBT + MORI GATE DRAIN	DRAIN	DELHI					6.8	7.8			39.0	90.0								
5265	SHASTRI PARK DRAIN	DRAIN	DELHI					7.0	7.9			24.0	67.0								
5266	KAILASH NAGAR DRAIN	DRAIN	DELHI					7.1	7.6			35.0	87.0								
5268	ABU FAZAL DRAIN	DRAIN	DELHI					7.1	7.8			38.0	153.0								
5269	JAIPUR DRAIN	DRAIN	DELHI					7.0	7.7			37.0	103.0								
5270	TUGHLAKABAD DRAIN	DRAIN	DELHI					7.0	7.9			36.0	80.0								
5273	OLD AGRA CANAL NEAR KALINDI KUNJ -SARITA VIHAR PULL	DRAIN	DELHI					6.8	7.8			34.0	110.0								
5275	MOLARBANDH DRAIN	DRAIN	DELHI					7.4	7.7			32.0	48.0								
5276	SONIA VIHAR DRAIN	DRAIN	DELHI					6.8	8.5			33.0	70.0								
3041	WATER WORKS- WAZIRABAD, DELHI	WATER TREATMENT PLANT	DELHI					7.4	7.9					0.30	0.58						
3042	WATER WORKS- SONIA VIHAR, DELHI	WATER TREATMENT PLANT	DELHI					7.2	7.6					0.30	0.36						
3043	WATER WORKS- CHANDRAVAL, DELHI	WATER TREATMENT PLANT	DELHI					7.4	7.9					0.30	0.58						
3044	WATER WORKS- NANGLOI, DELHI	WATER TREATMENT PLANT	DELHI					7.3	7.7					0.30	0.34						
3045	WATER WORKS- HAIDERPUR, DELHI	WATER TREATMENT PLANT	DELHI					7.3	7.8					0.30	0.56						
3046	WATER WORKS- DWARKA, DELHI	WATER TREATMENT PLANT	DELHI					7.2	7.6					0.41	0.57						

WATER QUALITY DATA OF STP IN GOA MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20013	PANAJI STP AT TONCA	STP	GOA	29	29			6.9	8.5			5.6	15.2			79	540	140	920	49	240

WATER QUALITY DATA OF STP IN GUJARAT MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20015	AHMEDABAD-1 BENRAMPURAPIRANA ROAD, AHMEDABAD	STP	GUJARAT	26	32			6.8	8.0			7.0	45.0			170	1600	350	1600		
20016	AHMEDABAD-2 NAROL SARKHEJ HIGHWAYNR. 35 MLD STP, NAROL- SARKHEJ HIGHWAY, VASNA AHMEDABAD	STP	GUJARAT	26	32			6.7	7.8			12.0	26.0			110	1600	350	1600		

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max

WATER QUALITY DATA OF DRAINS & WTPS IN HARYANA MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4860	RANIA DRAIN MEETING DISCHARGE OF PHED STP, 6 MLD, RANIA, SIRSA	DRAIN	HARYANA			5.6	5.8	7.5	8.1	642	820	6.0	9.0			7200	22000	15000	35000	3100	5800
3047	WATER WORKS- GURGAON	WATER TREATMENT PLANT	HARYANA	13	34	7.1	7.3	7.1	7.9	1250	1610	1.0	1.0	0.30	0.30	190	270	4800	5600	2	2
3048	WATER WORKS- FARIDABAD	WATER TREATMENT PLANT	HARYANA	19	19			7.4	7.4	1670	1670	1.0	1.0	0.30	0.30						
4861	NEAR HUDA/ HSVP WATER WORKS, BASAI, GURUGRAM	WATER TREATMENT PLANT	HARYANA	13	33	7.5	7.8	7.3	7.7	990	1240	1.0	1.0	0.30	0.30	86	94	2800	3800	2	2

WATER QUALITY DATA OF DRAINS IN HIMACHAL PRADESH MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1870	SUKHANA NALLAH AT PARWANOO NEAR KALKA BARRIER, EXIT POINT OF H. P.	DRAIN	HIMACHAL PRADESH	8	27	0.3	7.1	6.4	8.2	331	1770	1.0	290.0	2.12	10.14	4	1600	39	1600	2	32
3861	SALANI NALLAH NEAR BRIDGE, NH-7, MOGINAND KALA AMB	DRAIN	HIMACHAL PRADESH			6.3	8.0	7.8	8.5	348	616	1.5	3.6	0.66	1.01	49	220	280	840	2	2
3863	RAMPUR JATTAN MOGINAND NALA BEFORE CONFLUENCE TO RIVER MARKANDA NEAR RADHA SWAMI SATSANG BHAWAN	DRAIN	HIMACHAL PRADESH			4.0	6.1	7.3	8.5	446	1557	2.7	10.0	0.79	1.95	220	42500	920	276000	2	7
3865	ROON NALLAH NEAR MEERPUR KOTLA, GURUDWARA	DRAIN	HIMACHAL PRADESH			7.1	8.3	7.3	8.5	337	1134	1.2	3.8	0.60	0.98	27	110	170	540	2	2
3867	SARVARI NALLAH BEFORE CONFLUENCE TO RIVER BEAS	DRAIN	HIMACHAL PRADESH	2	20	7.6	8.1	7.1	8.2	148	260	1.0	1.0	0.32	1.61	32	94	220	430	2	2
3868	BARAGRAM NALLAH BEFORE CONFLUENCE TO RIVER BEAS	DRAIN	HIMACHAL PRADESH	3	18	7.7	8.4	7.0	8.4	56	120	1.0	1.0	0.32	1.36	31	58	140	280	2	2
3875	SURAJMUKHI NALLAH U/S WSS GALAYANA D/S OF SHOOLINI UNIVERSITY	DRAIN	HIMACHAL PRADESH	7	21	7.2	8.7	7.1	8.6	180	957	1.0	1.3	1.26	19.48	2	13	17	110	2	2
3879	BHATIAN NALLAH U/S BHATIAN VILLAGE, NEAR TVS INDUSTRY, NALAGARH	DRAIN	HIMACHAL PRADESH	14	26	3.0	5.6	7.2	8.1	475	4080	1.0	80.0	2.43	11.28	7	1600	46	1600	2	11
3881	BHATIAN NALLAH D/S SARA TEXTILE, NALAGARH	DRAIN	HIMACHAL PRADESH	13	29	3.5	6.5	7.3	8.2	948	3890	1.0	6.0	2.35	12.18	2	540	22	1600	2	17
4029	TAALO NALA (FROM NAHAR TOWN) AT KHADDAR KA BAGH B/C TO RIVER MARKANDA	DRAIN	HIMACHAL PRADESH			6.1	7.9	7.7	8.5	341	975	1.0	2.2	0.61	1.44	47	170	280	540	2	2
4034	SAHU NALLAH U/S BHURI SINGH SHEP	DRAIN	HIMACHAL PRADESH	10	15	8.5	9.1	7.3	8.1	148	357	1.0	1.8	0.34	2.27	2	430	33	1700	2	2
4035	SAHU NALLAH D/S BHURI SINGH SHEP	DRAIN	HIMACHAL PRADESH	10	15	8.0	9.1	7.4	8.0	146	346	1.0	1.7	0.50	4.71	2	540	33	2400	2	2
4036	KUNNI PUL, VILL SAMAHU, PO KUNI HAR, TEHSIL ARKI	DRAIN	HIMACHAL PRADESH	9	22	7.3	8.3	6.0	8.5	350	697	1.0	1.0	1.25	9.00	2	4	22	40	2	2

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4082	BAJU NALLAH AT KHOKHYAL NEAR BARAGE, CONFLUENCE POINT OF SAHAR-KHAD AND KATHUA CITY NALLAHS	DRAIN	JAMMU & KASHMIR	14	24	4.9	5.6	7.3	8.1	193	413	1.1	2.5	0.04	1.25						

WATER QUALITY DATA OF DRAINS & STPS IN KERALA MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
5172	NELLIKUNNU BRIDGE AT NELLIKUNNU, KASARAGOD	DRAIN	KERALA			3.0	6.8	6.6	8.1			2.2	5.1			2	4600	2	2	2	2
20017	STP NEAR PAMBA AT PATHANAMTHITTA KERALA	STP	KERALA					6.7	9.6			22.0	48.0								

WATER QUALITY DATA OF DRAINS IN MAHARASHTRA MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2178	CHIKHALI NALA MEETS GODAVARI RIVER, VILLAGE- CHIKHALI, TALUKA- NASHIK, DISTRICT- NASHIK.	DRAIN	MAHARASHTRA	19	25	0.3	4.8	7.1	8.5	485	1642	4.2	60.0	0.30	5.00	4	43	39	540	2	2
2782	RABODI NALA, VILLAGE- RABODI, TALUKA- THANE, DISTRICT- THANE.	DRAIN	MAHARASHTRA	28	32	0.3	2.4	7.0	7.4	376	591	10.0	120.0	0.30	6.61	460	5400	1700	9200		
2783	COLOUR CHEM NALA, VILLAGE- MAJIWADA, TALUKA- THANE, DISTRICT- THANE.	DRAIN	MAHARASHTRA	27	32	0.3	4.8	7.0	8.6	404	989	10.0	85.0	0.30	5.36	340	9200	1200	16000		
2784	SANDOZ NALA, VILLAGE- SANDOZBAUG, TALUKA- THANE, DISTRICT- THANE.	DRAIN	MAHARASHTRA	28	32	0.3	4.6	7.2	7.7	519	753	6.0	115.0	0.30	7.44	700	16000	2800	16000		
2785	BPT, NAVAPUR, VILLAGE- NAVAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	27	0.3	4.3	7.1	8.4	4125	8335	13.0	160.0	1.52	45.30	2	240	34	920		
2786	TARAPUR MIDC NALA (NEAR SUMP 1), VILLAGE- MIDC TARAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	26	0.3	4.9	6.9	8.0	1741	3318	6.0	280.0	2.89	3.40	17	40	46	210		
2787	TARAPUR MIDC NALA (NEAR SUMP 2), VILLAGE- MIDC TARAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	27	0.3	1.8	6.9	8.0	1868	3108	52.0	310.0	1.20	2.93	17	49	140	170		
2788	TARAPUR MIDC NALA (NEAR SUMP 3), VILLAGE- MIDC TARAPUR, TALUKA- PALGHAR, DISTRICT- PALGHAR.	DRAIN	MAHARASHTRA	26	27	0.3	0.3	6.9	7.9	1844	3142	64.0	290.0	1.30	3.69	7	17	49	70		
2789	NALA AT D/S OF AKLAI MANDIR, VILLAGE- AKLAI, TALUKA- MALSHIRAS, DISTRICT- SOLAPUR.	DRAIN	MAHARASHTRA	28	31	5.5	6.0	8.1	8.9	226	965	1.8	12.5	2.19	5.11	40	430	425	1800	4	12

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2790	PIMPAL-PANERI NALA AT RATNAGIRI NEAR FINOLEX INDUSTRIES, VILLAGE-YAHGANIGAON, TALUKA- RATNAGIRI, DISTRICT- RATNAGIRI.	DRAIN	MAHARASHTRA	23	30	5.2	7.7	4.1	8.0	310	4928	2.8	3.8	0.30	1.10	6	12	24	58	2	2

WATER QUALITY DATA OF DRAINS & STPS IN ODISHA MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3923	GURADIH NALLAH AT PANPOSH	DRAIN	ODISHA	22	34	2.8	7.8	6.6	7.6	310	545	5.0	6.7	0.61	5.73	3300	35000	11000	54000	27	110
3934	GANDA NALLAH AT MARTHAPUR	DRAIN	ODISHA	20	29	5.2	9.2	7.3	8.1	168	1057	1.3	2.0	0.43	12.94	130	790	460	2200		
3939	KUNDRA NALLAH AT JODA	DRAIN	ODISHA	19	31	6.0	7.9	7.1	7.9	146	190	1.1	1.8	0.41	0.98	170	2300	460	4900		
20019	STP, PURI AT MANGALAGHAT	STP	ODISHA					7.1	8.5			5.4	98.0			2	3300	2	7900	2	2
20020	WASTEWATER OF TALCHER	STP	ODISHA					6.8	8.8			48.0	98.0			160000	160000	160000	160000		

WATER QUALITY DATA OF DRAINS & STPS IN PUNJAB MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
2906	DHANAULA DRAIN FALLING INTO LASSARA DRAIN NEAR VILL. DHUNAS, PUNJAB	DRAIN	PUNJAB	10	32	0.3	1.8	7.2	7.9	2275	4021	61.0	129.0	3.00	4.10	84000	120000	210000	350000		
2907	HUDIARA DRAIN AT VILL. DHAHUKE (WHERE IT ENTERS PAKISTAN), PUNJAB	DRAIN	PUNJAB	12	29	0.3	0.3	7.1	7.5	1156	1704	48.0	115.0	1.20	3.00	63000	1700000	110000	2000000		
2908	OUTLET OF NADIALA DRAIN INTO DHAKANSU NALLAH, PUNJAB	DRAIN	PUNJAB	9	43	0.3	1.5	7.0	7.8	975	1910	21.0	71.0	2.70	4.30	2100	70000	94000	280000		
2909	TALLEWAL DRAIN AT BRIDGE JALWALAN - LOHGARH LINK ROAD	DRAIN	PUNJAB	10	33	0.3	1.6	7.1	7.9	1513	2891	51.0	83.0	2.80	4.60	6300	110000	170000	350000		
2910	BRIDGE ON TUNG DHAB DRAIN, FATENGARH CHURIAN ROAD, AMRITSAR	DRAIN	PUNJAB	11	29	0.3	0.3	7.1	7.3	1488	2854	72.0	260.0	1.40	3.40	120000	2200000	280000	2700000		
2914	POINT SOURCE BUDHA NALLAH, PUNJAB	DRAIN	PUNJAB	17	32	0.3	0.3	7.0	7.7	1254	1875	61.0	175.0	2.80	8.20	700000	3500000	2200000	9200000		
4158	SAGARPARA DRAIN AT VILL SAGRA DIST, PATIALA	DRAIN	PUNJAB	9	36	0.3	2.1	7.3	8.0	871	1521	19.0	43.0	2.30	3.70	5800	11000	28000	43000		
20021	JALANDHAR	STP	PUNJAB					7.1	7.5			14.0	24.0			400	1400				
20022	LUDHIANA-1, BHATTIAN	STP	PUNJAB					6.7	7.5			6.0	35.0			32	4600				
20023	LUDHIANA-2, BALLOKE	STP	PUNJAB	22	29			7.1	8.1			8.0	35.0			210	26000				
20024	LUDHIANA-3, JAMALPUR	STP	PUNJAB					6.5	8.5			1.0	120.0			2	7000000	2	35000000	2	2
20025	PHAGWARA	STP	PUNJAB					7.2	8.2			12.0	24.0			330	790				
20026	PHILLAUR	STP	PUNJAB					7.3	11.4			6.0	21.0			2	790				

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20027	KAPURTHALA	STP	PUNJAB					6.6	7.3			16.0	28.0			330	6300				
20028	SULTANPUR LODHI	STP	PUNJAB					6.9	7.5			32.0	48.0			2200	28000				

WATER QUALITY DATA OF DRAINS & STPS IN TAMIL NADU MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
10047	CHENNAI WATERWAYS AT OTTERI NULLAH (ORIGIN)	DRAIN	TAMIL NADU	28	33	0.3	1.2	6.3	7.3	1191	2450	16.0	57.0	0.30	14.77	330	1610	1700	14080		
10048	CHENNAI WATERWAYS AT OTTERI NULLAH (KILPAUK GARDEN)	DRAIN	TAMIL NADU	28	33	0.3	1.3	6.3	7.2	883	1979	14.0	63.0	0.30	9.59	330	1439	2000	14210		
10051	CHENNAI WATERWAYS AT BUCKINGHAM CANAL X OTTERI NULLAH CONFLUENCE (GMR VASAVI INDUSTRIES)	DRAIN	TAMIL NADU	28	34	0.3	1.3	6.7	7.1	1013	1908	7.0	40.0	0.32	8.67	290	2096	1700	15420		
10056	CHENNAI WATERWAYS AT MAMBALAM DRAIN (GOLF COURSE)	DRAIN	TAMIL NADU	27	32	0.3	0.3	6.4	7.1	829	2020	14.0	49.0	0.30	54.02	120	1247	1200	13280		
20033	CHENNAI-2 PERUNGADI(ZONE-V)	STP	TAMIL NADU	26	26			7.0	7.0			5.0	5.0			134	134	1414	1414		
20038	ERODE-2	STP	TAMIL NADU	25	26	4.6	6.0	7.3	7.8	976	1139	3.2	11.0	0.35	5.35	170	3873	330	7701		
20041	KARUR	STP	TAMIL NADU	26	30	0.3	0.3	7.3	7.3	1418	1778	45.0	68.0	1.42	1.92	18	4000	45	9300		
20042	MAYILADUTHURAI	STP	TAMIL NADU	28	28	3.9	3.9	6.5	6.5	736	736	14.0	14.0	0.62	0.62	921	921	23700	23700		
20044	THANJAVUR	STP	TAMIL NADU	28	28			7.7	7.7	1339	1339	44.0	44.0	9.00	9.00	1203	1203	8100	8100		
20045	TIRUNELVELI	STP	TAMIL NADU	26	30			7.7	8.8	782	1073	18.0	28.0			540	1100	920	3200		
20046	MADURAI	STP	TAMIL NADU	25	27	5.2	5.9	7.4	7.6	1386	1790	6.0	15.0	0.33	1.59	17	179	45	365		

WATER QUALITY DATA OF DRAINS & STPS IN TELANGANA MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3054	RIVER GODAVARI - OUTLET OF ASH POND EFFLUENTS OF M/S.NTPC, RAMAGUNDAM	DRAIN	TELANGANA	25	26	2.8	6.4	8.4	11.4	741	1601	1.0	5.0	0.65	4.64	2	17	21	350	2	2
4665	RIVER MANERU (TRIBUTARY OF GODAVARI) - OUTLET OF KTPP ASH POND JOINING TO MORANCHA VAGU, CHELPUR (V), GHANPUR (MULUGU) (M), , JAYASHANKAR BHUPALAPALLI DISTRICT	DRAIN	TELANGANA	26	28	4.0	6.1	7.7	8.5	443	943	1.0	3.8	0.30	4.30	2	14	24	110	2	2
3055	AMBERPET STP (339 MLD) - OUTLET , AMBERPET (V&M), HYDERABAD	STP	TELANGANA	27	28	0.9	5.0	7.0	7.7	1303	1752	2.0	43.0	3.58	3.58	2	14	21	1600	2	2

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3056	LANGARHOUSE STP (1.25 MLD) - OUTLET, GOLCONDA (V&M),HYDERABAD	STP	TELANGANA	25	29	3.2	6.0	6.2	8.3	950	1817	7.0	18.0			2	11	21	430		
3057	NAGOLE STP (172 MLD) - OUTLET, NAGOLE,RANGAREDDY	STP	TELANGANA	26	28	3.2	7.7	7.2	7.5	1090	1297	3.0	64.0			2	14	27	140		
3058	KHAIRATABAD STP (20 MLD) - OUTLET, NEAR RAJ NAGAR, KHARITABAD , HYDERABAD	STP	TELANGANA	26	28	2.1	4.5	6.8	8.2	932	1453	4.0	31.0			2	13	48	1600		
3059	SAFILGUDA STP (0.6 MLD) - OUTLET, SAFILGUDA,MEDCHAL	STP	TELANGANA	26	30	3.4	6.3	7.4	7.7	1372	1752	2.0	22.0			2	14	33	1600		
3060	DURGAM STP (5 MLD) - OUTLET, RAIDURG (V), SERILINGAMPALLY (M), RANGAREDDY (D)	STP	TELANGANA	26	28	3.4	5.4	7.1	8.5	1030	1604	11.0	29.0			2	4	120	1600		
3061	NALLACHERUVU STP (30 MLD) - OUTLET, UPPAL, RANGAREDDY	STP	TELANGANA	27	28	3.4	5.6	7.1	7.8	1324	1606	11.0	28.0			2	13	21	140		
3062	SAROORNAGAR STP (2.5 MLD) - OUTLET, SAROORNAGAR (V & M), RANGAREDDY DISTRICT	STP	TELANGANA	25	28	1.3	4.6	6.9	7.6	1212	1639	6.0	22.0			2	10	17	1600		

WATER QUALITY DATA OF WTP IN UTTAR PRADESH MONITORED UNDER NWMP- 2024

STN Code	Monitoring Location	Water Body	State Name	Temperature (°C)		Dissolved O2 (mg/L)		pH		Conductivity (µmho/cm)		BOD (mg/L)		NitrateN + NitriteN(mg/L)		Fecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)		Fecal Streptococci (MPN/100ml)	
				Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3050	WATER WORKS- GHAZIABAD	WATER TREATMENT PLANT	UTTAR PRADESH	18	28	8.5	11.5	7.2	7.6	168	196	1.0	1.0	0.30	0.30	2	2	2	2	2	2