Name : Anup Rajesh Yadav
PRN : 202501050062
Batch : CH3
Subject : EDS





CODETANTRA Home Learn Anywhere 202501050062@mitaoe.ac.in Support Logout

1.1.4. Reverse a Number

Write a Python program to reverse the digits of the number and print the reversed number.

Input Format:

- The input is a single integer.

Output Format:

- The output prints a single integer, which is the reversed number.

Sample Test Cases

reverseN...

```python
number =int(input())

reversed = 0

while number>0:
    digit = number%10
    reversed = reversed*10+digit
    number = number//10

print(reversed)
```

Average time 0.001 s 1.40 ms | Maximum time 0.002 s 2.00 ms

2 out of 2 shown test case(s) passed

3 out of 3 hidden test case(s) passed

Test case 1 2 ms Debug

Expected output	Actual output
5367	5367
7635	7635

Test case 2 1 ms

Terminal Test cases

Prev Reset Submit Next

CODETANTRA Home Learn Anywhere 202501050062@mitaoe.ac.in Support Logout

1.1.3. Days between Two Dates

Write a Python program to calculate number of days between two dates.

Input Format:

- The first line contains the first date in the format $YYYY-MM-DD$.
- The second line contains the second date in the format $YYYY-MM-DD$.

Output Format:

- An integer representing the number of days between the given dates.

Note:

- The first date should always be considered earlier than the second date.

Sample Test Cases

noOfDay...

```python
from datetime import date

from datetime import datetime

date1 = input().strip()
date2 = input().strip()

d1 = datetime.strptime(date1, "%Y-%m-%d")
d2 = datetime.strptime(date2, "%Y-%m-%d")


difference = d2 - d1

print(difference.days)
```

Average time 0.007 s 7.00 ms | Maximum time 0.020 s 20.00 ms

2 out of 2 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1 20 ms Debug

Expected output	Actual output
2014-07-02	2014-07-02
2014-11-02	2014-11-02
123	123

Test case 2 2 ms

Terminal Test cases

Prev Reset Submit Next



Lab Assignment :

CODETANTRA Home Learn Anywhere 202501050062@mitaoe.ac.in Support Logout

1.2.1. Pass or Fail

Write a Python program that accepts the number of courses and the marks of a student in those courses.
The grade is determined based on the aggregate percentage:

- If the aggregate percentage is greater than 75, the grade is Distinction.
- If the aggregate percentage is greater than or equal to 60 but less than 75, the grade is First Division.
- If the aggregate percentage is greater than or equal to 50 but less than 60, the grade is Second Division.
- If the aggregate percentage is greater than or equal to 40 but less than 50, the grade is Third Division.

Input Format:

- The first input will be an integer n, the number of courses.
- The second input will be n integers representing the marks of the student in each of the n courses, separated by a space.

Output Format:

If the student passes all courses:

- Print the aggregate percentage (formatted to two decimal places).
- Print the grade based on the aggregate percentage.

If the student fails any course (marks < 40 in any course), print:

- "Fail".

Note:

- Aggregate Percentage: Average performance across all courses, calculated by summing all marks and dividing by the number of courses.

Sample Test Cases +

passorFa...

```python
    print("Fail")
else:
    # Calculate aggregate percentage
    aggregate = sum(marks) / n

    # Print aggregate percentage (2 decimal places)
    print(f"Aggregate Percentage: {aggregate:.2f}")

    # Determine grade
    if aggregate > 75:
        print("Grade: Distinction")
    elif 60 <= aggregate < 75:
        print("Grade: First Division")
    elif 50 <= aggregate < 60:
        print("Grade: Second Division")
    elif 40 <= aggregate < 50:
        print("Grade: Third Division")
```

Average time 0.003 s 3.10 ms | Maximum time 0.012 s 12.00 ms

5 out of 5 shown test case(s) passed

5 out of 5 hidden test case(s) passed

Test case 1 12 ms Debug

Expected output	Actual output
4	4
55 65 78 89	55 65 78 89
Aggregate Percentage: 71.75	Aggregate Percentage: 71.75
Grade: First Division	Grade: First Division

Test case 2

Terminal Test cases

‹ Prev Reset Submit Next ›

CODETANTRA Home Learn Anywhere 202501050062@mitaoe.ac.in Support Logout

1.2.2. Fibonacci Series

Write a Python program that uses recursion to print the first n terms of the Fibonacci series.

Input Format:

- A single integer n representing the number of terms to generate.

Output Format:

- A single line containing the first n terms of the Fibonacci sequence, separated by spaces.

Sample Test Cases +

fibonacci....

```python
def fibonacci(n):
    if n == 1:
        return 0
    elif n == 2:
        return 1
    else:
    # write the code..

        return fibonacci(n-1)  + fibonacci(n-2)


n = int(input())
for i in range(1, n + 1):
    print(fibonacci(i), end=" ")
```

Average time 0.006 s 6.50 ms | Maximum time 0.019 s 19.00 ms

2 out of 2 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1 3 ms Debug

Expected output	Actual output
5	5
0 1 1 2 3	0 1 1 2 3

Test case 2 1 ms

Terminal Test cases

‹ Prev Reset Submit Next ›

CODETANTRA Home Learn Anywhere 202501050062@mitaoe.ac.in Support Logout

1.2.3. Pattern - 1

Write a Python program to print a pattern of asterisks in the form of a right-angled triangle.

Input Format:

- The input is an integer, representing the number of rows in the pattern.

Output Format

- The output should display the pattern of asterisks (*), with each row containing an increasing number of asterisks.

Note: Refer to the displayed test cases for the sample pattern.

Sample Test Cases +

rightangl...

```python
# Input: number of rows
n = int(input())

# Print pattern
for i in range(1, n + 1):
    for j in range(i):
        print("*", end=" ")
    print()
```

Average time 0.002 s 1.83 ms | Maximum time 0.003 s 3.00 ms

2 out of 2 shown test case(s) passed

4 out of 4 hidden test case(s) passed

Test case 1 3 ms Debug

Expected output	Actual output
5	5
*	*
* *	* *
* * *	* * *
* * * *	* * * *
* * * * *	* * * * *

Terminal Test cases

‹ Prev Reset Submit Next ›

1.2.4. Pattern - 2

Write a Python program to print a right-angled triangle pattern of numbers.

Input Format:
- The input is an integer, representing the number of rows in the pattern.

Output Format:
- The output should display the pattern of numbers separated by space, with each row containing increasing numbers starting from 1 up to the row number.

Note:
- Refer to the displayed test cases for the sample pattern.

Sample Test Cases

numberP...

```python
# Input: number of rows
n = int(input())

# Print pattern
for i in range(1, n + 1):
    for j in range(1, i + 1):
        print(j, end=" ")
    print()
```

Average time	Maximum time
0.002 s	0.002 s
1.50 ms	2.00 ms

2 out of 2 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1 2 ms Debug

Expected output	Actual output
5	5
1	1
1 2	1 2
1 2 3	1 2 3
1 2 3 4	1 2 3 4
1 2 3 4 5	1 2 3 4 5

Terminal Test cases