Day 2 python

```
In [1]:
#List & Its Functions
In [2]:
lst = ["Anuradha",1,2,3,[1,2,3]]
In [3]:
lst
Out[3]:
['Anuradha', 1, 2, 3, [1, 2, 3]]
In [4]:
lst.append("Commerce")
In [5]:
lst
Out[5]:
['Anuradha', 1, 2, 3, [1, 2, 3], 'Commerce']
In [6]:
lst [4][1]
Out[6]:
In [10]:
lst.count("Commerce")
Out[10]:
In [11]:
lst.index("Anuradha")
Out[11]:
In [12]:
lst.insert(2,"TAFS")
In [13]:
lst
Out[13]:
['Anuradha', 1, 'TAFS', 2, 3, [1, 2, 3], 'Commerce']
In [14]:
lst.remove("TAFS")
```

```
In [16]:
lst
Out[16]:
['Anuradha', 1, 2, 3, [1, 2, 3], 'Commerce']
In [18]:
lst.reverse()
In [19]:
lst
Out[19]:
['Commerce', [1, 2, 3], 3, 2, 1, 'Anuradha']
In [20]:
lst.pop()
Out[20]:
'Anuradha'
In [21]:
lst
Out[21]:
['Commerce', [1, 2, 3], 3, 2, 1]
In [22]:
lst.pop(-2)
Out[22]:
2
In [23]:
lst
Out[23]:
['Commerce', [1, 2, 3], 3, 1]
In [26]:
lstb = ["Anuradha",2010]
In [27]:
lstb
Out[27]:
['Anuradha', 2010]
In [28]:
Out[28]:
['Commerce', [1, 2, 3], 3, 1]
```

```
In [29]:
lst.extend(lstb)
In [30]:
lst
Out[30]:
['Commerce', [1, 2, 3], 3, 1, 'Anuradha', 2010]
In [31]:
#Dictionary & It's Default Functions
In [32]:
dict = {"Name": "Anuradha", "Age": 21, "Last Name": "L."}
In [33]:
dict
Out[33]:
{'Name': 'Anuradha', 'Age': 21, 'Last Name': 'L.'}
In [34]:
dict.values()
Out[34]:
dict values(['Anuradha', 21, 'L.'])
In [35]:
dict.keys()
Out[35]:
dict keys(['Name', 'Age', 'Last Name'])
In [36]:
dict.clear()
In [37]:
dict
Out[37]:
{ }
In [38]:
dict = {"Name": "Anuradha L.", "Age": 21}
In [39]:
dict
Out[39]:
{'Name': 'Anuradha L.', 'Age': 21}
In [40]:
dict.copy()
Out[40]:
```

```
{'Name': 'Anuradha L.', 'Age': 21}
In [41]:
dict2 = dict.copy()
In [42]:
dict2
Out[42]:
{'Name': 'Anuradha L.', 'Age': 21}
In [46]:
dict.get("Name")
Out[46]:
'Anuradha L.'
In [47]:
dict.items()
Out[47]:
dict_items([('Name', 'Anuradha L.'), ('Age', 21)])
In [48]:
dict.pop("Age")
Out[48]:
21
In [49]:
dict
Out[49]:
{'Name': 'Anuradha L.'}
In [50]:
dict2
Out[50]:
{'Name': 'Anuradha L.', 'Age': 21}
In [51]:
dict ["School"] = "TAFS"
In [52]:
dict
Out[52]:
{'Name': 'Anuradha L.', 'School': 'TAFS'}
In [53]:
#Sets & It's Function
In [54]:
st = {"Anuradha", 1, 2, 2, 3, 4, 5, 3, 4, }
```

```
In [55]:
st
Out[55]:
{1, 2, 3, 4, 5, 'Anuradha'}
In [64]:
st1 = {"Anuradha",7}
In [66]:
st1.issubset(st)
Out[66]:
False
In [58]:
st.add("January")
In [67]:
Out[67]:
{1, 2, 3, 4, 5, 'January', 'Anuradha'}
In [65]:
st1.intersection(st)
Out[65]:
{'Anuradha'}
In [68]:
st1.difference(st)
Out[68]:
{7}
In [69]:
st.difference(st1)
Out[69]:
{1, 2, 3, 4, 5, 'January'}
In [70]:
st.difference_update(st1)
In [71]:
st1
Out[71]:
{7, 'Anuradha'}
In [74]:
st
Out[74]:
```

```
{1, 2, 3, 4, 5, 'January'}
In [75]:
#Tuple & Its Function
In [76]:
tup = ("Anuradha", "L.", "Commerce", "BBA")
In [77]:
tup
Out[77]:
('Anuradha', 'L.', 'Commerce', 'BBA')
In [79]:
tup.count("Anuradha")
Out[79]:
1
In [80]:
tup.count("L.")
Out[80]:
In [81]:
tup.index("Anuradha")
Out[81]:
0
In [1]:
a = 10
b = 20
c = 30
d = 30.5
In [2]:
z = c + d
In [3]:
Out[3]:
60.5
In [4]:
type(z)
Out[4]:
float
In [5]:
x = a + b
```

```
In [6]:
Out[6]:
30
In [7]:
type(x)
Out[7]:
int
In [8]:
name = "Anuradha L."
In [9]:
name1 = "Elsa"
In [10]:
name
Out[10]:
'Anuradha L.'
In [11]:
name1
Out[11]:
'Elsa'
In [17]:
name2 = name + " " + name1
In [18]:
name2
Out[18]:
'Anuradha L. Elsa'
In [19]:
type(name2)
Out[19]:
str
In [ ]:
```