

# Manual QA Test Report

Employee Attendance System

Generated: 26/08/2026, 13:54:56

Verdict: PASSED

---

|                                       |                                 |                                |                                 |
|---------------------------------------|---------------------------------|--------------------------------|---------------------------------|
| <div>57</div> <div>Total checks</div> | <div>57</div> <div>Passed</div> | <div>0</div> <div>Failed</div> | <div>0</div> <div>Blocked</div> |
|---------------------------------------|---------------------------------|--------------------------------|---------------------------------|

## Access and session routing

Use a fresh browser session and verify each role reaches only its own pages.

|                |                                                                                                                                                                                                                             |             |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>AUTH-01</b> | <b>Admin login</b><br>Do: Log in with a valid admin account.<br>Expect: Admin dashboard opens; no login redirect loop.                                                                                                      | <b>PASS</b> |
| <b>AUTH-02</b> | <b>HR login</b><br>Do: Log in with a valid HR account.<br>Expect: HR dashboard opens and the HR name is correct.                                                                                                            | <b>PASS</b> |
| <b>AUTH-03</b> | <b>Employee login</b><br>Do: Log in with a valid employee account.<br>Expect: Employee dashboard opens and the employee name is correct.                                                                                    | <b>PASS</b> |
| <b>AUTH-04</b> | <b>Invalid credentials</b><br>Do: Try an incorrect password and unknown employee code.<br>Expect: A useful login error appears and no protected page opens.                                                                 | <b>PASS</b> |
| <b>AUTH-05</b> | <b>Inactive account</b><br>Do: Try an account marked INACTIVE.<br>Expect: Login is rejected with an inactive-account message.                                                                                               | <b>PASS</b> |
| <b>AUTH-06</b> | <b>Session expiry</b><br>Do: Wait for expiry or clear the session cookie, then open a protected URL.<br>Expect: User reaches the session-expired/login flow, not a broken page.                                             | <b>PASS</b> |
| <b>AUTH-07</b> | <b>Role isolation</b><br>Do: Open admin, HR, and employee URLs while logged in as the wrong role.<br>Expect: The app returns a clear 403/error page and never redirects to an unrelated dashboard.                          | <b>PASS</b> |
| <b>AUTH-08</b> | <b>Logout</b><br>Do: Use the navbar logout action, then press Back and open a protected URL.<br>Expect: Logout completes and protected content is not available from browser cache.                                         | <b>PASS</b> |
| <b>AUTH-09</b> | <b>Shared tabs</b><br>Do: Log in in one tab, open the same application link in a second tab, then log out in one tab.<br>Expect: Tabs share the expected session; after logout, protected requests in both tabs are denied. | <b>PASS</b> |
| <b>AUTH-10</b> | <b>Logged-out 403</b><br>Do: Use a private window or clear cookies, then open an admin, HR, or employee URL directly.<br>Expect: A 403 Access Denied page appears instead of index.html or an unrelated dashboard.          | <b>PASS</b> |
| <b>AUTH-11</b> | <b>Direct session-page access</b><br>Do: Open session-expired.jsp directly while logged out, then trigger a real timeout.<br>Expect: Direct access is denied; only a real expired session shows the session-expired screen. | <b>PASS</b> |

## Admin management

Admin owns employee, HR, and department administration.

|        |                                                                                                                                                                                                                               |      |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| ADM-01 | <b>Add employee</b><br>Do: Create a valid employee with a department.<br>Expect: Success toast appears and the employee appears in the list.                                                                                  | PASS |
| ADM-02 | <b>Add HR</b><br>Do: Create a valid HR account.<br>Expect: Success toast appears and the HR account appears in the list.                                                                                                      | PASS |
| ADM-03 | <b>Validation</b><br>Do: Submit missing, invalid email, weak password, bad date, and duplicate email/code values.<br>Expect: The form stays on the form with a specific error and entered values preserved where appropriate. | PASS |
| ADM-04 | <b>Search employees</b><br>Do: Search by code, name, and email.<br>Expect: Matching results appear and the route remains the employee list.                                                                                   | PASS |
| ADM-05 | <b>Filter employees</b><br>Do: Filter by role, status, and department, including combinations.<br>Expect: Results match all selected filters and reset works.                                                                 | PASS |
| ADM-06 | <b>Edit employee</b><br>Do: Edit employee details and save.<br>Expect: Returns to the employee list with a success toast and updated values.                                                                                  | PASS |
| ADM-07 | <b>Edit HR</b><br>Do: Edit HR details, role, department, and password.<br>Expect: Returns to the employee list with a success toast and updated values.                                                                       | PASS |
| ADM-08 | <b>Deactivate employee</b><br>Do: Deactivate an employee and refresh/filter inactive records.<br>Expect: Native app confirmation appears; account becomes INACTIVE and cannot log in.                                         | PASS |
| ADM-09 | <b>Protect admin</b><br>Do: Try editing or deactivating an admin account by UI and direct request.<br>Expect: Admin account remains protected with a clear error.                                                             | PASS |
| ADM-10 | <b>Departments</b><br>Do: Create, edit, activate/deactivate, and delete departments.<br>Expect: Each action returns to Manage Departments with a clear result; deletion is blocked when employees are assigned.               | PASS |

## HR management

HR manages its own profile and employees in its department.

|       |                                                                                                                                                                                                                                     |      |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| HR-01 | <b>HR navigation</b><br>Do: Open every HR hamburger link, including Profile and My Employees.<br>Expect: Every link opens the correct HR page without login or admin-dashboard redirects.                                           | PASS |
| HR-02 | <b>Edit own profile</b><br>Do: Open the HR account row, change name/designation/email/password, and save.<br>Expect: Edit button is present; save returns to My Employees with a toast; dashboard/navbar/profile show the new name. | PASS |
| HR-03 | <b>Protect own account</b><br>Do: Inspect the HR row actions.<br>Expect: HR has Edit but no Deactivate action for itself.                                                                                                           | PASS |
| HR-04 | <b>Manage department employees</b><br>Do: Edit and deactivate an employee in the HR department.<br>Expect: Edit and Deactivate are visible and work; employee outside the department cannot be managed.                             | PASS |
| HR-05 | <b>Protect another HR</b><br>Do: Try direct edit/deactivate URL for another HR account.<br>Expect: Request is rejected with 403/protected response.                                                                                 | PASS |
| HR-06 | <b>Leave requests</b><br>Do: Open, filter, review, approve, reject, and modify remarks on department leave requests.<br>Expect: Every result returns to the correct HR leave page and counts/statuses update.                       | PASS |
| HR-07 | <b>WFH approvals</b><br>Do: Open pending/all WFH requests and approve/reject one.<br>Expect: Result returns to HR WFH requests; employee receives the correct notification.                                                         | PASS |

## Employee workflows

Exercise the employee-facing workflows with valid and invalid data.

|               |                                                                                                                                                                                                          |             |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>EMP-01</b> | <b>Employee navigation</b><br>Do: Open dashboard, attendance, leave, WFH, notifications, profile, and logout links.<br>Expect: Each enabled link reaches the intended page; no dead or wrong-role route. | <b>PASS</b> |
| <b>EMP-02</b> | <b>Apply leave</b><br>Do: Submit a valid leave request and verify it in history.<br>Expect: Success message appears and the request is listed with the expected status.                                  | <b>PASS</b> |
| <b>EMP-03</b> | <b>Leave validation</b><br>Do: Try reversed dates, overlap, invalid type, empty reason, and past dates.<br>Expect: Specific validation appears without losing the page or creating a bad record.         | <b>PASS</b> |
| <b>EMP-04</b> | <b>Modify leave</b><br>Do: Modify a SUBMITTED request, then try modifying an approved/rejected request.<br>Expect: Only allowed state changes succeed and the result returns to Leave History.           | <b>PASS</b> |
| <b>EMP-05</b> | <b>Cancel leave</b><br>Do: Cancel a SUBMITTED request, then try canceling a completed request.<br>Expect: Allowed cancellation updates status; disallowed action is rejected cleanly.                    | <b>PASS</b> |
| <b>EMP-06</b> | <b>Apply WFH</b><br>Do: Submit today/future dates within 15 days.<br>Expect: Success message appears and the request appears in the list.                                                                | <b>PASS</b> |
| <b>EMP-07</b> | <b>WFH validation</b><br>Do: Try missing dates, reversed dates, past dates, and a range over 15 days.<br>Expect: Readable validation appears; no incorrect request is stored.                            | <b>PASS</b> |

## Chat, files, and notifications

Verify direct/group conversations, attachments, and notification links.

|         |                                                                                                                                                                                       |      |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| CHAT-01 | <b>Open chat</b><br>Do: Open Contact Admin/Contact HR from each role.<br>Expect: Correct contacts and conversation load without redirecting to login.                                 | PASS |
| CHAT-02 | <b>Send direct message</b><br>Do: Send text to an allowed contact.<br>Expect: Message appears once after redirect and recipient gets a notification.                                  | PASS |
| CHAT-03 | <b>Send group message</b><br>Do: Send an Admin + HR group message and mention a member.<br>Expect: Message is visible to group members and notification links open the group.         | PASS |
| CHAT-04 | <b>Attachment preview</b><br>Do: Send a valid image/PDF, then use View and Download.<br>Expect: View opens in the in-page viewer; Download downloads the file with the expected name. | PASS |
| CHAT-05 | <b>Attachment validation</b><br>Do: Try an oversized or unsupported attachment.<br>Expect: Clear validation appears and no unsafe path is exposed.                                    | PASS |
| CHAT-06 | <b>Clear chat</b><br>Do: Clear a direct and a group conversation.<br>Expect: Built-in app modal appears, cancel preserves messages, confirm removes only the selected conversation.   | PASS |
| CHAT-07 | <b>Notifications</b><br>Do: Open, mark read, clear one, and clear all notifications.<br>Expect: Each action returns to Notifications and only authorized records change.              | PASS |
| CHAT-08 | <b>Notification routing</b><br>Do: Click notifications for leave, WFH, chat, and account events.<br>Expect: Each link opens the correct target page for the logged-in role.           | PASS |

## Errors and test reporting

Verify recovery pages, local audit data, evidence handling, and report output.

|        |                                                                                                                                                                                                                     |      |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| REP-01 | <b>Error-page preview</b><br>Do: Open error-preview.jsp with status values 403, 404, and 500.<br>Expect: The intended preview page renders each status and remains publicly reachable.                              | PASS |
| REP-02 | <b>Error-page animation</b><br>Do: Trigger 403, 404, and 500 responses and open logout success.<br>Expect: Each page has a smooth animation, remains readable, and respects reduced-motion preferences.             | PASS |
| REP-03 | <b>Unauthenticated message</b><br>Do: Open a protected URL while logged out.<br>Expect: The 403 page clearly explains that authentication is required.                                                              | PASS |
| REP-04 | <b>Audit persistence</b><br>Do: Mark checks passed/failed, add notes, close/reopen the audit page, and refresh.<br>Expect: Statuses and notes remain available in the same browser.                                 | PASS |
| REP-05 | <b>Screenshot evidence</b><br>Do: Mark a check failed and attach an image.<br>Expect: The image preview s locally and remains attached after refresh.                                                               | PASS |
| REP-06 | <b>PDF report</b><br>Do: Set a mix of passed, failed, blocked, and pending checks, then export PDF.<br>Expect: The print report contains metadata, accurate counts, every category, statuses, and failure evidence. | PASS |
| REP-07 | <b>Failure export</b><br>Do: Create failed and blocked checks, then export the failed report.<br>Expect: The JSON contains only failed/blocked checks, notes, screenshots, and accurate summary counts.             | PASS |
| REP-08 | <b>Reset audit</b><br>Do: Use Reset audit, cancel once, then confirm.<br>Expect: Cancel preserves data; confirmation removes all local statuses, notes, and evidence.                                               | PASS |

## Security and resilience

Try direct requests and failure conditions, not only the happy path.

|        |                                                                                                                                                                                                               |      |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| SEC-01 | <b>CSRF protection</b><br>Do: Submit a POST after removing or changing csrfToken.<br>Expect: Request is rejected with 403 and no data changes.                                                                | PASS |
| SEC-02 | <b>ID tampering</b><br>Do: Change employee, leave, WFH, message, and notification IDs in URLs/forms.<br>Expect: Only permitted records are accessible or changed.                                             | PASS |
| SEC-03 | <b>Output escaping</b><br>Do: Use HTML/script-like text in names, messages, and remarks.<br>Expect: Text is displayed as text and never executes as markup/script.                                            | PASS |
| SEC-04 | <b>Refresh safety</b><br>Do: Refresh after every create/update/delete action.<br>Expect: No duplicate POST occurs and the result remains consistent.                                                          | PASS |
| SEC-05 | <b>Responsive layout</b><br>Do: Run the core flows at desktop and mobile widths.<br>Expect: No clipped buttons, overlapping helper text, inaccessible tables, or unusable dialogs.                            | PASS |
| SEC-06 | <b>Database outage</b><br>Do: Stop the database or use invalid connection settings in a test environment.<br>Expect: App shows a controlled error page/message and does not leak credentials or stack traces. | PASS |

This report was generated from the local manual QA audit. Pending checks require testing before sign-off.