Total No. of Questions: 6

(a) (1 2 3)

(b) (3 2 2)

Total No. of Printed Pages:3

Enrollment No.....



Faculty of Engineering / Science End Sem (Odd) Examination Dec-2022 EN3BS13 / BC3BS02 Engineering Physics

Programme: B.Tech./ Branch/Specialisation: All/ Computer B.Sc.(CS) Science

Duration: 3 Hrs. Maximum Marks: 60

Note: All questions are compulsory. Internal choices, if any, are indicated. Answers of Q.1 (MCQs) should be written in full instead of only a, b, c or d.

Q.1 (N	MCQs) should be written in full instead	ad of only a, b,	c or d.	
Q.1	i.	Ruby laser produces the laser	_	_	1
	ii.	(a) 6493 Å (b) 6328 Å The numerical energy of an electric state of an e	` '	• •	1
	11.	The numerical aperture of an (a) Critical angle	(b) Core refrac	-	1
		` '	(d) None of the		
	iii.	The diameters of dark rin			1
	111.	proportional to-	gs in riewto.	in 5 mig experiment are	
		(a) n (b) $n^{1/2}$	(c) n^2	(d) $(2n+1)$	
	iv.	Light beam after reflection fro	` '		1
		a phase change of-	_F		
		(a) π (b) 0	(c) $\pi/2$	(d) 2π	
	v.	The scattered radiation in the	` '	et has-	1
		(a) Lower frequency	(b) Higher free	quency	
		(c) No change in frequency	(d) None of the	ese	
	vi.	The uncertainty in the location	n of a particle	is equal to its de-Broglie	1
		wavelength, then the uncertain	nty in its veloc	ity will be-	
		(a) Its velocity	(b) Half of its	velocity	
		(c) Twice its velocity		•	
	vii.	If $a=b=10.73$ Å, c= 14.3 Å	$\alpha = \beta = 90^{\circ}$, and	nd γ = 120°, the crystal	1
		structure is-			
		(a) Triclinic (b) Monoclinic		· · · · · ·	
	viii.	The lattice planes of a crystal	-	ots 2a, 3b, and 6c on the	1
		axes. The Miller indices will h	ne-		

(c)(321)

(d) (2 1 3)

P.T.O.

[2]

	ix.	If a particle is oscillating on the same horizontal plane in the ground- (a) It has only kinetic energy but no potential energy (b) It has only potential energy but no kinetic energy (c) It has both kinetic and potential energies (d) It has neither kinetic nor potential energies	1
	х.	What happens if the reverberation time is too large? (a) The sound becomes inaudible (b) Echoes are produced (c) Frequency becomes high (d) The sound becomes infrasonic	1
Q.2	i. ii. iii.	Find the intensity of a laser beam of 100 mW power and having a diameter of 1.3 m. Assume the intensity to be uniform. Discuss the various properties of laser radiation. Explain the basic principle of optical fibre. Discuss fibre classification.	2 3 5
OR	iv.	Sketch and explain the working principle of He-Ne laser. How the population inversion is achieved in He-Ne laser?	5
Q.3	i.	In Newton's ring experiment, the diameter of the 10 th dark ring is 0.433 cm. Find the wavelength of incident light, if the radius of curvature of the lens is 70 cm.	2
	ii.	Explain the formation of interference fringes by means of Fresnel's biprism when a monochromatic source of light is used and derive an expression for the fringe width.	8
OR	iii.	Distinguish between Fresnel and Fraunhofer diffractions. Describe Fraunhofer diffraction due to a single slit and obtain an expression for maximum and minimum intensities.	8
Q.4	i.	Discuss the failures of classical physics. How does quantum mechanics overcome these failures?	3
OR	ii. iii.	What is Compton effect? Deduce an expression for the shift in wavelength of X-rays beams by giving its experimental verification. Solve the Schrodinger equation for one-dimensional motion of a	7
OK	111.	particle in a box of side L and obtain its eigen function and show that its eigen value is inversely proportional to the square of side L.	,

Q.5	i.	Determine the Miller indices of plane parallel to the z axis and cut intercepts of 2 and $2/3$ along x and y axes, respectively.	2
	ii.	Differentiate between type I and type II superconductors.	3
	iii.	What is Hall effect? Deduce an expression for the hall coefficient and Hall Voltage for a solid.	5
OR	iv.	Define the term packing density and deduce an expression for packing density of the face centred cubic structure.	5
Q.6		Attempt any two:	
	i.	Discuss various conditions for a good acoustical design.	5
	ii.	Explain the simple harmonic oscillator and obtain an expression for its total mechanical energy.	5
	iii.	What is meant by reverberation time? Explain Sabine's formula and its	5

[3]

Scheme of Marking



Faculty of Engineering End Sem (Odd) Examination Dec-2022 EN3BS13 Engineering Physics

Programme: B.Tech.

Branch/Specialisation:

Note: The Paper Setter should provide the answer wise splitting of the marks in the scheme below.

Q.1	i)	Ruby laser produces the laser beam of wavelength c) 6943 Å	1
	ii)	The numerical aperture of an optical fibre depends on c) both (a) and (b)	1
	iii)	The diameters of dark rings in Newton's ring experiment are proportional to b) $n^{1/2}$	1
	iv)	Light beam after reflection from an optically denser medium undergoes a phase change of: a) π	1
	v)	The scattered radiation in the Compton effect has: a) lower frequency	1
	vi)	The uncertainty in the location of a particle is equal to its de- Broglie wavelength, then the uncertainty in its velocity will be: a) its velocity (b) half of its velocity	1
	vii)	If $a=b=10.73$ Å, $c=14.3$ Å, $\alpha=\beta=90^{\circ}$, and $\gamma=120^{\circ}$, the crystal structure is d) hexagonal	1
	viii)	The lattice planes of a crystal have intercepts 2a, 3b, and 6c on the axes. The Miller indices will be c) (3 2 1)	1
	ix)	If a particle is oscillating on the same horizontal plane in the ground: c) It has both kinetic and potential energies	1
	x)	What happens if the reverberation time is too large? d) Echoes are produced	\1
Q.2	i.	Find the intensity of a laser beam of 100 mW power and having a diameter of 1.3 m. Assume the intensity to be uniform.	2

T			
	Formula, Intensity = power/area	1 mark	
	$I = P/\pi r^2 = 4P/\pi d^2$		
		1 mark	
ii.	Discuss the various properties of laser radiation.		3
	1 Only Proposition - !		
	At least 3 properties Explanation - 2	1 mark each	
iii.		Discuss fibre	5
	classification		
	Duincinto de O incorreta	21	
ive			
IV.		laser. How the	5
	population inversion is achieved in He-Ne laser?		
	Stratah	1	
	r opulation inversion	2 marks	
i.	In Newton's ring experiment, the diameter of the 10	Oth dark ring is	2
			_
	curvature of the lens is 70 cm	T WILL THAT OF	
	Formula. $(D_n)^2 = 4nR\lambda$.	1 mark	
ii.	Explain the formation of interference fringes by mea		8
22	an expression for the fringe width.		
	Fresnel's hinrism (Diagrap)	2 marks	
151		0.000 10000 10000 10000 1000	
iii.			8
		onpression	
	for maximum and minimum intensities.	į.	
	iv.	 Intensity = 7.5 kW/m² : 75.32 ii. Discuss the various properties of laser radiation. At least 3 properties Explanation — 2 iii. Explain the basic principle of optical fibre. classification iv. Sketch and explain the working principle of He-Ne population inversion is achieved in He-Ne laser? Sketch Working Principle Population inversion i. In Newton's ring experiment, the diameter of the 10 0.433 cm. Find the wavelength of incident light, is curvature of the lens is 70 cm Formula, (D_n)² = 4nRλ λ = 6695 Å ii. Explain the formation of interference fringes by mean biprism when a monochromatic source of light is unan expression for the fringe width. Fresnel's biprism (Piagraf) Formation of interference fringes Derivation for fringe width (Piagraf) iii. Distinguish between Fresnel and Fraunhofer diffract 	Intensity = 7.5 (W/m^2

	1	Fresnel and Fraunhofer diffraction	2 marks	
		Intensity expression	4 marks	
		Expression of Maxima	1 mark	
		Expression of Minima	1 mark	
~ .	1.		7	
Q.4	i.	Discuss the failures of classical physics and how of	loes quantum	3
		mechanics overcome these failures?		
		Failures of classical mechanics	2 marks	
		Superiority of Quantum mechanics	1 mark	
	ii.	What is Compton effect? Deduce an expression fo		7
	11.	wavelength of X-rays beams by giving its		,
		verification.	скрепшения	
		Compton Effect with Diagram	2 marks	
		Expression for Compton shift (2+2+1)	5 marks	
OR	iii.	Solve the Schrodinger equation for one-dimensiona	motion of a	7
		particle in a box of side L and obtain its eigen funct		
		that its eigen value is inversely proportional to the squ	are of side L.	
		Explanation of diagram	1 mark	
		Wave function	3 marks	
	-	Eigen value	3 marks	
0.5	 .	B		
Q.5	i.	Determine the Miller indices of plane parallel to the		2
	ii.	intercepts of 2 and 2/3 along x and y axes, respectivel		3
	111.	Differentiate between type I and type II superconduct	ors	3
		At least 3 differences	1 mark each	
	iii.	What is Hall effect? Deduce an expression for the Ha	all coefficient	5
		and Hall Voltage for a solid	, ×	
		Hall effect with sketch	2 marks	
		Hall coefficient	1.5 marks	
		Hall voltage	1.5 marks	
OD	1.			
OR	iv.	Define the term Packing density and deduce an e	xpression for	5
		packing density of the face centred cubic structure.		
		*		
		Packing density	2 marks	

		Expression of packing density for FCC	3 marks	
Q.6				
	i.	Discuss various conditions for a good acoustical design.		5
		8	mark each	
		(At least five conditions)		
	ii.	Explain the simple harmonic oscillator and obtain an exp	ression for	5
		its total mechanical energy		
	*			
		Simple harmonic oscillator	1 mark	
		Expression for total energy	4 marks	
	iii.	What is meant by reverberation time? Explain Sabine's for	rmula and	5
		its limitations.		
		Reverberation time	1 mark	
		Sabine's formula	2 marks	
		Limitations	2 marks	
