


- Q.5 i. Draw the ILD for horizontal thrust and bending moment for three hinge parabolic arch. **3** 2 4 1,3,4 1,2  
3
- ii. Draw the ILD for shear force at a section which is at a distance of 3 m from right support in a following continuous beam and calculate ordinates at 1 m interval. **7** 5 4 1,3,4 1,2  
3




- OR iii. A two hinged parabolic arch of span 24m carrying a point load of 10kN at the centre. Calculate the horizontal thrust, bending moment, normal thrust and radial shear at 6m from left support. Also draw bending moment diagram. **7** 3 4 1,3,4 1,2  
3

Q.6 Attempt any two:

- i. Calculate the plastic moment carrying capacity of the frame with working loads as shown in the figure. Take load factor 1.5. **5** 1,2



- ii. Write short note on **5** 1,2
- (a) Plastic moment and plastic hinge
- (b) Stress-strain curve of steel
- iii. Determine the plastic moment capacity of the fixed beam as shown in figure. Assume uniform section throughout. **5** 1,2



\*\*\*\*\*

Total No. of Questions: 6

Total No. of Printed Pages:4

Enrollment No.....



Faculty of Engineering  
End Sem Examination Dec 2024  
CE3CO25 Structural Analysis -II

Programme: B.Tech.

Branch/Specialisation: CE

Duration: 3 Hrs.

Maximum Marks: 60


Note: All questions are compulsory. Internal choices, if any, are indicated. Answers of Q.1 (MCQs) should be written in full instead of only a, b, c or d. Assume suitable data if necessary. Notations and symbols have their usual meaning.

	Marks	BL	CO	PO	PSO
Q.1 i. In Kani's Method, what type of structures is it primarily used for?	1	1	1	1,3 12	1,2 3
(a) Simply supported beams					
(b) Statically determinate structures					
(c) Statically indeterminate structures					
(d) Trusses and frames					
ii. Carryover Moment is defined as ____.	1	2	1	1,3 12	1,2 3
(a) The moment applied at one end to cause unit slope at the support					
(b) The additional moment applied at one end to completely resist the rotation caused due to external loading					
(c) The moment developed or induced at one end due to a moment at another end					
(d) The moment applied at one end to cause unit slope at another end					
iii. In stiffness matrix method of structure analysis, the quantity taken as redundant is:	1	1	2	1,3, 4,5, 6,12	1,2 3
(a) Deflection					
(b) Rotation					
(c) Both (a) and (b)					
(d) None of these					
iv. Stiffness matrix represents a system of ____.	1	1	2	1,3, 4,5, 6,12	1,2 3
(a) Programming equations					
(b) Iterative equations					
(c) Linear equations					
(d) Program CG SOLVING equations					

[2]


- v. What is the primary purpose of the portal frame method in structural analysis? **1** 2 3 1,3 1,2  
4,12 3  
(a) To calculate support reactions  
(b) To analyze portal frames  
(c) To design truss structures  
(d) To calculate beam deflections
- vi. How many assumptions are made in portal method for analyzing fixed-supported building? **1** 1 3 1,3 1,2  
4,12 3  
(a) 1 (b) 3 (c) 2 (d) 4
- vii. What role do the hinges in a two-hinge arch plays in its stability and flexibility? **1** 2 4 1,3 1,2  
4  
(a) They provide rigid support  
(b) they allow rotation and flexibility  
(c) They carry the entire load  
(d) They act as decorative element
- viii. An arch is a beam except for \_\_\_\_\_. **1** 1 4 1,3 1,2  
4  
(a) It does not resist inclined load  
(b) It does not allow rotation at any point  
(c) It does not resist transverse forces  
(d) It does not allow horizontal movement
- ix. The shape factor of diamond section is- **1** 1 5 1,3 1,2  
4,5  
(a) 1 (b) 1.5  
(c) 2 (d) 2.34  
6,7  
9,12
- x. Which load is obtained when equilibrium and mechanism conditions of plastic analysis are satisfied? **1** 2 5 1,3 1,2  
4,5  
(a) Plastic limit load  
(b) Upper bound solution of true ultimate load  
(c) Lower bound solution of true ultimate load  
(d) No solution  
6,7  
9,12

- Q.2 i. State the advantages of Kani's Method over moment distribution method. **2** 2 1 1,3 1,2  
12 3
- ii. Analyze the continuous beam as shown by Kani's method- **8** 3 1 1,3 1,2  
12 3




[3]


- OR iii. Determine the moments of the members of the given frame by using Kani's Method. **8** 3 1 1,3 1,2  
12 3




- Q.3 i. Compare flexibility method and stiffness method. **4** 2 2 1,3,4 1,2  
5,6 3  
12
- ii. Determine the reaction and moment at supports by stiffness matrix method. **6** 3 2 1,3,4 1,2  
5,6 3  
12




- OR iii. Analyze the beam by flexibility matrix method. **6** 4 2 1,3,4 1,2  
5,6 3  
12



- Q.4 i. Explain the assumption used in portal method? **3** 2 3 1,3,4 1,2,3  
12
- ii. Analyze the following frame using portal method- **7** 4 3 1,3,4 1,2  
12 3



- OR iii. Determine the beam and column moment of the given frame by cantilever method. **7** 3 3 1,3,4 1,2  
12 3



**Marking Scheme**  
**CE3CO25 Structural Analysis-II**

Q.1	i)	C	1
	ii)	C	1
	iii)	C	1
	iv)	C	1
	v)	B	1
	vi)	B	1
	vii)	B	1
	viii)	D	1
	ix)	C	1
	x)	B	1
Q.2	i.	Advantages of Kani's Method over Moment Distribution method. 1 mark for each advantages (1 mark * 2)	2
	ii.	Determination of Fixed End Moment 1 mark Moment distribution cycle 3 marks Shear equation 2 marks Final end Moment 1 mark BMD 1 mark	8
OR	iii.	Determination of Fixed End Moment 2 marks Kani's cycle 3 marks Final end Moment 1 mark BMD 2 marks	8
Q.3	i.	0.5 mark for each comparison (1 mark * 4)	4
	ii.	Determination of Fixed End Moment 2 marks Stiffness Matrix 2 marks Final end Moment 1 mark BMD 1 marks	6
OR	iii.	Determination of Fixed End Moment 2 marks Flexibility Matrix 2 marks Final end Moment 1 mark BMD 1 marks	6
Q.4	i.	Each Assumption 1 mark	3
	ii.	Shear in column 1 mark	7

OR	iii.	Moments in column 2 marks Moments in beams 2 marks Shear in beams 1 mark Axial force in column 1 mark	7
		Shear in column 1 mark	
		Moments in column 2 marks	
		Moments in beams 2 marks	
		Shear in beams 1 mark	
		Axial force in column 1 mark	
Q.5	i.	ILD for horizontal thrust 1.5 Marks ILD for bending moment 1.5 marks	3
	ii.	Shape of ILD 2 marks Determination of ordinate at 1 m interval 5 mark	7
OR	iii.	Calculate the horizontal thrust 1 marks bending moment 2 marks normal thrust 2 marks radial shear 2 marks	7
Q.6	Attempt any two		5
	i.	Plastic moment 2.5 marks Collapse load 2.5 marks	
	ii.	A) Plastic Moment and Plastic Hinge 2.5 marks B) Stress-Strain Curve of steel 2.5 marks	5
	iii.	Plastic moments 5 marks	5

\*\*\*\*\*