Total No. of Questions: 6

Total No. of Printed Pages:3

Enrollment No.....



## Faculty of Engineering End Sem (Even) Examination May-2022 FT3CO17 Fire Engineering -II

Programme: B.Tech. Branch/Specialisation: FT

**Duration: 3 Hrs. Maximum Marks: 60** 

	_	estions are compulsory. International should be written in full instea	al choices, if any, are indicated. Answers d of only a, b, c or d.	3 0	
Q.1	i.	The IS-Code for crash fire ter	nder is:	1	
		(a) IS-951 (b) IS-950	(c) IS-952 (d) IS-953		
	ii.	Which of the following	method does not indicates fire	1	
		extinguishment?			
		(a) Starvation	(b) Chain reaction		
		(c) Cooling	(d) Smothering.		
	iii.	Choose the correct category of	of firefighting pipe among following:	1	
		(a) Hose box	(b) Hose pipe		
		(c) Hose reel	(d) Hose fittings		
	iv.	The occurrence of flash fire v	vill take place when:	1	
		(a) Liquid store at its boiling	point		
	(b) Liquid store at below its boiling point				
		(c) Liquid store at above its b	oiling point		
		(d) None of these			
	v.	The full form of BLEVE is:		1	
		(a) Boiling liquid explosion vapor expansion			
		(b) Boiling liquid expanding vapor explosion			
		(c) Boiling liquid escaping va	npor expansion		
		(d) Boiling liquid expansion	vapor escaping		
	vi.	Formula to calculate risk con	onsidering risk perception is:		
		(a) $R = P \times C^y$	(b) $R = P^y \times C$		
		(c) $R = P^y \times C^y$	(d) None of these		

P.T.O.

	vii.	Liquefied petroleum gas composition is:			
		(a) Propane and Butane (b) Methane and Propane			
		(c) Butane and Methane (d) None of these			
	viii.	The full form of JSA is:	1		
		(a) Job Safety Analysis (b) Job Safety Assessment			
		(c) Job Safety Advantage (d) None of these			
ix.		Section indicates the appointment of safety officer inside	1		
		a factory:			
		(a) 40A (b) 40B (c) 41A (d) 41B			
	х.	In PSC concept primary failure of components are due to:	1		
		(a) Excessive stress			
		(b) Human error			
		(c) Inadvertent control signals			
		(d) Wear and tear			
Q.2	i.	Give any four specific characteristics of rescue tender as per 2 IS: 949-1985?			
	ii.	Differentiate active and passive fire protection system with suitable 3			
		examples. (Any three)			
	iii.	Give the empirical equations in different fire growth stages? 5			
		Explain method of fire extinguishment in detail?			
OR	iv.	Write the different components for an ideal fire pump house?	5		
	Differentiate the functions of main fire pump and standby fire pump?				
Q.3	i.	Specify the IS code number for coupling, branch pipe, nozzle use in	2		
		hose reel tubing for firefighting?			
	ii.	Draw a simple design fire curve in between heat release rate and	8		
		time for a burning pool of gasoline?			
OR	iii.	Give the expression for estimating the burning characteristics of	8		
		liquid pool fire on the following points:			
		(a) Heat release rate (b) Burning duration			
		(c) Flame height			
Q.4	i.	Write a short note on features available within extension ladder and hook ladder?	3		

	ii.	Write an expression on BLEVE effects in terms of fire ball mainly relate to human injury on the basis of followings:  (a) E <sub>r</sub> - Emissive radiative heat flux  (b) v <sub>a</sub> – Transmissiviity  (c) H- height of the fire ball from the ground  (d) D and L are diameter of fire ball and distance of receptor at ground level respectively	7
OR	iii.	What are the different types of small gears used in rescue operation? Give a brief note on ropes and lines concern with rescue techniques?	7
Q.5	i.	Explain the working principle of breathing apparatus with the help of neat and clean diagram?	4
	ii.	A group of 03 workers assigned the task for cleaning a silo inside the factory. Demonstrate the JSA technique from safety officer point of view?	6
OR	iii.	Enlist the salient feature of IOCL Jaipur fire case study on the following points:  (a) Logic diagram on initiating drives  (b) Possible causes of fire  (c) Findings and improvement in fire safety legislations	6
Q.6		Attempt any two:	
	i.	Differentiate between accident and incident data? Explain qualitative and quantitative differences in both types of data?	5
	ii.	Explain the organization structure of safety committee? What are the various function must be performed by the safety committee as per norms?	5
	iii.	What are the duties and responsibility shall be performed by a safety officer in an organization?	5

\*\*\*\*

## **Marking Scheme**

## FT3CO17 Fire Engineering -II

		1 10 0017 The Engineering 11			
Q.1	i.	The IS-Code for crash fire tender is:		1	
	••	(a) IS-951	: 1:	1	
	ii.	Which of the following method does not	indicates fire	1	
		extinguishment?			
	:::	(b) Chain reaction Choose the correct category of firefighting pipe among following:			
	iii.	Choose the correct category of firefighting pipe among following:			
	:	(b) Hose pipe		1	
	iv.	The occurrence of flash fire will take place when:			
		(c) Liquid store at above its boiling point		1	
	v.	The full form of BLEVE is:			
		(b) Boiling liquid expanding vapor explosion			
	vi.	Formula to calculate risk considering risk perception is:			
		(b) $R = P^y \times C$			
	vii.	Liquefied petroleum gas composition is:			
		(a) Propane and Butane			
	viii.	The full form of JSA is:			
		(a) Job Safety Analysis			
	ix.	Section indicates the appointment of safety officer inside			
		a factory:			
		(b) 40B	1 .	1	
х.		In PSC concept primary failure of components are due to:			
		(d) Wear and tear			
Q.2	i.	Any four characteristics of rescue tender as per IS:	949-1985	2	
	ii.	Active fire	2 marks	3	
		Passive fire	1 mark		
	iii.	Fire growth stages	3 marks	5	
		Fire extinguishment	2 marks		
OR	iv.	Components for an ideal fire pump house	3 marks	5	
		Functions of main fire pump and standby fire pump	2 marks		
Q.3	i.	IS code number for coupling, branch pipe, nozzle	use in hose reel	2	
		tubing for firefighting			
	ii.	Heat release rate	3 marks	8	
		Time for a burning pool of gasoline	3 marks		
		Gun Design	2 marks		
		Č			

OR	iii.	Characteristics of liquid pool fire on the following	g points:	8
		(a) Heat release rate	4 marks	
		(b) Burning duration	2 marks	
		(c) Flame height	2 marks	
Q.4	i.	Features available within extension ladder and ho	ok ladder	3
•		3 points 1 mark for each	(1 mark * 3)	
	ii.	Definition of BLEVE effects	1 mark	7
		(a) E <sub>r</sub> - Emissive radiative heat flux	2 marks	•
		(b) v <sub>a</sub> – Transmissiviity	2 marks	
		(c) H- height of the fire ball from the ground	1 mark	
		(d) D and L	1 mark	
OR	iii.	Types of small gears used in rescue operation	4 marks	7
		Ropes and lines concern with rescue techniques	3 marks	
Q.5	i.	Working principle of breathing apparatus	1 mark	4
		Diagram	4 marks	
	ii.	JSA technique from safety officer point of view		6
		1 mark for each point	(1 mark * 6)	
OR	iii.	Enlist the salient feature of IOCL Jaipur fire c	ase study on the	6
		following points:		
		(a) Logic diagram on initiating drives	2 marks	
		(b) Possible causes of fire	2 marks	
		(c) Findings and improvement in fire safety legisl		
			2 marks	
Q.6		Attempt any two:		
	i.	Difference b/w accident and incident data		5
		3 points 1 mark for each (1 mark * 3)	3 marks	
		Qualitative and quantitative differences	2 marks	
	ii.	Organization structure of safety committee	2 marks	5
		Norms	2 marks	
		About organization	1 mark	
	iii.	Duties and responsibility shall be performed by an organization	a safety officer in	5
		At least five points	(1 mark * 5)	

\*\*\*\*\*