Total No. of Questions: 6

Total No. of Printed Pages: 3

Enrollment No.....



Faculty of Engineering End Sem (Odd) Examination Dec-2022 EC3ET04 Data Structures

Branch/Specialisation: EC Programme: B.Tech.

Duration: 3 Hrs. Maximum Marks: 60

Note: All questions are compulsory. Internal choices, if any, are indicated. Answers of Q.1 (MCQs) should be written in full instead of only a, b, c or d.

- Which data structure allows deleting data elements from front and 1 O.1 i. inserting at rear?
 - (a) Stacks

(b) Queues

(c) Deques

- (d) Binary search tree
- Which of the following statement about stack data structure is NOT 1 correct?
 - (a) Linked List are used for implementing Stacks
 - (b) Top of the Stack always contain the new node
 - (c) Stack is the FIFO data structure
 - (d) Null link is present in the last node at the bottom of the stack
- iii. For a given graph G having v vertices and e edges which is connected 1 and has no cycles, which of the following statements is true?
 - (a) v = e
- (b) v = e+1 (c) v + 1 = e (d) v = e+2
- Identify the reason which doesn't play a key role to use threaded 1 binary trees?
 - (a) The storage required by stack and queue is more
 - (b) The pointers in most of nodes of a binary tree are NULL
 - (c) It is Difficult to find a successor node
 - (d) They occupy less size
- is a complete binary tree that is completely filled except 1 possibly at the bottom level.
 - (a) Red-Black Tree
- (b) AVL Tree
- (c) Binary Heap Tree
- (d) Double tree

P.T.O.

| | vi. | While deleting nodes from a | binary heap, node is replaced by | 1 | |
|-----|-------|--|---|---|--|
| | | the last leaf in the tree. | | | |
| | | (a) Left leaf | (b) Right leaf | | |
| | | (c) Root | (d) Cycle | | |
| | vii. | A sort which relatively pass | es through a list to exchange the first | 1 | |
| | | element with any element less than it and then repeats with a new first | | | |
| | | element is called- | | | |
| | | (a) Insertion sort | (b) Selection sort | | |
| | | (c) Heap sort | (d) Quick sort | | |
| | viii. | The quick sort algorithm expl | oits design technique. | 1 | |
| | | (a) Greedy | (b) Divide and Conquer | | |
| | | (c) Dynamic programming | (d) Backtracking | | |
| | ix. | What is a hash function? | | 1 | |
| | | (a) A function has allocated m | nemory to keys | | |
| | | (b) A function that computes the location of the key in the array | | | |
| | | (c) A function that creates an array | | | |
| | | (d) A function that computes t | the location of the values in the array | | |
| | х. | (a) Item is somewhere in the middle of the array(b) Item is not in the array at all(c) Item is the last element in the array | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | (d) Item is the last element in the array or is not there at all | | | |
| Q.2 | i. | Write down an algorithm for p | oushing an item into the stack. | 2 | |
| | ii. | - | mple queues? How it can be overcome? | 8 | |
| | | Explain diagrammatically with | th the help of an example also write an | | |
| | | algorithm for deleting a node | from simple queue. | | |
| OR | iii. | Explain different types of li | nked list with diagram and also write | 8 | |
| | | algorithm for inserting a node | at the beginning of linked list | | |
| 0.2 | | Define enough Excelsing the fell | avving types of anombe with the halp of a | 4 | |
| Q.3 | i. | graph(diagram): | owing types of graphs with the help of a | 4 | |
| | | , - , | (b) Complete graph | | |
| | | () | (d) Disconnected graph | | |
| | | (v) connected graph | (a) Discominected Graph | | |

| | ii. | The following sequence gives the preorder and inorder of the Binary tree T: | 6 |
|-----|------|--|---|
| | | Preorder: A B D G C E H I F | |
| | | Inorder: DGBAHEICF | |
| | | Draw the diagram of the tree after every step. Also write down the postorder traversal of the tree from the final tree | |
| OR | iii. | Explain different types of graph traversal used in data structures also explain different ways of graph representations explain each with the help of diagram. | 6 |
| Q.4 | i. | Diagrammatically explain Red-Black tree with its properties. | 3 |
| | ii. | Start with an empty AVL search tree and insert the following keys in order:20,10,5,30,40,3,4 draw figure depicting your tree immediately after each insertion and following the rebalancing rotation (if any). Label all nodes with their balance factor and identify the rotation type (if any) that is done. | 7 |
| OR | iii. | Start with an empty splay tree and insert the following keys in order: 20,10,5,30,40,25,8 draw figure depicting your tree immediately after each insertion and following the rotation (if any). Label each rotation with rotation type. | 7 |
| Q.5 | i. | What is the worst case and average case complexities of insertion sort, Heap sort, Merge sort and Quick sort. | 4 |
| | ii. | Take 54 as pivot element and Sort 54, 26,93,14,31,44,55,20 using quick sort explain each step after comparison. | 6 |
| OR | iii. | Write any two Characteristics of Insertion Sort and also Sort 12, 11, 13, 5, using insertion sort, write each step after every pass. | 6 |
| Q.6 | | Attempt any two: | |
| | i. | Write any two points for comparison of binary search and liner search. Also write down algorithm of binary searching. | 5 |
| | ii. | What is linear probing? How it is different from quadratic probing? | 5 |
| | iii. | What do you mean by chaining? Explain with its advantages. | 5 |

Scheme of Marking



Faculty of Engineering End Sem (Odd) Examination Dec-2022 EC3ET04 Data Structures


Programme: B.Tech.

Branch/Specialisation: EC

Note: The Paper Setter should provide the answer wise splitting of the marks in the scheme below.

| Q.1 | i) | b) Queues | 1 |
|-----|-------|--|---|
| | ii) | c) Stack is the FIFO data structure | 1 |
| | iii) | b) v = e+1 | 1 |
| | iv) | d)They occupy less size | 1 |
| | v) | c) Binary Heap Tree | 1 |
| | vi) | c) root | 1 |
| | vii) | d)quick sort (Selection Sort) | 1 |
| | viii) | b) Divide and Conquer | 1 |
| | ix) | b) A function that computes the location of the key in the array | 1 |
| | x) | d)Item is the last element in the array or is not there at all | 1 |
| Q.2 | î. | Algorithm (each step .5 marks) | 2 |
| OR | ii. | Limitations(with diagram) 4 mark, how it can be overcome (with diagram) 2 marks, algorithm 2 marks | 8 |
| | iii. | Types of linked list with diagram 6 marks Algorithm 2 marks | |
| Q.3 | i. | One marks each definition with graph | 4 |
| OR | ii. | Tree step by step (each step 1 mark) total 5 marks Postorder traversal 1 mark | 6 |
| | iii. | graph traversal with diagram (3marks), graph representations with diagram (3marks), | 6 |
| Q.4 | i. | Each property 1 marks | 3 |
| OR | ii. | Each insertion step have 1 mark | 7 |

| | iii. | Each insertion step have 1 mark | 7 |
|-----|------|--|-----|
| Q.5 | i. | Each case 1 mark | 4 |
| OR. | ii. | Each step 1 marks | 6 |
| | iii. | Each Characteristics 1 marks(2 marks),each pass 1 mark(4marks) | 6 |
| Q.6 | | Attempt any two: | |
| | i. | 2 marks comparison ,algorithm Each step .5 mark | - 5 |
| | ii. | Linear probing (2.5 marks) ,quadratic probing(2.5 marks) | 5 |
| | iii. | Chaining explanation(1 marks),advantages(4 marks) | 5 |



Postorder: GOBHIEFCA

8.2 ii) BFS one mode is selected and them are of the odd sovert nodes are visited one by are, Atter Conflicting are of the odd vertices it moves further to CNK author vert and works of joint vert again

DES: On stating verter is filter and when a adjust vertex is found, it money to that aft. Yest and try to traverse in the same manner.

