Mr. Ankit Yadav

Age / Sex : 27 YRS / M

Referred by : SHRI RAM NASHA MUKTI KENDRA

Reg. no. : 6996

6996

Registered on : 21/10/2026 12:30 PM

Collected on : 21/10/2026 11:30 AM

Received on : 21/10/2026 11:40 AM

Reported on : 21/10/2026 12:34 PM

Scan to download

SEROLOGY & IMMUNOLOGY

TEST	VALUE	UNIT	REFERENCE
WIDAL TEST (SLIDE METHOD)			
SALMONELLA TYPHI 'O'	1:160		
SALMONELLA TYPHI 'H'	1:80		
SALMONELLA TYPHI 'AH'	1:40		
SALMONELLA TYPHI 'BH'	1:20		

BIOCHEMISTRY

LIVER FUNCTION TEST (LFT)

TEST		VALUE	UNIT	REFERENCE
SERUM BILIRUBIN (TOTAL)		0.66	mg/dl	0.2 - 1.2
SERUM BILIRUBIN (DIRECT)		0.14	mg/dl	0 - 0.3
SERUM BILIRUBIN (INDIRECT)		0.52	mg/dl	0.2 - 1
SGOT (AST)		35.54	U/l	0 - 37
SGPT (ALT)		38.83	U/l	13 - 40
SGOT/SGPT Method: Calculated		0.92		
SERUM ALKALINE PHOSPHATASE		98.67	U/l	44 - 147
SERUM PROTEIN		7.58	g/dl	6.4 - 8.3
SERUM ALBUMIN		3.51	g/dl	3.5 - 5.2
GLOBULIN	**H**	**4.07**	**g/dl**	**1.8 - 3.6**
A/G RATIO	**L**	**0.86**		**1.1 - 2.1**

LFT Interpretation

Liver Function Blood Test gives an insight into your liver health and helps identify problems like hepatitis, cirrhosis, and fatty liver disease, which may cause similar symptoms but require different treatments to recover.

Test Significance

Besides diagnosing liver problems, LFT's also monitor overall liver functioning. Monitoring helps people with liver disease or taking medication, as it helps screen whether the treatment works fine or requires adjustments. Moreover, Liver Function Tests help determine if someone is at risk of developing liver diseases. Apart from assessing your chances, this test also checks the severity of the liver damage to help the doctor plan and prescribe appropriate treatment.

Increased in: Acute or chronic hepatitis, cirrhosis, biliary tract obstruction, toxic hepatitis, neonatal jaundice (neonatal hyperbilirubinemia), congenital liver enzyme abnormalities (Dubin-Johnson, Rotor, Gilbert, Crigler-Najjar syndromes), fasting, hemolytic disorders. Hepatotoxic drugs.

~~~ End of report ~~~

Powered by Labsmart
~~~