

# E-COMMERCE PLATFORM DATABASE AND TABLES

## 1. CREATE DATABASE

```
mysql> CREATE DATABASE ECOMMERCE;  
Query OK, 1 row affected (0.05 sec)  
  
mysql> USE ECOMMERCE;  
Database changed
```

## 2. CREATE CATEGORY TABLE

```
mysql> CREATE TABLE CATEGORY (  
-> CATEGORY_ID INT PRIMARY KEY AUTO_INCREMENT,  
-> CATEGORY_NAME VARCHAR(100) NOT NULL UNIQUE,  
-> DESCRIPTION VARCHAR(255)  
-> );  
Query OK, 0 rows affected (0.11 sec)
```

## 3. CREATE SELLER TABLE

```
mysql> CREATE TABLE SELLER (  
-> SELLER_ID INT PRIMARY KEY AUTO_INCREMENT,  
-> NAME VARCHAR(100) NOT NULL,  
-> PHONE VARCHAR(15) NOT NULL UNIQUE,  
-> TOTAL_SALES FLOAT DEFAULT 0 CHECK (TOTAL_SALES >= 0)  
-> );  
Query OK, 0 rows affected (0.05 sec)
```

## 4. CREATE CUSTOMER TABLE

```
mysql> CREATE TABLE CUSTOMER (  
-> CUSTOMER_ID INT PRIMARY KEY AUTO_INCREMENT,  
-> FIRSTNAME VARCHAR(50) NOT NULL,  
-> MIDDLENAME VARCHAR(50),  
-> LASTNAME VARCHAR(50) NOT NULL,  
-> EMAIL VARCHAR(100) NOT NULL UNIQUE,  
-> DATEOFBIRTH DATE,  
-> PHONE VARCHAR(15) NOT NULL UNIQUE,  
-> AGE INT CHECK (AGE >= 18)  
-> );  
Query OK, 0 rows affected (0.06 sec)
```

## 5. CREATE ADDRESS TABLE

```
mysql> CREATE TABLE ADDRESS (  
-> ADDRESS_ID INT PRIMARY KEY AUTO_INCREMENT,  
-> APART_NO INT,  
-> APARTNAME VARCHAR(100),  
-> STREETNAME VARCHAR(100) NOT NULL,  
-> STATE VARCHAR(50) NOT NULL,  
-> CITY VARCHAR(50) NOT NULL,  
-> PINCODE INT NOT NULL,  
-> CUSTOMER_CUSTOMER_ID INT,  
-> FOREIGN KEY (CUSTOMER_CUSTOMER_ID)  
-> REFERENCES CUSTOMER(CUSTOMER_ID)  
-> ON DELETE CASCADE  
-> );  
Query OK, 0 rows affected (0.08 sec)
```

## 6. CREATE PRODUCT TABLE

```
mysql> CREATE TABLE Product (  
-> Product_id INT PRIMARY KEY AUTO_INCREMENT,  
-> Product_name VARCHAR(100) NOT NULL,  
-> MRP FLOAT NOT NULL CHECK (MRP > 0),  
-> Stock BOOLEAN DEFAULT TRUE,  
-> Brand VARCHAR(50),  
-> Category_CategoryID INT,  
-> Seller_Seller_id INT,  
-> FOREIGN KEY (Category_CategoryID)  
-> REFERENCES Category(Category_id)  
-> ON DELETE SET NULL,  
-> FOREIGN KEY (Seller_Seller_id)  
-> REFERENCES Seller(Seller_id)  
-> ON DELETE CASCADE  
-> );  
Query OK, 0 rows affected (0.10 sec)
```

## 7. CREATE CART TABLE

```
mysql> CREATE TABLE Cart (  
-> Cart_id INT PRIMARY KEY AUTO_INCREMENT,  
-> Customer_Customer_id INT NOT NULL,  
-> Product_Product_id INT NOT NULL,  
-> GrandTotal FLOAT DEFAULT 0 CHECK (GrandTotal >= 0),  
-> ItemTotal INT CHECK (ItemTotal >= 0),  
-> FOREIGN KEY (Customer_Customer_id)  
-> REFERENCES Customer(Customer_id)  
-> ON DELETE CASCADE,  
-> FOREIGN KEY (Product_Product_id)  
-> REFERENCES Product(Product_id)  
-> ON DELETE CASCADE  
-> );  
Query OK, 0 rows affected (0.06 sec)
```

## 8. CREATE ORDER TABLE

```
mysql> CREATE TABLE Orders (  
-> Order_id INT PRIMARY KEY AUTO_INCREMENT,  
-> Order_date DATETIME DEFAULT CURRENT_TIMESTAMP,  
-> Order_amount FLOAT NOT NULL CHECK (Order_amount > 0),  
-> Shipping_Date DATETIME,  
-> Order_status ENUM('Pending','Shipped','Delivered','Cancelled') DEFAULT 'Pending',  
-> Cart_Cart_id INT,  
-> Customer_customer_id INT,  
->  
-> FOREIGN KEY (Cart_Cart_id)  
-> REFERENCES Cart(Cart_id)  
-> ON DELETE SET NULL,  
->  
-> FOREIGN KEY (Customer_customer_id)  
-> REFERENCES Customer(Customer_id)  
-> ON DELETE CASCADE  
-> );  
Query OK, 0 rows affected (0.06 sec)
```

## 9. CREATE ORDERITEM TABLE

```
mysql> CREATE TABLE OrderItem (  
-> Order_Order_id INT,  
-> Product_product_id INT,  
-> MRP FLOAT NOT NULL CHECK (MRP > 0),  
-> Quantity INT NOT NULL CHECK (Quantity > 0),  
->  
-> PRIMARY KEY (Order_Order_id, Product_product_id),  
->  
-> FOREIGN KEY (Order_Order_id)  
-> REFERENCES Orders(Order_id)  
-> ON DELETE CASCADE,  
->  
-> FOREIGN KEY (Product_product_id)  
-> REFERENCES Product(Product_id)  
-> ON DELETE CASCADE  
-> );  
Query OK, 0 rows affected (0.06 sec)
```

## 10. CREATE REVIEW TABLE

```
mysql> CREATE TABLE Review (  
-> Review_id INT PRIMARY KEY AUTO_INCREMENT,  
-> Description VARCHAR(255),  
-> Rating ENUM('1','2','3','4','5') NOT NULL,  
-> Product_Product_id INT,  
-> Customer_Customer_id INT,  
->  
-> FOREIGN KEY (Product_Product_id)  
-> REFERENCES Product(Product_id)  
-> ON DELETE CASCADE,  
->  
-> FOREIGN KEY (Customer_Customer_id)  
-> REFERENCES Customer(Customer_id)  
-> ON DELETE CASCADE  
-> );  
Query OK, 0 rows affected (0.08 sec)
```

## 11.CREATE PAYMENT TABLE

```
mysql> CREATE TABLE Payment (  
-> Payment_id INT PRIMARY KEY AUTO_INCREMENT,  
-> ORDER_Order_id INT,  
-> PaymentMode ENUM('UPI','Card','NetBanking','CashOnDelivery') NOT NULL,  
-> Customer_Customer_id INT,  
-> DateOfPayment DATETIME DEFAULT CURRENT_TIMESTAMP,  
->  
-> FOREIGN KEY (ORDER_Order_id)  
-> REFERENCES Orders(Order_id)  
-> ON DELETE CASCADE,  
->  
-> FOREIGN KEY (Customer_Customer_id)  
-> REFERENCES Customer(Customer_id)  
-> ON DELETE CASCADE  
-> );  
Query OK, 0 rows affected (0.07 sec)
```

## 12.SHOW TABLES

```
mysql> SHOW TABLES;  
+-----+  
| Tables_in_ecommerce |  
+-----+  
| address              |  
| cart                 |  
| category             |  
| customer             |  
| orderitem            |  
| orders               |  
| payment              |  
| product              |  
| review               |  
| seller               |  
+-----+  
10 rows in set (0.06 sec)
```