



/v3/api-docs

Explore

# BudgetBuddy API

1.0 OAS 3.1

/v3/api-docs

API documentation for BudgetBuddy

Servers

http://localhost:8080 - Generated server url

Authorize



## signup-controller



POST /signup



Parameters

Cancel

Reset

No parameters

Request body **required**

application/json

```
{
  "username": "ironman",
  "email": "ironman@gmail.com",
  "password": "ironman_pass"
}
```

//

Execute

Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://localhost:8080/signup' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer Test misha' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "ironman",
    "email": "ironman@gmail.com",
    "password": "ironman_pass"
  }'
```

### Request URL

http://localhost:8080/signup

## Server response

Code	Details
------	---------

200	
-----	--

### Response body

```
{  
  "message": "Sign up successful"  
}
```

[Download](#)

### Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate  
connection: keep-alive  
content-type: application/json  
date: Mon,11 Aug 2025 20:59:54 GMT  
expires: 0  
keep-alive: timeout=60  
pragma: no-cache  
transfer-encoding: chunked  
x-content-type-options: nosniff  
x-frame-options: DENY  
x-xss-protection: 0
```

## Responses


Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>{ }</div>	No links

personal-expense-api-controller

^

POST

/send-personal-expense



^

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "expenseDescription": "shake",
  "expenseAmount": 100,
  "expenseDate": "2025-08-11"
}
```

//

Execute

Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://localhost:8080/send-personal-expense' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer Test misha' \
  -H 'Content-Type: application/json' \
  -d '{
    "expenseDescription": "shake",
    "expenseAmount": 100,
    "expenseDate": "2025-08-11"
  }'
```

### Request URL

http://localhost:8080/send-personal-expense

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "message": "expense saved" }</pre></div><div><div>Download</div></div></div> <div><div>Response headers</div><div><pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Mon,11 Aug 2025 20:59:04 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked x-content-type-options: nosniff x-frame-options: DENY x-xss-protection: 0</pre></div></div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div>{ }</div></div>	No links
<div><div>POST</div><div>/delete-expense</div><div><div>🔒</div><div>⌵</div></div></div>		
<div>Parameters</div>		<div><div>Cancel</div><div>Reset</div></div>
<div>No parameters</div>		
<div>Request body <div>required</div></div>		<div>application/json</div>

```
{  
  "expenseId": 2  
}
```



Execute

Clear

## Responses

### Curl

```
curl -X 'POST' \  
  'http://localhost:8080/delete-expense' \  
  -H 'accept: */*' \  
  -H 'Authorization: Bearer Test misha' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "expenseId": 2  
  }'
```

### Request URL

http://localhost:8080/delete-expense




Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "message": "expense delete successfully" }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Mon,11 Aug 2025 21:01:28 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked x-content-type-options: nosniff x-frame-options: DENY x-xss-protection: 0</pre></div></div>

Responses

Code	Description	Links
200	<div><div>OK</div><div>Media type</div><div><div>*/*</div></div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div><div><pre>{}</pre></div></div></div>	No links

GET /get-personal-expenses



## Parameters

Cancel

No parameters

Execute

Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://localhost:8080/get-personal-expenses' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer Test misha'
```

### Request URL

http://localhost:8080/get-personal-expenses

### Server response

#### Code

#### Details

200

#### Response body

```
{
  "expenses": [
    {
      "id": 2,
      "description": "shake",
      "amount": 100,
      "expenseDate": "2025-08-11",
      "createdAt": "2025-08-12T02:29:04.615671"
    }
  ]
}
```

**Code****Details**[Download](#)

```
]
}
```

**Response headers**

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Mon,11 Aug 2025 20:59:15 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

**Responses****Code****Description****Links**

200

OK

*No links*

Media type

Controls Accept header.

**Example Value** Schema

```
{}
```

## login-controller



POST

/login

**Parameters**

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "username": "misha",
  "password": "misha"
}
```



Execute

Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://localhost:8080/login' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer Test misha' \
```

```
-H 'Content-Type: application/json' \  
-d '{  
  "username": "misha",  
  "password": "misha"  
}'
```

Request URL

http://localhost:8080/login

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "redirect": "/dashboard",   "token": "eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiIyIiwiaWF0IjoxNzU0OTQ2MTE2LCJleHAiOjE3NTQ5NDYyOTZ9.I2PLccgiiflth-lsfIc2rYDqfuCh3ggfHNTSD Fux9I8"</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Mon,11 Aug 2025 21:01:56 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked x-content-type-options: nosniff x-frame-options: DENY x-xss-protection: 0</pre></div></div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code	Description	Links
	<div>Example Value</div> <div>Schema</div>	
	<div><pre>{}</pre></div>	

Schemas	
<div><div>SignupRequestDto ^ Collapse all object</div><div><div>username string</div><div>email string</div><div>password string</div></div></div>	
<div><div>PersonalExpenseDto ^ Collapse all object</div><div><div>expenseDescription string</div><div>expenseAmount number double</div><div>expenseDate string date</div></div></div>	
<div><div>LoginRequestDto ^ Collapse all object</div><div><div>username string</div><div>password string</div></div></div>	
<div><div>DeleteExpenseDto ^ Collapse all object</div><div></div></div>	

expenseId integer int64