Bootstrap 5 Assignment – 10 Solutions

Beginner-friendly HTML and CSS solutions. Each question uses a separate index.html and style.css. Bootstrap 5 is included through CDN as required.

1. Company Landing Page

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Startup Landing Page</title>
  <!-- Bootstrap 5 CDN -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<header>
  <nav class="navbar navbar-expand-lg bg-dark navbar-dark">
    <div class="container">
      <a class="navbar-brand fw-bold" href="#">BrightStart</a>
      <button class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#nav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div id="nav" class="collapse navbar-collapse">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item"><a class="nav-link" href="#">Home</a></li>
          <li class="nav-item"><a class="nav-link" href="#">About</a></li>
          <li class="nav-item"><a class="nav-link" href="#">Contact</a></li>
        </ul>
      </div>
    </div>
  </nav>
</header>

<main>
<section class="hero py-5">
  <div class="container">
    <!-- row + col create responsive layout -->
    <div class="row align-items-center">
      <div class="col-md-8">
        <h1 class="display-4 fw-bold">Build Your Future With Us</h1>
        <p class="lead">Simple digital solutions for growing businesses.</p>
        <a href="#" class="btn btn-primary btn-lg">Get Started</a>
      </div>
      <div class="col-md-4">
        <img src="https://picsum.photos/500/350" class="img-fluid rounded" alt="Startup">
      </div>
    </div>
  </div>
</section>
</main>

<footer class="bg-dark text-white text-center p-3">
  <p class="mb-0">© 2026 BrightStart</p>
</footer>
</body>
</html>
```

style.css

```
/* style.css */
.hero {
  background: #f4f7fb;
  min-height: 75vh;
  display: flex;
  align-items: center;
}
```

2. Personal Portfolio Basics

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>My Portfolio</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body class="bg-light text-dark">
<header class="text-center mt-4">
  <h1 class="fw-bold">Anurag Mishra</h1>
  <p>Computer Science Student & Web Developer</p>
</header>

<main>
<section class="container text-center p-5">
  <img src="https://picsum.photos/220" class="img-fluid rounded-circle mb-3" alt="Profile">
  <h2 class="fw-bold">Hello, I am Anurag</h2>
  <p>I enjoy creating simple and responsive websites.</p>
  <a href="#" class="btn btn-primary me-2">Hire Me</a>
  <a href="#" class="btn btn-outline-dark">Download CV</a>

  <div class="row justify-content-center mt-4">
    <div class="col-md-6">
      <form>
        <input class="form-control mb-3" type="text" placeholder="Your Name">
        <input class="form-control mb-3" type="email" placeholder="Your Email">
        <textarea class="form-control mb-3" rows="4" placeholder="Your Message"></textarea>
        <button class="btn btn-dark">Send Message</button>
      </form>
    </div>
  </div>
</section>
</main>

<footer class="text-center p-3">© 2026 My Portfolio</footer>
</body>
</html>
```

style.css

```
/* style.css */
section {
  max-width: 900px;
}
```

3. Product Catalog

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Product Catalog</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<header class="text-center p-4 bg-dark text-white">
  <h1>Online Store</h1>
  <p class="mb-0">Simple products at great prices</p>
</header>

<main class="container py-5">
  <div class="row g-4">
    <div class="col-12 col-sm-6 col-md-3"><div class="card product-card shadow-sm h-100">
      <img src="https://picsum.photos/400/250?1" class="card-img-top" alt="Headphones">
      <div class="card-body"><h5>Headphones</h5><p>■1,499</p><button class="btn btn-primary">Add to Cart</button></div>
    </div></div>
    <div class="col-12 col-sm-6 col-md-3"><div class="card product-card shadow-sm h-100">
      <img src="https://picsum.photos/400/250?2" class="card-img-top" alt="Watch">
      <div class="card-body"><h5>Smart Watch</h5><p>■2,999</p><button class="btn btn-primary">Add to Cart</button></div>
    </div></div>
    <div class="col-12 col-sm-6 col-md-3"><div class="card product-card shadow-sm h-100">
      <img src="https://picsum.photos/400/250?3" class="card-img-top" alt="Bag">
      <div class="card-body"><h5>Travel Bag</h5><p>■1,999</p><button class="btn btn-primary">Add to Cart</button></div>
    </div></div>
    <div class="col-12 col-sm-6 col-md-3"><div class="card product-card shadow-sm h-100">
      <img src="https://picsum.photos/400/250?4" class="card-img-top" alt="Shoes">
      <div class="card-body"><h5>Running Shoes</h5><p>■2,499</p><button class="btn btn-primary">Add to Cart</button></div>
    </div></div>
  </div>
</main>
</body>
</html>
```

style.css

```
/* style.css */
.product-card {
  transition: 0.3s;
}
.product-card:hover {
  transform: translateY(-5px);
}
```

4. Restaurant Menu Page

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Today's Menu</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<header class="text-center py-5">
  <h1>Spice Garden</h1>
  <p class="lead">Today's Fresh Menu</p>
</header>

<main class="container pb-5">
  <div class="row g-4">
    <div class="col-md-8">
      <div class="table-responsive">
        <table class="table table-striped table-bordered">
          <thead class="table-dark"><tr><th>Item</th><th>Category</th><th>Price</th></tr></thead>
          <tbody>
            <tr><td>Paneer Tikka</td><td>Starter</td><td>■220</td></tr>
            <tr><td>Butter Chicken</td><td>Main Course</td><td>■320</td></tr>
            <tr><td>Veg Biryani</td><td>Main Course</td><td>■250</td></tr>
            <tr><td>Gulab Jamun</td><td>Dessert</td><td>■100</td></tr>
          </tbody>
        </table>
      </div>
    </div>
    <div class="col-md-4">
      <h3>Chef's Specials</h3>
      <ul class="list-group">
        <li class="list-group-item">Special Paneer Curry</li>
        <li class="list-group-item">Tandoori Platter</li>
        <li class="list-group-item">Mango Dessert</li>
      </ul>
      <figure class="mt-4">
        <img src="https://picsum.photos/500/300?food" class="img-fluid rounded" alt="Food">
        <figcaption class="text-center mt-2">Fresh food prepared every day.</figcaption>
      </figure>
    </div>
  </div>
</main>
</body>
</html>
```

style.css

```
/* style.css */
body {
  background: #fffaf5;
}
```

5. Custom Themed Blog Homepage

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>My Blog</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600;700&display=swap" rel="stylesheet">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<header class="py-4 text-center">
  <h1>Tech & Life Blog</h1>
  <p>Ideas, learning and technology</p>
</header>

<main class="container py-4">
  <div class="row g-4">
    <div class="col-md-6"><article class="card h-100 shadow-sm">
      <img src="https://picsum.photos/600/300?blog1" class="card-img-top" alt="Technology">
      <div class="card-body"><h2 class="h4">Learning Web Development</h2>
      <p>Start with HTML, CSS and Bootstrap to build responsive websites.</p>
      <a href="#" class="btn btn-primary">Read More</a></div>
    </article></div>
    <div class="col-md-6"><article class="card h-100 shadow-sm">
      <img src="https://picsum.photos/600/300?blog2" class="card-img-top" alt="Study">
      <div class="card-body"><h2 class="h4">How to Study Better</h2>
      <p>Simple habits can help students learn and manage their time.</p>
      <a href="#" class="btn btn-primary">Read More</a></div>
    </article></div>
  </div>
</main>

<footer class="text-center py-4">© 2026 Tech & Life Blog</footer>
</body>
</html>
```

style.css

```
/* style.css */
:root {
  --bs-primary: #6f42c1;
  --bs-font-sans-serif: 'Poppins', sans-serif;
}
body {
  font-family: var(--bs-font-sans-serif);
}
h1, h2 {
  color: var(--bs-primary);
}
.btn-primary {
  background-color: var(--bs-primary);
  border-color: var(--bs-primary);
}
```

6. Notifications Dashboard

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Notifications Dashboard</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<main class="container py-5">
  <div class="card shadow-sm">
    <div class="card-body">
      <h1 class="h3 mb-4">Notifications Dashboard</h1>

      <div class="alert alert-success">You have received a new message.</div>
      <div class="alert alert-info">Tip: Complete your profile for better results.</div>
      <div class="alert alert-danger">Warning: Your password will expire soon.</div>

      <div class="alert alert-warning alert-dismissible fade show">
        This is a dismissible notification.
        <button class="btn-close" data-bs-dismiss="alert"></button>
      </div>

      <!-- Bootstrap-like well: bordered + padded light section -->
      <section class="summary bg-light border rounded p-4">
        <h2 class="h5">Summary</h2>
        <p class="mb-0">You have 3 new notifications and 1 important warning.</p>
      </section>
    </div>
  </div>
</main>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

style.css

```
/* style.css */
.summary {
  min-height: 120px;
}
```

7. Task Tracker with Badges

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Task Tracker</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<main class="container py-5">
  <header class="d-flex justify-content-between align-items-center mb-4">
    <h1 class="h3">Task Tracker</h1>
    <span class="badge bg-danger">Pending: 3</span>
  </header>

  <div class="list-group">
    <div class="list-group-item d-flex justify-content-between align-items-center">
      Complete project <span class="badge bg-danger">High</span>
    </div>
    <div class="list-group-item d-flex justify-content-between align-items-center">
      Practice Java <span class="badge bg-warning text-dark">Medium</span>
    </div>
    <div class="list-group-item d-flex justify-content-between align-items-center">
      Read Bootstrap notes <span class="badge bg-success">Low</span>
    </div>
  </div>

  <button class="btn btn-success mt-4">
    Completed <span class="badge bg-light text-dark">5</span>
  </button>
</main>
</body>
</html>
```

style.css

```
/* style.css */
body {
  background: #f8f9fa;
}
```

8. Pricing Plans

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Pricing Plans</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<main class="container py-5">
  <header class="text-center mb-5">
    <h1>Choose Your Plan</h1>
    <p class="lead">Plans for students, teams and growing businesses.</p>
  </header>

  <div class="row g-4">
    <div class="col-md-4"><div class="card plan-card shadow-sm h-100">
      <div class="card-body text-center">
        <h2>Basic</h2><h3>■199/month</h3>
        <ul class="list-unstyled my-4"><li>5 Projects</li><li>1 User</li><li>Email Support</li></ul>
        <button class="btn btn-outline-primary">Choose Plan</button>
      </div>
    </div></div>

    <div class="col-md-4"><div class="card plan-card bg-primary text-white shadow-lg h-100">
      <div class="card-body text-center">
        <h2>Pro</h2><h3>■499/month</h3>
        <ul class="list-unstyled my-4"><li>20 Projects</li><li>5 Users</li><li>Priority Support</li></ul>
        <button class="btn btn-light">Choose Plan</button>
      </div>
    </div></div>

    <div class="col-md-4"><div class="card plan-card shadow-sm h-100">
      <div class="card-body text-center">
        <h2>Business</h2><h3>■999/month</h3>
        <ul class="list-unstyled my-4"><li>Unlimited Projects</li><li>10 Users</li><li>Premium Support</li></ul>
        <button class="btn btn-outline-primary">Choose Plan</button>
      </div>
    </div></div>
  </div>
</main>
</body>
</html>
```

style.css

```
/* style.css */
.plan-card {
  transition: 0.3s;
}
.plan-card:hover {
  transform: translateY(-8px);
}
```

9. Blog Pagination & Pager

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Blog Pagination</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<main class="container py-5">
  <h1 class="text-center mb-4">Latest Blog Posts</h1>

  <div class="row g-3">
    <div class="col-md-6"><article class="card p-3"><h2 class="h5">Getting Started with Bootstrap</h2><p>Learn responsive layou
    <div class="col-md-6"><article class="card p-3"><h2 class="h5">Useful Study Habits</h2><p>Small habits can improve daily lea
  </div>

  <nav class="mt-5" aria-label="Page navigation">
    <ul class="pagination justify-content-center">
      <li class="page-item"><a class="page-link" href="#">Previous</a></li>
      <li class="page-item active"><a class="page-link" href="#">1</a></li>
      <li class="page-item"><a class="page-link" href="#">2</a></li>
      <li class="page-item"><a class="page-link" href="#">Next</a></li>
    </ul>
  </nav>

  <div class="d-flex justify-content-between mt-4">
    <a href="#" class="btn btn-outline-secondary">Older Posts</a>
    <a href="#" class="btn btn-outline-secondary">Newer Posts</a>
  </div>
</main>
</body>
</html>
```

style.css

```
/* style.css */
body {
  background: #f8f9fa;
}
```

10. Travel Agency Showcase

index.html

```
<!-- index.html -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Travel Agency</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
<header class="text-center py-4">
  <h1>Explore India Travels</h1>
  <p>Discover beautiful destinations</p>
</header>

<main class="container pb-5">
  <!-- Bootstrap Carousel needs Bootstrap JS -->
  <div id="travelCarousel" class="carousel slide" data-bs-ride="carousel">
    <div class="carousel-inner rounded">
      <div class="carousel-item active" data-bs-interval="3000">
        <img src="https://picsum.photos/1200/500?goa" class="d-block w-100" alt="Goa">
        <div class="carousel-caption"><h2>Goa</h2><p>Relax on beautiful beaches.</p></div>
      </div>
      <div class="carousel-item" data-bs-interval="4000">
        <img src="https://picsum.photos/1200/500?manali" class="d-block w-100" alt="Manali">
        <div class="carousel-caption"><h2>Manali</h2><p>Enjoy mountains and nature.</p></div>
      </div>
      <div class="carousel-item" data-bs-interval="5000">
        <img src="https://picsum.photos/1200/500?jaipur" class="d-block w-100" alt="Jaipur">
        <div class="carousel-caption"><h2>Jaipur</h2><p>Explore history and culture.</p></div>
      </div>
    </div>
    <button class="carousel-control-prev" type="button" data-bs-target="#travelCarousel" data-bs-slide="prev">
      <span class="carousel-control-prev-icon"></span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-target="#travelCarousel" data-bs-slide="next">
      <span class="carousel-control-next-icon"></span>
    </button>
  </div>

  <section class="mt-5">
    <h2>Booking Progress</h2>
    <div class="progress">
      <div class="progress-bar progress-bar-striped progress-bar-animated" style="width:70%">
        70%
      </div>
    </div>
  </section>
</main>

<footer class="bg-dark text-white text-center p-4">
  <p class="mb-1">Contact: +91 98765 43210</p>
  <p class="mb-0">Email: travel@example.com</p>
</footer>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

style.css

```
/* style.css */
.carousel img {
  height: 450px;
  object-fit: cover;
}
@media (max-width: 768px) {
  .carousel img {
    height: 300px;
  }
}
```