CSS Assignment

Question 1: Borders and Padding

HTMLFile: q1.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>Borders and Padding</title>
    <link rel="stylesheet" href="q1.css">
</head>
<body>
    <header>
        <h1>Borders and Padding</h1>
    </header>

    <main>
        <div class="container">
            <div  class="box  solid">Solid  Border</div>
            <div class="box dashed">Dashed Border</div>
            <div class="box double">Double Border</div>
            <div class="box groove">Groove Border</div>
        </div>
    </main>
</body>
</html>
```

CSS File: q1.css

```
body {
    font-family: Arial;
    text-align: center;
}

header {
    background-color: black;
    color: white;
    padding: 20px;
}

.container {
    display: flex;
    justify-content: center;
    gap: 20px;
    padding: 30px;
    flex-wrap: wrap;
}

.box {
    padding: 30px;
    background-color: lightgray;
    border-radius: 10px;
    transition: 0.4s;
}

.solid {
    border: 4px solid red;
}

.dashed {
    border: 4px dashed blue;
}

.double {
    border: 6px double green;
}

.groove {
    border: 6px groove purple;
}

.box:hover {
    border-color: orange;
    }
```

Question 2: Height and Width

HTMLFile: q2.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>Height and Width</title>
    <link rel="stylesheet" href="q2.css">
</head>
<body>
    <main class="container">
        <div class="box box1">Box 1</div>
        <div class="box box2">Box 2</div>
        <div class="box box3">This is Box 3</div>
    </main>
</body>
</html>
```

CSS File: q2.css

```
body {
    margin: 0;
    font-family: Arial;
}

.container {
    height: 100vh;
    display: flex; justify-
    content: center; align-
    items: center; gap:
    20px;
    flex-wrap: wrap;
}

.box {
    color: white;
    padding: 20px;
    text-align: center;
}

.box1 {
    width: 150px;
    height: 100px;
    background-color: blue;
}

.box2 {
    width: 20%;
    height: 150px;
    background-color: red;
}

.box3 {
    width: 15em;
    min-height: 20vh;
    max-width: 90%;
    background-color: green;
    overflow: auto;
}
```

Question 3: Gradient Background

HTMLFile: q3.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>Gradient Background</title>
    <link rel="stylesheet" href="q3.css">
</head>
<body>
    <header>
        <h1>Gradient Background</h1>
    </header>

    <main>
        <section class="linear">
            <h2>Linear Gradient</h2>
            <p>This section uses a linear gradient.</p>
        </section>

        <section class="radial">
            <h2>Radial Gradient</h2>
            <p>This section uses a radial gradient.</p>
        </section>
    </main>

    <footer>
        <p>CSS Assignment</p>
    </footer>
</body>
</html>
```

CSS File: q3.css

```
body {
    margin: 0;
    font-family: Arial;
}

header {
    position: fixed;
    top: 0;
    width: 100%;
    background-color: black;
    color: white;
    text-align: center;
    padding: 15px;
}

section {
    height: 100vh;
    display:   flex;   flex-
    direction:       column;
    justify-content:  center;
    align-items:     center;
    color: white;
}

.linear {
    background: linear-gradient(to right, blue, purple);
    background-attachment: fixed;
}

.radial {
    background: radial-gradient(circle, orange, red);
}

footer {
    position: fixed;
    bottom: 0;
    width: 100%;
    background-color: black;
    color: white;
    text-align: center;
}
```

Question 4: Shadows and Depth

HTMLFile: q4.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>Shadows</title>
    <link rel="stylesheet" href="q4.css">
</head>
<body>
    <header>
        <h1>Shadows and Depth</h1>
    </header>

    <main class="container">
        <div class="card card1">
            <h2>Card 1</h2>
            <p>Simple shadow.</p>
        </div>

        <div class="card card2">
            <h2>Card 2</h2>
            <p>Medium shadow.</p>
        </div>

        <div class="card card3">
            <h2>Card 3</h2>
            <p>Strong shadow.</p>
        </div>
    </main>
</body>
</html>
```

CSS File: q4.css

```
body {
    font-family: Arial;
    background-color: lightgray;
}

h1 {
    text-align: center;
    text-shadow: 2px 2px 4px gray;
}

.container {
    display: flex;
    justify-content: center;
    gap: 30px;
    padding: 40px;
    flex-wrap: wrap;
}

.card {
    width: 200px;
    padding: 20px;
    background-color: white;
    transition: 0.4s;
}

.card1 {
    box-shadow: 2px 2px 5px gray;
}

.card2 {
    box-shadow: 5px 5px 10px gray;
}

.card3 {
    box-shadow: 8px 8px 15px gray;
}

.card:hover {
    transform: translateY(-10px);
    box-shadow: 10px 10px 25px gray;
}
```

Question 5: Advanced CSS Selectors

HTMLFile: q5.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>CSS Selectors</title>
    <link rel="stylesheet" href="q5.css">
</head>
<body>
    <h1>Advanced CSS Selectors</h1>

    <input type="text" placeholder="Enter Name">

    <br><br>

    <a href="https://google.com">HTTPS Link</a>

    <ul>
        <li>Item   One</li>
        <li>Item   Two</li>
        <li>Item Three</li>
        <li>Item Four</li>
    </ul>

    <div class="parent">
        <p>Direct Child</p>

        <div>
            <p>Nested Child</p>
        </div>
    </div>

    <h2>Heading</h2>
    <p>First Paragraph</p>
    <p>Second Paragraph</p>
</body>
</html>
```

CSS File: q5.css

```
body {
    font-family: Arial;
    padding: 30px;
}

/* Attribute selector */
input[type="text"] {
    padding: 10px;
}

/* Focus selector */
input:focus {
    background-color: yellow;
}

/* HTTPS link selector */
a[href^="https"] {
    color: green;
}

/* Hover selector */
a:hover {
    color: red;
}

/* nth-child selector */
li:nth-child(even) {
    background-color: lightgray;
}

/* Descendant selector */
.parent p {
    color: blue;
}

/* Child selector */
.parent > p {
    font-weight: bold;
}
```

```
/* Adjacent selector */
h2 + p {
    color: red;
}

/* General sibling selector */
h2 ~ p {
    padding: 10px;
}

/* Before pseudo-element */
h1::before {
    content: "★ ";
}

/* After pseudo-element */
h1::after {
    content: " ★";
}
```

Question 6: CSS Transformations

HTMLFile: q6.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>CSS Transformations</title>
    <link rel="stylesheet" href="q6.css">
</head>
<body>
    <h1>CSS Transformations</h1>

    <main class="container">
        <div>
            <div class="box rotate"></div>
            <p>Rotate</p>
        </div>

        <div>
            <div class="box scale"></div>
            <p>Scale</p>
        </div>

        <div>
            <div class="box translate"></div>
            <p>Translate</p>
        </div>

        <div>
            <div class="box skew"></div>
            <p>Skew</p>
        </div>
    </main>
</body>
</html>
```

CSS File: q6.css

```
body {
    font-family: Arial;
    text-align: center;
}

.container {
    display: flex;
    justify-content: center;
    gap: 40px;
    padding: 50px;
    flex-wrap: wrap;
}

.box {
    width: 100px;
    height: 100px;
    background-color: blue;
    transition: all 0.4s ease;
}

.rotate:hover {
    transform: rotate(45deg);
}

.scale:hover {
    transform: scale(1.3);
}

.translate:hover {
    transform: translate(20px, -20px);
}

.skew:hover {
    transform: skew(20deg);
}
```

Question 7: Typography and Text Styling

HTMLFile: q7.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>Typography</title>
    <link rel="stylesheet" href="q7.css">
</head>
<body>
    <header>
        <h1>Typography and Text Styling</h1>
    </header>

    <main>
        <article>
            <h2>Importance of Typography</h2>

            <p>
                Typography helps make a webpage easy to read.
                A<mark>good design</mark> improves readability.
                Wecan use <strong>bold text</strong> for important words
                and<em>italic text</em> for emphasis.
            </p>

            <p>
                Font size, font style and spacing make text look better.
            </p>
        </article>
    </main>
</body>
</html>
```

CSS File: q7.css

```
body {
    font-family: Arial;
    background-color: lightgray;
}

header {
    text-align: center;
}

article {
    width: 70%;
    margin:            auto;
    background-color:  white;
    padding:   30px;   line-
    height:   1.8;   letter-
    spacing:   1px;    text-
    align: justify;
}

h2 {
    font-family: Georgia;
    font-size: 30px;
    font-weight: bold;
}

p::first-letter {
    font-size: 30px;
    font-weight: bold;
}

p::first-line {
    color: blue;
}

mark {
    background-color: yellow;
}

strong {
    color: red;
}

em {
    color: purple;
}
```

Question 8: Box Model Exploration

HTMLFile: q8.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>Box Model</title>
    <link rel="stylesheet" href="q8.css">
</head>
<body>
    <main class="container">
        <div>
            <h1>CSS Box Model</h1>

            <div class="margin">
                Margin

                <divclass="border">
                    Border

                    <divclass="padding">
                        Padding

                        <divclass="content">
                            Content
                        </div>
                    </div>
                </div>
            </div>

            <p>
                The box model contains margin, border, padding and content.
            </p>
        </div>
    </main>
</body>
</html>
```

CSS File: q8.css

```
body {
    font-family: Arial;
}

.container {
    height: 100vh;
    display:  flex;  justify-
    content:  center;  align-
    items:   center;   text-
    align: center;
}

.margin {
    background-color: lightgray;
    padding: 30px;
    outline: 3px dashed black;
}

.border {
    background-color: orange;
    border: 8px solid red;
    padding: 20px;
}

.padding {
    background-color: lightgreen;
    padding: 30px;
}

.content {
    background-color: skyblue;
    padding: 20px;
    box-sizing: border-box;
}
```

Question 9: Outline and Focus Form

HTMLFile: q9.html

```
<!DOCTYPEhtml>
<html>
<head>
    <title>Outline Form</title>
    <link rel="stylesheet" href="q9.css">
</head>
<body>
    <main>
        <form>
            <h1>Contact Form</h1>

            <label>Name</label>
            <input type="text" placeholder="Enter Name">

            <label>Email</label>
            <input type="email" placeholder="Enter Email">

            <label>Message</label>
            <textarea placeholder="Enter Message"></textarea>

            <button>Submit</button>
        </form>
    </main>
</body>
</html>
```

CSS File: q9.css

```
body {
    font-family: Arial;
    background-color: lightgray;
}

main {
    display: flex;
    justify-content: center;
    padding: 40px;
}

form {
    width: 300px;
    background-color: white;
    padding: 30px;
    border-radius: 10px;
    box-shadow: 2px 2px 10px gray;
}

input,
textarea,
button {
    width: 100%;
    padding: 10px;
    margin-bottom: 15px;
}

input,
textarea {
    border-radius: 5px;
    border: 1px solid gray;
    outline: 2px solid transparent;
    outline-offset: 3px;
}

input:focus,
textarea:focus {
    outline-color: blue;
}

textarea {
    height: 100px;
}

button {
    background-color:  blue;
    color: white;
    border:  none;  border-
    radius: 5px;
    }
```

Question 10: Navigation Bar

HTMLFile: q10.html

```
<!DOCTYPE html>
<html>
<head>
    <title>Navigation Bar</title>
    <link rel="stylesheet" href="q10.css">
</head>
<body>
    <header>
        <nav>
            <a href="#" class="active">Home</a>
            <a href="#">About</a>
            <a href="#">Services</a>
            <a href="#">Projects</a>
            <a href="#">Contact</a>
        </nav>
    </header>

    <main>
        <h1>Welcome to My Website</h1>

        <p>
            This is a responsive navigation bar with hover effects.
        </p>
    </main>

    <footer>
        <p>CSS Assignment 2026</p>
    </footer>
</body>
</html>
```

CSS File: q10.css

```
body {
    margin: 0;
    font-family: Arial;
}

/* Navigation bar */
nav {
    display:  flex;  justify-
    content:          center;
    background-color: black;
}

/* Navigation links */
nav a {
    color: white;
    text-decoration: none;
    padding: 15px 25px;
    border-right: 1px solid gray;
    transition: all 0.3s ease;
}

/* Hover effect */
nav a:hover {
    background-color: blue;
}

/* Active link */
nav a.active {
    background-color: green;
}

main {
    min-height: 80vh;
    text-align: center;
    padding-top: 40px;
}

footer {
    background-color: black;
    color: white;
    text-align: center;
    padding: 15px;
}

/* Mobile responsive */
```

```
@media (max-width: 700px) {
    nav {
        flex-direction: column;
    }

    nav a {
        text-align: center;
        border-bottom: 1px solid gray;
    }
}
```