

C day19_q38.c

C day20_q39.c

C day20_q40.c

C 21_q41.c

C 21_q42.c

C 22_q43.c

C 24_q47.c > ...

```
1 // Q47: Write a program to print the following pattern:
2 // *
3 // **
4 // ***
5 // ****
6 // *****
7
8 #include<stdio.h>
9 int main(){
10 int i,j;
11 for(i=1;i<=5;i++){
12 for(j=1;j<=i;j++)printf("*");
13 printf("\n");
14 }
15 return 0;
16 }
17
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\drago\OneDrive\Desktop\C H.W> gcc .\24_q47.c

PS C:\Users\drago\OneDrive\Desktop\C H.W> ./a.exe

*

**

PS C:\Users\drago\OneDrive\Desktop\C H.W> |

C day20_q39.c

C day20_q40.c

C 21_q41.c

C 21_q42.c

C 22_q43.c

C 22_q44.c

C 24_q48.c > ...

```
1 // Q48: Write a program to print the following pattern:
2 // 1
3 // 12
4 // 123
5 // 1234
6 // 12345
7
8 #include<stdio.h>
9 int main(){
10 int i,j;
11 for(i=1;i<=5;i++){
12 for(j=1;j<=i;j++)printf("%d",j);
13 printf("\n");
14 }
15 return 0;
16 }
17
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\drago\OneDrive\Desktop\C H.W> gcc .\24_q48.c

PS C:\Users\drago\OneDrive\Desktop\C H.W> ./a.exe

```
1
12
123
1234
12345
```

PS C:\Users\drago\OneDrive\Desktop\C H.W> █