aws   ⊞   🔍 Search   [Alt+S]   ⊡   🔔   ⓘ   ⚙   Asia Pacific (Mumba ▼ | Account ID: 3215-2823-1513 ▼ | anuranj

☰   **Aurora and RDS** ❯ **Create database**   ⓘ   🖥   ⟲

Create database   Info

ⓘ **Free plan has access to limited features and resources** | Upgrade plan ⬈ |
    The free plan limits the features and resources that are available for RDS and Aurora databases. Upgrade
    your account plan to remove all limitations. Learn more ⬈

Choose a database creation method

● **Standard create**	○ **Easy create**
You set all of the configuration options, including ones for availability, security, backups, and maintenance.	Use recommended best-practice configurations. Some configuration options can be changed after the database is created.

Engine options

Engine type   Info

○ Aurora (MySQL Compatible)	○ Aurora (PostgreSQL Compatible)	● MySQL

| ○ PostgreSQL	○ MariaDB	○ Oracle
		ORACLE®

○ Microsoft SQL Server	○ IBM Db2	

lightsail.aws.amazon.com/ls/webapp/create/instance?region=ap-south-1

All Bookmarks

Amazon **Lightsail**

🔍 Search documentation

Home | **Lightsail for Research** | ⚙ | 👤 anuranjk (596430611278) ▼

The closer your instance is to your users, the less latency they will experience. Learn more about Regions ↗

● Mumbai ap-south-1	○ Stockholm eu-north-1	○ Singapore ap-southeast-1	○ Jakarta ap-southeast-3
○ Seoul ap-northeast-2	○ Tokyo ap-northeast-1	○ Frankfurt eu-central-1	○ Paris eu-west-3
○ London eu-west-2	○ Ireland eu-west-1	○ Sydney ap-southeast-2	○ Montreal ca-central-1
○ Virginia us-east-1	○ Ohio us-east-2	○ Oregon us-west-2	

Availability Zone - *optional* Info

You are creating this instance in **Zone A** (ap-south-1a)

✎ **Change your Availability Zone**

Pick your instance image Info

The instance image you pick determines the operating system and whether there are any included applications in your instance.

Select a platform

| ● Linux/Unix 27 blueprints | ○ Microsoft Windows 6 blueprints |

Select a blueprint

Apps + OS | Operating System (OS) only

| ● WordPress 6.8.1 | ○ WordPress Multisite 6.8.1 | ○ LAMP (PHP 8) 8.3.24 | ○ Node.js 22.18.0 |

Amazon **Lightsail**

Search documentation

Home   Lightsail for Research   anuranjk (596430611278) ▾

Select a network type Info

The selected blueprint isn't compatible with an IPv6-only instance plan. Learn more about instance blueprint offerings ↗

○ **Dual-stack** `Recommended`
For workloads that require full network compatibility. Includes a public IPv4 and a public IPv6 address.

○ **IPv6-only**
For workloads that do not require a public IPv4 address. Includes a public IPv6 address.

Select a size

Sort by | Price per month ▼ |

$5
USD per month

512 MB Memory
2 vCPUs Processing
20 GB SSD Storage
512 GB Transfer
`First 90 days free`

$7
USD per month

1 GB Memory
2 vCPUs Processing
40 GB SSD Storage
1 TB Transfer
`First 90 days free`

$12
USD per month

2 GB Memory
2 vCPUs Processing
60 GB SSD Storage
1.5 TB Transfer
`First 90 days free`

$24
USD per month

4 GB Memory
2 vCPUs Processing
80 GB SSD Storage
2 TB Transfer

$44
USD per month

8 GB Memory
2 vCPUs Processing
160 GB SSD Storage
2.5 TB Transfer

$84
USD per month

16 GB Memory
4 vCPUs Processing
320 GB SSD Storage
3 TB Transfer

$164
USD per month

32 GB Memory
8 vCPUs Processing
640 GB SSD Storage
3.5 TB Transfer

$384
USD per month

64 GB Memory
16 vCPUs Processing
1,280 GB SSD Storage
4 TB Transfer
`Largest plan`

For a limited time, new Lightsail customers can try the selected plan for free for 90 days. Learn more about the free trial in Lightsail ↗

Both inbound and outbound data transfer count towards your data transfer allowance. Only outbound data transfer in excess of your plan's data transfer allowance is subject to overage charges. Learn more about instance data transfer allowances ↗

ⓘ Plans in Mumbai include lower data transfer allowances than other Regions. Learn more about how data transfer allowances vary by

CloudShell   Support   Feedback

For a limited time, new Lightsail customers can try the selected plan for free for 90 days. Learn more about the free trial in Lightsail [↗]

Both inbound and outbound data transfer count towards your data transfer allowance. Only outbound data transfer in excess of your plan's data transfer allowance is subject to overage charges. Learn more about instance data transfer allowances [↗]

ⓘ Plans in Mumbai include lower data transfer allowances than other Regions. Learn more about how data transfer allowances vary by Region [↗]

Identify your instance

Instance name

Instance names help you identify an instance once it's created. The instance name must be unique in the AWS Region for your Lightsail account.

| wordpress-test | ✕ | 1 |

Tagging options - *optional* Info

You can specify tags to assign to this resource after it's created. Key-value tags are used to filter and organize your resources, organize your billing, and control access to your resources in the Lightsail console.

No tags associated with the resource.

Add new tag

You can add up to 50 tags.

Your use of AWS services is subject to the AWS Customer Agreement [↗].

⟲ Create instance

wordpress-test
1 GB RAM, 2 vCPUs, 40 GB SSD

⊙ Starting

13.233.29.141
2406:da1a:b56:ad00:5c04:292c:c4fe:27c7
Mumbai, Zone A

wordpress-test Info

1 GB RAM, 2 vCPUs, 40 GB SSD

Delete   Reboot   Stop

WordPress

⊘ Copied

AWS Region
Mumbai, Zone A
(ap-south-1a)

Networking type
Dual-stack
Change networking type

Public IPv4 address
13.233.29.141

Private IPv4 address
172.26.10.249

Public IPv6 address
2406:da1a:b56:ad00:5c04:
292c:c4fe:27c7

**Default WordPress admin
user name**
user

**Default WordPress admin
password**
Retrieve default password

Access WordPress Admin ⬈

Instance status
⊘ Running

Connect | Metrics | Snapshots | Storage | Networking | Domains | Tags | History

---

ⓘ **Welcome to your WordPress instance**
Need help getting started? We recommend you read the WordPress getting started guide ⬈ to learn more about your instance.

✕

▼ **Set up your WordPress website** Info

Configure your instance to host a secure WordPress website with a custom domain name. Learn more ⬈

Set up your website

⚇ **Ideal for:** Hosting a secure WordPress website with a registered domain

✓ **Works best with:** A newly launched Lightsail instance

Blog

Hello world!

Welcome to WordPress. This is your first post. Edit or delete it, then start writing!

August 28, 2025

User's blog

Blog	Events
About	Shop
FAQs	Patterns
Authors	Themes

lightsail.aws.amazon.com/ls/webapp/ap-south-1/instances/wordpress-test/connect

Amazon **Lightsail**

Q Search documentation

Home   **Lightsail for Research**   ⚙   ⚲ anuranjk (596430611278) ▾

Instances ‹

Containers

Databases

Networking

Storage

Domains & DNS

Snapshots

Exports

Alarm notifications

Documentation 🗗

🗗 Get the mobile app

wordpress-test info

1 GB RAM, 2 vCPU

Delete   Reboot   Stop

Access the WP-Admin Dashboard ✕

Website URL

Add **/wp-admin** to the end of your website's URL or IP address to access its WP-Admin dashboard.

```
/wp-admin
```
📋 Copy

Retrieve your WordPress default user name and password to access your WP-Admin dashboard.

Access WordPress Admin 🗗

Instance status
⊘ Running

Public IP address

Use your instance's public IP address to access the WP-Admin dashboard if your website isn't secure.

http://13.233.29.141/wp-admin 🗗

Note: this URL is unencrypted. Learn more about securing your website 🗗

Connect   History

ⓘ Welcome
Need help

re about your instance.

Dismiss

n name. Learn more 🗗

▾ Set up

Set up your website

⚲ **Ideal for:** Hosting a secure WordPress website with a registered domain

✓ **Works best with:** A newly launched Lightsail instance

⊠ **CloudShell**   Support   Feedback

©2025, Amazon Web Services, Inc. or its affiliates.   Privacy 🗗   Terms 🗗

```
Linux ip-172-26-10-249 6.1.0-37-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.140-1 (2025-
05-22) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

       ___ _ _                   _
      | _ |_) |_ _ _  __ _ _ _  (_)
      | _ \ | _|  ' \/ _` | ' \| |
      |___/_|\__|_|_|\__,_|_|_|_|_|


  *** Welcome to the Bitnami package for WordPress 6.8.1      ***
  *** Documentation:  https://docs.bitnami.com/aws/apps/wordpress/ ***
  ***                 https://docs.bitnami.com/aws/                ***
  *** Bitnami Forums: https://github.com/bitnami/vms/              ***
bitnami@ip-172-26-10-249:~$
```

```
Linux ip-172-26-10-249 6.1.0-37-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.140-1 (2025-
05-22) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

          __    _   _
         |_  |_) |_ _   _  _ _ _  __ (_)
         |_  \ | _|  ' \/ `  | ' \| |
         |___/_|\__|_|_|\__,_|_|_|_|_|

   *** Welcome to the Bitnami package for WordPress 6.8.1        ***
   *** Documentation:  https://docs.bitnami.com/aws/apps/wordpress/ ***
   ***                 https://docs.bitnami.com/aws/               ***
   *** Bitnami Forums: https://github.com/bitnami/vms/             ***
bitnami@ip-172-26-10-249:~$ cat $HOME/bitnami_application_password^C
bitnami@ip-172-26-10-249:~$ cat $HOME/bitnami_application_password
iB+6b3gJ2I@Z
bitnami@ip-172-26-10-249:~$
```

wordpress-test
13.233.29.141

△ Not secure 13.233.29.141/wp-login.php?redirect_to=http%3A%2F%2F13.233.29.141%2Fwp-admin%2F&reauth=1

☐ All Bookmarks

Username or Email Address

bitnami

Password

●●●●●●●●●●●● 👁

☐ Remember Me   Log In

Lost your password?

← Go to User's blog

Not secure   13.233.29.141/wp-admin/

All Bookmarks

User's blog   3   0   + New   Howdy, user

Dashboard

Home
Updates

WordPress 6.8.2 is available! Please update now.

Dashboard

X Dismiss

Welcome to WordPress!

Learn more about the 6.8.1 version.

Posts

Media

Pages

Comments

Appearance

Plugins

Users

Tools

Settings

Collapse Menu

Screen Options ▼   Help ▼

Author rich content with blocks and patterns

Block patterns are pre-configured block layouts. Use them to get inspired or create new pages in a flash.

Add a new page

Customize your entire site with block themes

Design everything on your site — from the header down to the footer, all using blocks and patterns.

Open site editor

Switch up your site's look & feel with Styles

Tweak your site, or give it a whole new look! Get creative — how about a new color palette or font?

Edit styles

Site Health Status ∧ ∨ ▲

No information yet...

Site health checks will automatically run periodically to gather information about your site. You can also visit the Site Health screen to gather information about your site now.

At a Glance ∧ ∨ ▲

📌 1 Post   📋 1 Page

Quick Draft ∧ ∨ ▲

Title

Content

What's on your mind?

Save Draft

Drag boxes here

Drag boxes here

Route 53

Dashboard
Hosted zones
Health checks
Profiles New

▼ IP-based routing
CIDR collections

▼ Traffic flow
Traffic policies
Policy records

▼ Domains
Registered domains
Requests

▼ Resolver
VPCs
Inbound endpoints
Outbound endpoints
Rules
Query logging
Outposts

DNS Firewall ⬀
Application Recovery Controller ⬀

Registered domains Info

⬇ Download billing report   Transfer in ▼   Register domains

🔍 Search domains by name

Domain name ▲	Expiration date ▽	Auto-renew	Transfer lock

⟳ Loading domains

us-east-1.console.aws.amazon.com/route53/domains/home?region=eu-north-1#/CheckTransferabilitySingle

All Bookmarks

Search   [Alt+S]

Account ID: 5964-3061-1278 ▼

Global ▼   anuranjk

Route 53 > Registered domains > Transfer domain to your account

Transfer domain to your account Info

To transfer more than one domain from another registrar, you can use the **Transfer multiple domains to Route 53** page.

Check domain transferability

Enter a domain name to transfer

🔍 anurmjj.bar   ✕   Check

Domain availability

Domain name	Price information	Transferability
anurmjj.bar	NaN	⊗ UnsupportedTLD

Cancel   Next

lightsail.aws.amazon.com/ls/webapp/ap-south-1/instances/wordpress-test/networking

All Bookmarks

Amazon Lightsail

Search documentation

Home   Lightsail for Research   anuranjk (596430611278) ▼

Instances ‹
Containers
Databases
Networking
Storage
Domains & DNS
Snapshots

Exports
Alarm notifications
Documentation

Get the mobile app

wordpress-test Info

1 GB RAM, 2 vCPUs, 40 GB SSD

Delete   Reboot   Stop

(W) WordPress

Access WordPress Admin

AWS Region
🇮🇳 Mumbai, Zone A
(ap-south-1a)

Networking type
Dual-stack
Change networking type

Public IPv4 address
13.233.29.141

Private IPv4 address
172.26.10.249

Public IPv6 address
2406:da1a:b56:ad00:5c04:
292c:c4fe:27c7

Default WordPress admin user name
user

Default WordPress admin password
Retrieve default password

Instance status
⊘ Running

Connect   Metrics   Snapshots   Storage   **Networking**   Domains   Tags   History

IPv4 networking

The public IP address of your instance is accessible to the internet. The private IP address is accessible only to other resources in your Lightsail account.

PUBLIC IPV4

13.233.29.141

🔗 Attach static IP

PRIVATE IPV4

172.26.10.249

What is this for?

Your public IPv4 address changes when you stop and start your instance.
Attach a static IPv4 address to your instance to keep it from changing.

IPv4 Firewall ⓘ

CloudShell   Support   Feedback

©2025, Amazon Web Services, Inc. or its affiliates.   Privacy   Terms

https://lightsail.aws.amazon.com/ls/webapp/ap-south-1/instances/wordpress-test/networking

lightsail.aws.amazon.com/ls/webapp/ap-south-1/instances/wordpress-test/networking

All Bookmarks

Amazon **Lightsail**

Search documentation

Home   Lightsail for Research   anuranjk (596430611278) ▾

Instances   ‹

Containers
Databases
Networking
Storage
Domains & DNS
Snapshots

Exports
Alarm notifications
Documentation ☐

↳ Get the mobile app

wordpress-test Info

1 GB RAM, 2 vCPUs, 40 GB SSD

Delete   Reboot   Stop

Static IP created

StaticIp-1 has been created and attached to **wordpress-test** .

Continue

Instance status
⊘ Running

Access WordPress Admin ☐

AWS Region
Mumb
(ap-so

Networking
Dual-stack
Change networking type

Public IPv6 address
☐ 2406:da1a:b56:ad00:5c04:
   292c:c4fe:27c7

password
Retrieve default password

Connect   Metrics   Snapshots   Storage   **Networking**   Domains   Tags   History

IPv4 networking

The public IP address of your instance is accessible to the internet. The private IP
address is accessible only to other resources in your Lightsail account.

PUBLIC IPV4

52.66.67.212   Detach ✕

⥁ StaticIp-1

Your instance is using a static IP as its public IPv4 address. A static IP doesn't
change when you stop and start your instance.

PRIVATE IPV4

172.26.10.249

What is this for? ☐

IPv4 Firewall ⑦

us-east-1.console.aws.amazon.com/route53/v2/hostedzones?region=eu-north-1#ListRecordSets/Z06243961VVSNL63M70VA

All Bookmarks

aws ::: Q Search [Alt+S]

Global ▼

Account ID: 5964-3061-1278 ▼
anuranjk

Route 53 > Hosted zones > anurrnjj.bar

Route 53

Dashboard
Hosted zones
Health checks
Profiles New

▼ **IP-based routing**
CIDR collections

▼ **Traffic flow**
Traffic policies
Policy records

▼ **Domains**
Registered domains
Requests

▼ **Resolver**
VPCs
Inbound endpoints
Outbound endpoints
Rules
Query logging
Outposts

DNS Firewall [↗]

Application Recovery Controller [↗]

✓ **anurrnjj.bar was successfully created.**
Now you can create records in the hosted zone to specify how you want Route 53 to route traffic for your domain.

Public anurrnjj.bar Info

Delete zone | Test record | Configure query logging

▶ **Hosted zone details**

Edit hosted zone

Records (2) | DNSSEC signing | Hosted zone tags (0)

Records (2) Info

Automatic mode is the current search behavior optimized for best filter results. To change modes go to settings.

Delete record | Import zone file | **Create record**

Q Filter records by property or value

Type ▼ | Routing p... ▼ | Alias ▼ | < 1 > | ⚙

	Record name ▽	Type ▽	Routin... ▽	Differ... ▽	Alias ▽	Value/Route traffic to ▽	TTL (s...
☐	anurrnjj.bar	NS	Simple	-	No	ns-1975.awsdns-54.co.uk. ns-705.awsdns-24.net. ns-1203.awsdns-22.org. ns-112.awsdns-14.com.	172800
☐	anurrnjj.bar	SOA	Simple	-	No	ns-1975.awsdns-54.co.uk. a...	900

0 records selected

Select a record to see its details

CloudShell | Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

aws

Q Search [Alt+S]

Global ▼

Account ID: 5964-3061-1278 ▼

anuranjk

Route 53 > Hosted zones > anurrnjj.bar

Route 53

Dashboard

Hosted zones

Health checks

Profiles New

▼ IP-based routing

CIDR collections

▼ Traffic flow

Traffic policies

Policy records

▼ Domains

Registered domains

Requests

▼ Resolver

VPCs

Inbound endpoints

Outbound endpoints

Rules

Query logging

Outposts

DNS Firewall ⬈

Application Recovery Controller ⬈

⊘ **anurrnjj.bar was successfully created.**
Now you can create records in the hosted zone to specify how you want Route 53 to route traffic for your domain.

Delete zone   Test record   Configure query logging

▶ **Hosted zone details**   Edit hosted zone

Records (2)   DNSSEC signing   Hosted zone tags (0)

Records (2) Info

↻   Delete record   Import zone file   **Create record**

Automatic mode is the current search behavior optimized for best filter results. To change modes go to settings.

Q Filter records by property or valu   Type ▼   Routing policy ▼   Alias ▼

< 1 >   ⚙

▽ | Alias ▽ | Value/Route traffic to ▽ | TTL (s... ▽ | Health ... ▽

No | ns-1975.awsdns-54.co.uk. ns-705.awsdns-24.net. ns-1203.awsdns-22.org. ns-112.awsdns-14.com. | 172800 | -

No | ns-1975.awsdns-54.co.uk. a... | 900 | -

CloudShell Feedback

Privacy   Terms   Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Create Now

New Records

NS records determine which nameservers manage a domain's zone file.   🗑

Type *   Name *   Value *   TTL

NS ▼ | mail or @ | ns1.domain.com | 1/2 Ho... ▼

Add More Records   Save   Cancel

⚑ Filters   ⋯ Actions

Type ⑦ | Name ⑦ | Data ⑦ | TTL ⑦ | Delete | Edit

☐ | A | @ | 172.20.10.2 | 600 seconds | 🗑 | ✎

☐ | A | @ | Parked | 600 seconds | 🗑 | ✎

Q Search

ENG US

12:06 28-08-2025