


MARITIME COMPLIANCE TOOLS

USER GUIDE

IMO DCS & CII Verification Tool — Web Version



Data Collection System · Attained / Required CII · MARPOL Annex VI Reporting
Vessel Compliance, Technical & DCS Reporting Teams

Prepared for: Vessel Compliance & Reporting Teams

Document version: 1.0

Table of Contents

Table of Contents	2
1. Introduction	3
1.1 Purpose of this guide	3
1.2 What the tool does	3
1.3 Before you start	3
2. Interface Overview	4
2.1 Global toolbar actions	4
3. Quick Start Workflow	5
4.  Section A — Ship Particulars	6
5.  Section B — Voyage Data	8
6.  Section C — CII Correction Factors	10
7.  Section D — Fuel Consumption	12
8.  Section E — CII Results	14
9.  Section F — Verification	16
10.  Section G — Annual Report	17
11. Exporting and Record-Keeping	18
12. Best-Practice Checklist	19
13. Troubleshooting	19
14. General Cautions	20

1. Introduction

1.1 Purpose of this guide

This guide explains how to use the IMO DCS & CII Verification Tool, a browser-based calculator for preparing a vessel's IMO Data Collection System (DCS) submission and its Carbon Intensity Indicator (CII) rating under MARPOL Annex VI, Chapter 4. It walks through every tab, input field and results panel, using screenshots taken directly from the tool.

The guide is written for ship operators, technical superintendents, DPAs and compliance officers who need to enter ship particulars, voyage and fuel data, apply correction factors, run a CII calculation, verify the results and produce a signed-off Annual DCS/FoC Report.

1.2 What the tool does

- Captures ship particulars, EEDI/EEXI reference values and reporting-period settings that drive the CII reference line.
- Records voyage-by-voyage fuel consumption by consumer (Main Engine, Auxiliary Engine, Inert Gas Generator, Fired Boiler, Others) and by fuel type.
- Applies the optional CII correction factors permitted under MEPC.355(78) Annex 1 Appendix (voyage adjustment, transferred fuel, electrical consumers, ice class, capacity and innovative-technology factors).
- Aggregates fuel consumption and CO₂ emissions per fuel type, with EU MRV voyage classification and visual analytics.
- Calculates the Attained CII (AER), the Required CII for the vessel's ship type and reporting year, and assigns the resulting A-E rating band.
- Runs automated verification checks on dates, fuel balances, mandatory fields and speed plausibility before submission.
- Compiles a standardised Annual DCS/FoC Report, and exports/imports the full case as XML for backup and audit.

1.3 Before you start

Getting ready

- The tool runs entirely in your browser — no data is uploaded or sent anywhere; use Export XML regularly to avoid losing work.
- Have the vessel's IOPP/IEE and Tonnage Certificates, EIAPP Certificate, Bunker Delivery Notes and voyage/logbook records ready.
- Use a current version of Chrome, Edge or Firefox for the best experience.
- Complete the tabs in order — later tabs depend on data entered in earlier ones.

2. Interface Overview

The tool is organised as a guided, seven-tab workflow: Ship Particulars → Voyage Data → CII Correction Factors → Fuel Consumption → CII Results → Verification → Annual Report. An eighth tab, Help, opens the tool's built-in on-screen guide at any time. Each tab carries its own toolbar of relevant actions (Add Row, Sample Data, Template, Import, Calculate, Export, Print), and “Back / Next” buttons move between tabs in sequence.

2.1 Global toolbar actions

Action	Function
 Import XML	Loads a previously exported .xml case file and repopulates every tab automatically.
 Export XML	Saves all current inputs — ship particulars, voyages, fuels and correction factors — as an .xml case file for backup or re-import.
 Add Row / Sample Data / Clear	Per-table controls on the Voyage Data tab: append a blank leg, load demo rows for testing, or wipe the table.
Template / Import (Excel)	Downloads a blank Excel template with the correct column headers, or imports a completed template back into the voyage table.
 Calculate & View Results	Runs all CII/CO ₂ calculations from the current Voyage Data and advances to CII Correction Factors.
 Print Report	Opens a formatted, print-ready Annual Report and the browser print dialog (choose “Save as PDF” as the destination).
? Help	Opens the built-in on-screen guide describing every field across all tabs.

3. Quick Start Workflow

Follow these seven steps for a typical single-vessel, single-year DCS/CII calculation:

Step	What to do
1	Open the tool in your browser and confirm the Ship Particulars tab loads.
2	Enter the vessel identity, ship type, capacity, engine power and reporting year in Ship Particulars, then click Next: Voyage Data.
3	In Voyage Data, add one row per voyage leg (or import from Excel) with dates, distance, hours, activity and fuel consumed per consumer, then click ⚡ Calculate & View Results.
4	Review and apply any applicable CII Correction Factors (voyage adjustment, electrical consumers, ice class, etc.), then continue to Fuel Consumption.
5	Check the aggregated Fuel Consumption totals and CO ₂ emissions, then open CII Results to review the Attained CII, Required CII and A-E rating.
6	Run the Verification checks and resolve any flagged data issues before finalising.
7	Open Annual Report, review every section against source records, then Export XML to archive the case and Print Report / Save as PDF for distribution.

4. Section A — Ship Particulars

Establishes the vessel's identity, design parameters and reporting period. These values drive the CII reference line (the a, c, d parameters under MEPC.354(78)) and the EEXI/EEDI benchmarks used on the CII Results tab, so they must be entered accurately before any other tab.

IMO DCS & CII Verification Tool

NavCIIFuel

Ship Particulars

Voyage Data

CII Correction Factors

Fuel Consumption

CII Results

Verification

Annual Report

Help

Ship Particulars Input

Import XML

Next: Voyage Data

Enter vessel details. These flow through all calculations and the Annual FoC Report.

VESSEL NAME *
MV SEATLAS

IMO NUMBER *
9834521

SHIP TYPE *
Bulk carrier

DWT (MT) *
82500

GROSS TONNAGE
e.g. 30000

FLAG STATE
Panama

ICE CLASS
None

COMPANY
Atlas Bulk Shipping Ltd.

YEAR OF DELIVERY
2016

NET TONNAGE
46500

ATTAINED EEDI
g CO₂/t·nm

ATTAINED EEXI
g CO₂/t·nm

Power output (rated power)

MAIN ENGINE(S)
9480

AUXILIARY ENGINE(S)
1980

REPORTING YEAR (DCS) *
2026

START DATE DCS
01/01/2026

END DATE DCS
12/31/2026

START DATE ANNUAL CII
01/01/2026

END DATE ANNUAL CII
12/31/2026

CII Reference Line Preview

Reporting Period: ☒ Full Year (1 Jan – 31 Dec) ☐ Partial Period

Ship Type: Bulk carrier | Capacity: 82,500 DWT | Year: 2026 | Period: Full Year

CII Reference (2026): 3.695 g CO₂/capacity·nm | Reduction: 11%

Boundaries — A/B: 3.178 | B/C: 3.473 | C/D: 3.916 | D/E: 4.360

Innovative Technology & Trial Metrics (optional — MEPC.1/Circ.896)

INSTALLATION OF INNOVATIVE TECHNOLOGY, IF APPLICABLE (REFER TO MEPC.1/CIRC.896)
e.g. Wind-assisted propulsion, Air lubrication... or N/A

CII FOR TRIAL PURPOSE (NONE, ONE OR MORE ON VOLUNTARY BASIS)
e.g. None

Figure 1 — Ship Particulars tab with sample vessel data entered.

Field	Description
Vessel Name / IMO Number	Free-text identifier and 7-digit IMO number. Used to label the Annual Report and XML file; the IMO number must match the vessel's certificates exactly.
Ship Type	Selects the CII reference parameters (a, c, d1–d4) and whether capacity is measured in DWT or GT. Also controls which correction-factor sections are shown.
DWT (MT) / Gross Tonnage	Capacity denominator for the AER formula — DWT for most cargo ship types, GT for Ro-ro and cruise passenger ships. Use the values from the Load Line and Tonnage Certificates.
Flag State / Company / Ice Class	Administrative details carried through to the Annual Report; Ice Class also enables the ice-class correction factor (fi).
Year of Delivery / Net Tonnage	Used to determine EEDI/EEXI applicability thresholds and populate the report header.
Attained EEDI / EEXI	Design index values from the vessel's Technical Files, shown for reference on the Annual Report.
Main / Auxiliary Engine Rated Power	Maximum continuous rating (MCR), used for EEXI correction calculations under CII Correction Factors.
Reporting Year (DCS)	Calendar year of data collection (2023–2030). Sets the year-specific reduction factor

Field	Description
	and the Required CII reference line for the whole tool.
Reporting Period — Full Year / Partial Period	Toggle between a standard 1 Jan-31 Dec period and a custom partial period (e.g. delivery, sale, flag change mid-year); the Required CII line is scaled proportionally.
CII Reference Line Preview	Live-updating panel showing Required CII and the A/B, B/C, C/D, D/E boundary values as Ship Type, DWT/GT and Year are entered — no calculation button needed.
Innovative Technology & Trial Metrics	Optional free-text and numeric fields (EEPI, cbDIST, cIDIST, EEOI) under MEPC.1/Circ.896, printed on the Annual Report.

IMO DCS & CII Verification Tool

NavCIIFuel

Ship Particulars

Voyage Data

CII Correction Factors

Fuel Consumption

CII Results

Verification

Annual Report

Help

Import XML

Next: Voyage Data

Ship Particulars Input

FLAG STATE

ICE CLASS

COMPANY

YEAR OF DELIVERY

NET TONNAGE

ATTAINED EEDI

ATTAINED EEXI

Power output (rated power)

MAIN ENGINE(S)

AUXILIARY ENGINE(S)

REPORTING YEAR (DCS)

START DATE DCS

END DATE DCS

START DATE ANNUAL CII

END DATE ANNUAL CII

CII Reference Line Preview

Reporting Period: ☒ Full Year (1 Jan – 31 Dec) ☐ Partial Period

Ship Type: Bulk carrier | Capacity: 82,500 DWT | Year: 2026 | Period: Full Year

CII Reference (2026): 3.695 g CO₂/capacity-nm | Reduction: 11%

Boundaries — A/B: 3.178 | B/C: 3.473 | C/D: 3.916 | D/E: 4.360

Innovative Technology & Trial Metrics (optional — MEPC.1/Circ.896)

INSTALLATION OF INNOVATIVE TECHNOLOGY, IF APPLICABLE (REFER TO MEPC.1/CIRC.896)

CII FOR TRIAL PURPOSE (NONE, ONE OR MORE ON VOLUNTARY BASIS)

EEPI (GCO₂/DWT-NM)

CBDIST (GCO₂/BERTH-NM)

CLDIST (GCO₂/M-NM)

EEOI (GCO₂/T-NM OR OTHERS)


Figure 2 — CII Reference Line Preview and Innovative Technology & Trial Metrics panels.

 Cautions

A wrong Ship Type silently changes the entire CII rating — verify against the vessel's IOPP/IEE certificate before proceeding. Use the summer load line DWT / International Tonnage Certificate GT, not commercial capacity figures. Confirm the Reporting Year is correct first — the reduction factor is year-specific and increases annually to 2030.

5. Section B — Voyage Data

The core logbook of voyages and per-voyage fuel consumption by consumer. Distance, hours and activity here feed directly into total fuel consumed, distance travelled and the CII transport-work denominator. Each row represents one voyage leg; use + Add Row, Sample Data (for testing), the Excel Template / Import for bulk entry, or Clear to reset the table.



#	IMO No.	Voyage No.	From Country	From Port	EU? Dep	To Country	To Port	EU? Arr	Start Date	End Date	Dist (nm)	Hours	Under way/ Not Under way	Activity	Cargo (MT)	ME	AE/C
1	9123456	V001	Netherlands	Rotterdam	Yes	Singapore	Singapore	No	01/10/2025	01/30/2025	9000	480	Under way	SEA PASSAGE	45000	700	8
2	9123456	V002	Singapore	Singapore	No	China	Shanghai	No	02/01/2025	02/05/2025	2200	120	Not Under way	SEA PASSAGE		150	2
3	9123456	V003	China	Shanghai	No	Germany	Hamburg	Yes	02/10/2025	03/05/2025	11500	600	Under way	SEA PASSAGE	42000	900	10
4	9123456	V004	Germany	Hamburg	Yes	Belgium	Antwerp	Yes	03/07/2025	03/08/2025	300	24	Not Under way	SEA PASSAGE		20	
5	9123456	V005	Belgium	Antwerp	Yes	Brazil	Santos	No	03/15/2025	03/30/2025	9600	360	Under way	SEA PASSAGE	48000	750	9
TOTALS											32600.00	1684.00			135000.00	2520.000	26

Figure 3 — Voyage Data table populated with sample voyage legs.


Column	Description
Voyage No. / From-To (Country, Port)	Sequential leg reference and departure/arrival ports; also used for EU MRV classification.
EU? Dep / EU? Arr	Flags whether the departure/arrival port is within the EU/EEA. Both flags set = leg counts 100% toward EU MRV; one flag = 50%.
Start / End Event & Date	Nautical events (e.g. COSP/EOSP, All Fast) marking the start and end of the leg, and their dates — drives the hours calculation.
Dist (nm)	Observed distance logged for the leg, summed across all rows to give Total Distance Travelled — the CII denominator.
Hours / Under way	Hours underway for the leg (used for speed-plausibility checks) and whether the vessel was propelling or stationary.
Activity / Cargo (MT)	Operational activity (Laden, Ballast, Port, Anchor, STS, etc.) and cargo mass carried, feeding EU MRV split and transport-work metrics.
Fuel columns — ME / AE / IGG / F.Boiler / Others	Fuel mass (MT) consumed by each consumer, per fuel type column, for this leg. The Others column header can be renamed.
 Total (per fuel) / Total Fuel (MT)	Auto-calculated row and grand totals, read-only — flow into the Fuel Consumption

Column	Description
	tab.
 Cautions Use logged/observed distance (noon reports or GPS track), not great-circle or charter-party distance — discrepancies are flagged in Verification. Hours entered in minutes is the most common data-entry error — always check units before calculating. Fuel consumed while “Not Under way” is still counted in the CII CO₂ numerator — only an approved voyage adjustment correction can exclude it. Mislabelling ballast legs as laden inflates transport work and artificially improves the attained CII — keep Activity accurate.	

6. Section C — CII Correction Factors

Optional adjustments permitted under MEPC.355(78) Annex 1 Appendix to subtract fuel consumption attributable to non-propulsion purposes from the CII numerator: corrected Attained CII = $\Sigma(CF_j \times FC_j) / (\text{Capacity} \times \text{Distance})$.

Applicable mainly to tankers, gas carriers and reefer-capable ships — sections not relevant to the selected Ship Type are hidden automatically.



IMO DCS & CII Verification Tool

Ship Particulars | Voyage Data | **CII Correction Factors** | Fuel Consumption | CII Results | Verification | Annual Report | Help

CII Correction Factors Back to Voyage Data View Fuel Consumption

Enter fuel consumption values below. Correction factors reduce the effective CO₂ for CII calculation per MEPC.355(78). The corrected attained CII = $\Sigma(CF_j \times FC_j) / (\text{Capacity} \times \text{Distance})$.

Total Fuel Consumption Input (MT)
Reporting Year for correction-factor calculation is taken automatically from  Ship Particulars -- Reporting Year (DCS).

Fuel Type	CO ₂ Factor (CF)	Total Consumption (MT)	CO ₂ Emitted (MT)
Heavy Fuel Oil (HFO)	3.114	2895.000	9015.030
Diesel/Gas Oil	3.206	215.000	689.290
Hydrotreated Vegetable Oil (HVO)	2.850	0.000	0.000
LNG	2.750	0.000	0.000
Light Fuel Oil (LFO)	3.151	0.000	0.000
TOTALS		3110.000	9704.320

CII Correction Factors Sections shown are filtered for: **Bulk carrier**. Greyed-out sections are not applicable for this ship type. MEPC.355(78) §4

 **FCvoyage**  **FCvoyage - Voyage Adjustment**  **FCelectrical**  **FCboiler**  **FCothers**  **EEEXI**  **EEEXI**

CORRECTED CII RESULT

ORIGINAL CO₂ 9704 MT	TOTAL DEDUCTIONS 0 MT CO ₂	CORRECTED CO₂ 9704 MT	CORRECTED CII 5.954 g CO ₂ /capacity-nm	CORRECTED RATING D 2025	EEEXI FACTOR 1.000 Combined
--	--	---	---	--------------------------------------	--

CORRECTION FACTOR ✓ Fuel consumption pulled from Voyage Data **STATUS** Not Applied **REFERENCE** MEPC.355(78) §4.1

Figure 4 — CII Correction Factors tab, including the Corrected CII Result summary.

Section / Factor	Description
Voyage Adjustment (FC _{voya} ^{§4})	Deducts fuel and distance for legs flagged as voyage adjustments (MARPOL exemptions, ice navigation) — requires prior approval from the Administration/RO.
Transferred Fuel — STS / Shuttle Tanker	Deducts fuel for ship-to-ship transfer operations or shuttle-tanker DP loading; the two cannot be applied simultaneously to the same vessel.
FCelectrical — Reefer, Cargo Cooling, Discharge Pumps	Deducts fuel energy for reefer containers, cargo cooling/reliquefaction (gas/LNG carriers) or discharge pumps (tankers), by direct kWh metering or the SFOC approximation method.
FCboiler / FCothers	Deducts fuel from oil-fired boilers used for non-propulsion purposes, or other IMO-approved non-propulsion consumers; requires metered records and a specific regulatory reference.
fi / fm / fc (Ice, Capacity, Cubic Capacity Factors)	Scalar multipliers for ice-classed vessels, capacity-constrained vessels and gas carriers with cubic-metre capacity; default fm/fc = 1.0 unless supported by documentation.
fivse (Innovative Energy-Saving Technology)	Correction for approved innovative technology (e.g. wind-assisted propulsion) under MEPC.1/Circ.896 — requires prior Administration approval and an approved SEEMP Part II.
EEEXI Correction (EPL / ShaPoLi)	Adjustment for vessels with a certified Engine or Shaft Power Limitation, reflecting the

Section / Factor	Description
	effective power limitation in the CII calculation.
Corrected CII Result	Final corrected Attained CII after all applied correction factors, with a breakdown table and updated A-E rating band.
 Cautions Unsupported correction claims are a primary cause of Statement of Compliance refusal — confirm approval status with the Administration or RO before applying any factor. If the corrected CII differs unexpectedly from the standard CII, verify that no correction factor was applied in error.	

7. Section D — Fuel Consumption

Aggregates all voyage-level fuel entries into total mass consumed per fuel type and per consumer for the reporting period — the basis for both the DCS fuel report and the CO₂ emissions calculation (Fuel Consumed × C^f). All values are auto-calculated from Voyage Data; no manual entry is required here.




Figure 5 — Fuel Consumption summary with CO₂ emissions overview and EU MRV classification.

Element	Description
Total Fuel Consumed (t)	Grand total fuel mass per fuel type across all consumers and voyage legs — the primary DCS fuel figure; should reconcile with BDNs and tank soundings.
CO ₂ Equivalent (tCO ₂) / % Share	Total Fuel Consumed × emission factor C ^f , summed to give Total CO ₂ Emitted, with each fuel type's percentage contribution.
EU MRV Classification	Splits total CO ₂ into between-EU (100%), departing/arriving EU (50%), non-EU (0%) and port emissions, based on the EU Dep/Arr flags entered in Voyage Data.
Visual Analytics Charts	Auto-generated charts of fuel consumption by consumer, EU MRV split, activity and fuel-type mix — visualisation only, does not affect calculations.




Figure 6 — Fuel-type mix, consumer and activity analytics charts.

8. Section E — CII Results

Calculates the Attained CII (AER, gCO₂/dwt·nm), the Required CII (reference line × year-specific reduction factor) and the resulting rating band A-E, as per MEPC.354(78) and MEPC.355(78).





Figure 7 — Calculated CO₂, distance, Attained/Required CII and rating band.

Metric	Description
Total CO ₂ Emitted / Distance Travelled	Sum of CO ₂ from all fuels after any correction-factor deductions, and sum of voyage distances for the reporting period.
Attained CII (AER)	CO ₂ (g) ÷ (Capacity × Distance) — the ship's actual annual efficiency ratio. Lower is better.
Required CII	Reference line value reduced by the reporting year's required reduction factor (e.g. 11% in 2026, rising annually to 2030).
CII Rating Band (A–E)	A = major superior · B = minor superior · C = moderate · D = minor inferior (3 consecutive years triggers a SEEMP corrective action plan) · E = inferior (immediate corrective action plan required).



9. Section F — Verification

Automated sanity checks that flag data inconsistencies before submission to the Administration or Recognised Organisation (RO), reducing the risk of a Statement of Compliance being withheld.




Figure 9 — Verification Checks summary.

Check	Description
Date sequence checks	Confirms voyage start/end dates are chronological and non-overlapping.
Fuel balance checks	Cross-checks total fuel consumed against expected consumption per consumer.
Missing field checks	Highlights required fields left blank across all tabs — fields marked with a red asterisk are mandatory for DCS submission.
Distance/speed plausibility	Flags implausible average speeds given distance and hours — often caused by hours entered in minutes or distance in km instead of nm.
 Cautions Resolve large or unexplained variances before export, not after — the Verification tab is your last check before generating the Annual Report.	

10. Section G — Annual Report

Compiles all preceding tabs into the standardised DCS/FoC Annual Report format aligned with IMO MARPOL Annex VI, for submission to the flag Administration or RO — plus tools to export/re-import all entered data as XML and to print the report.

IMO DCS & CII Verification Tool

NavCIIFuel

Ship Particulars

Voyage Data

CII Correction Factors

Fuel Consumption

CII Results

Verification

Annual Report

Help

Standardised DCS/FoC Annual Report — IMO MARPOL Annex VI

Back to Verification

Export XML

Print Report

STANDARDIZED DATA-REPORTING FORMAT FOR THE DATA-COLLECTION SYSTEM AND OPERATIONAL CARBON INTENSITY TO THE ADMINISTRATION

Name of the ship	MV SEAATLAS		
Company	Atlas Shipping Ltd		
Flag	Panama		
IMO Number	9123456		
Period of the calendar DCS period	01/01/2025 – 31/12/2025		
Start date for CII (dd/mm/yy)	01/01/2025		
End date for CII (dd/mm/yy)	31/12/2025		
Year of delivery	2016		
Ship type	Bulk carrier		
Gross tonnage	30,000		
Net tonnage	46,500		
Deadweight tonnage	50,000		
Power output (rated power) over	Main Engine(s)	9480	
	Auxiliary Engine(s)	1980	
Attained EEDI (if applicable)			
Attained EEXI (if applicable)			
Ice class (if applicable)			

Fuel oil type	Consumer type	Quantity in metric tonnes (t)	Monitoring Method
Heavy Fuel Oil (HFO)	ME Main Engine(s)	2520.000	Flow meters
	AE Aux Engine(s)/Generator(s)	294.000	Flow meters
	IG Inert Gas Generator	0.000	Flow meters
	FB Fired Boiler(s)	81.000	Flow meters
	OT Others	0.000	Flow meters
Diesel / Gas Oil	ME Main Engine(s)	0.000	Flow meters
	AE Aux Engine(s)/Generator(s)	133.000	Flow meters
	IG Inert Gas Generator	0.000	Flow meters
	FB Fired Boiler(s)	41.000	Flow meters

Figure 10 — Standardised DCS/FoC Annual Report, ready for review and printing.

Element	Description
 Export XML	Saves every tab's data into one XML file for backup or re-import — the only way to fully restore a session, since data is not auto-saved.
 Print Report	Generates a print-ready, formatted Annual Report for signature and submission; populates only after calculations have been run from Voyage Data.
Report Body	Auto-fills ship particulars, fuel/CO ₂ totals, distance, AER and CII rating. Review every section against source records before signing — this tool assists calculation, it does not replace class/RO verification.

11. Exporting and Record-Keeping

- Export XML after completing each case, to preserve every input value for future reuse or audit.
- Import XML to reload a saved case rather than re-entering data.
- Use Print Report once the results have been verified, choosing “Save as PDF” in the browser print dialog.
- Keep the XML case file together with the generated PDF report for full traceability.
- Name saved files consistently, e.g. VesselName_IMO_ReportingYear_DCS.xml / .pdf, for easy retrieval.

12. Best-Practice Checklist

- Complete tabs strictly in order: Ship Particulars → Voyage Data → Correction Factors → Fuel Consumption → CII Results → Verification → Annual Report.
- Confirm Ship Type, capacity unit (DWT/GT) and Reporting Year before entering voyage data — these drive every downstream calculation.
- Reconcile Total Fuel Consumed against Bunker Delivery Notes and tank soundings before relying on the CO₂ and CII results.
- Only apply correction factors that are supported by metered records and, where required, prior Administration/RO approval.
- Run Verification and resolve every flagged issue before generating the Annual Report.
- Export XML after every completed case and store it alongside the generated PDF report.

13. Troubleshooting

Symptom	Likely cause / fix
Next: Voyage Data is disabled or blocked	A required (red-asterisk) field in Ship Particulars is empty — complete all mandatory fields first.
CII Reference Line Preview shows an error	Ship Type, DWT/GT or Reporting Year is missing — the CII Results tab will also be incorrect until this is resolved.
Voyage totals look unexpectedly high or low	Check individual consumer columns (ME/AE/IGG/Boiler/Others) row by row rather than editing the auto-calculated totals.
Imported Excel file did not populate all rows	Fuel names in the file do not match the built-in list — unmatched fuels are set to “Other”; check and correct manually.
Corrected CII differs unexpectedly from standard CII	A correction factor may have been applied in error — review the CII Correction Factors tab.
Verification flags overlapping or reversed voyage dates	Usually a copy-paste error in Voyage Data — check the Start/End Event dates for the affected rows.
Print Report opens a blank or partial report	Run ⚡ Calculate & View Results from Voyage Data first, then allow the browser a few seconds to render before printing.

14. General Cautions

Read before submission

This tool performs calculations based on the data you enter — it does not validate against ship certificates or bunker delivery notes automatically. Always cross-check source documents.

Data is held in the browser session only. Use Export XML regularly to avoid losing work on refresh or tab close.

Fuel emission factors (C^f) follow IMO MEPC guidance — only override with a custom fuel if a recognised, documented emission factor is available.

CII reduction factors are year-specific and update automatically based on the Reporting Year — always confirm this is correct first.

This tool assists calculation; it does not replace verification by class or the Recognised Organisation (RO).

End of user guide.