




A B C D E





[About Us](#) [Help](#)



Go to CII Calculator →
Carbon Intensity Indicator



Go to FuelEU Calculator →
FuelEU Maritime compliance

**CII**
Maritime Calculator

**C_F**
Maritime Calculator

**FuelEU**
Maritime Calculator

**FuelEU**
Pooling Dashboard



- Complete Part A vessel / year inputs.
- Add Part B fuel rows with fuel, C_F and consumption.

Open & select



- Open the required calculator from the landing page.
- Select the matching module on the home screen.

Enter data



- Complete Part A vessel / year inputs.
- Add Part B fuel rows with fuel, C_F and consumption.

Calculate & export



- Use Calculate Now to process the case. Result will show in Part C or D.
- Save XML, Import XML, or Print / Save PDF as needed.

CII Maritime Calculator

Choose the calculation module, the CII calculator home screen presents the main checks available in the tool.



CII
Maritime Calculator


About This Tool

CII Maritime Calculator is designed to support vessel performance review with a clear, professional interface for Carbon Intensity Indicator rating checks and related biofuel conversion factor reference.



[View LinkedIn Profile](#)

CII Maritime Rating Portal



CII Maritime Calculator

Carbon Intensity Indicator Rating Portal

Reference Document 5 PDFs

Choose calculation module

Select the tool you want to use

Check your vessel CII rating

Open the CII calculator to review vessel carbon intensity performance and rating output.

Check the C_F of the biofuel

Open the biofuel conversion factor reference page for fuel-specific C_F checking.

CII Maritime Rating Portal

Choose calculation module

- Choose “Check your vessel CII rating” to continue with the vessel CII assessment path.
- Choose “Check the C_F of the biofuel” to move into the biofuel correction-factor route.

1

Check your vessel CII rating

Open the CII calculator to review vessel carbon intensity performance and rating output.



CII
Maritime Calculator

2

Check the C_F of the biofuel


Open the biofuel conversion factor reference page for fuel-specific C_F checking.



C_F
Maritime Calculator

1. CII Maritime Calculator – Check your vessel CII rating

The main screen combines calculator inputs, file actions, and report output controls in one place.



Calculate Now	Click “Calculate Now” to view Part C CII results.
Load sample case	To open the sample example, click “Load Sample Case”.
Save XML	Click “Save XML” to export the vessel’s CII results as an XML file.
Import XML	Click “Import XML” to open the saved XML file.
Print / Save PDF	Click “Print / Save PDF” to save the report as a PDF.
Reset	Click Reset to empty all fields..

CII Maritime Calculator

Calculate now

Load sample case

Save XML

IMPORT XML

Print / Save PDF

Reset

A

Vessel & Year Inputs

CORE VESSEL PARTICULARS AND ANNUAL REPORTING INPUTS

VESSEL NAME

IMO

SHIP TYPE

YEAR

CAPACITY

METRIC

DISTANCE (NM)

REPORTING PERIOD (FROM / TO)

e.g., FEDERAL SABLE

e.g., 9595888

Bulk carrier

2023

DWT

AER

e.g., 45917

dd-mm-yyyy

to

dd-mm-yyyy

From

To

B

Fuel Consumption (tonnes)

FUEL ENTRIES AND CORRECTION FACTOR CONFIGURATION

FUEL	CF (TCO ₂ /TFUEL)	CONSUMPTION (T)	ACTIONS
Select fuel type		0.000	Remove
			+ Add Row

DOES THE VESSEL HAVE CORRECTION FACTORS?
Select Yes to show the Correction Factors table. Select No to hide it.

No

Part A & Part B – Input Fields

Core Vessel Particulars, Annual Reporting Inputs, Fuel Entries, and Correction Factor Configuration.



CII
Maritime Calculator

Part A

Vessel & Year Inputs

A Vessel & Year Inputs
CORE VESSEL PARTICULARS AND ANNUAL REPORTING INPUTS

VESSEL NAME	IMO	SHIP TYPE	YEAR
		Bulk carrier	2023
CAPACITY DWT	METRIC	DISTANCE (NM)	REPORTING PERIOD (FROM / TO)
e.g., 37169	AER	e.g., 45917	dd-mm-yyyy to dd-mm-yyyy

From To

Vessel name

Enter the vessel name.



Capacity

Fill the DWT or GT field.



IMO

Enter the vessel IMO number.



Metric

Use the metric option shown



Ship type

Select the vessel type.



Distance (NM)

Enter the distance travelled.



Year

Mention the reporting year.



Reporting period

Fill the From / To dates.



Part B

Fuel Consumption (tonnes)

B Fuel Consumption (tonnes)
FUEL ENTRIES AND CORRECTION FACTOR CONFIGURATION

FUEL	CF (TCO ₂ /TFUEL)	CONSUMPTION (T)	ACTIONS
Select fuel type		0.000	<button>Remove</button>
			<button>+ Add Row</button>

DOES THE VESSEL HAVE CORRECTION FACTORS?
Select Yes to show the Correction Factors table. Select No to hide it.

No

What to enter

- Fuel: select the required fuel type from the list.
- C_F (t-CO₂/t-Fuel): enter the applicable conversion-factor value.
- Consumption (t): enter the fuel consumption quantity in tonnes.


Row actions

- Use "Add Row" to insert another fuel line when multiple fuels are required.
- Use "Remove" to delete a row that is no longer needed.
- Select "Yes" to show the Correction Factors table.

Part C – Results

Calculated CII Results, Rating, and Alignment Chart.

Result



CII rating and alignment chart



Shows CII results with and without correction factors



Displays the CII rating with graph for easy interpretation




Includes the CII rating trend up to 2023

Print / Save PDF

The report is generated after clicking the Print / Save PDF button, as shown.

The report covers Parts A, B, and C, including CII results with and without correction factors, the final CII rating with graphical representation, and the CII rating trend through 2023.




2. CII Maritime Calculator – Check the C_F of the biofuel

The main screen combines calculator inputs, file actions, and report output controls in one place.



C_F
Maritime Calculator



Calculate Now	Click “Calculate Now” to view Part C CII results.
Load sample case	To open the sample example, click “Load Sample Case”.
Save XML	Click “Save XML” to export the vessel’s CII results as an XML file.
Import XML	Click “Import XML” to open the saved XML file.
Print / Save PDF	Click “Print / Save PDF” to save the report as a PDF.
Reset	Click Reset to empty all fields..

C_F calculations for biofuel and blends of biofuels

C_F
Maritime Calculator

Calculate nowLoad sample caseSave XMLIMPORT XMLPrint / Save PDFReset

A Inputs

ENTER VALUES IN THE FIELDS BELOW

Fuel quantity bunkered

316.24

Unit: tons

Biofuel fraction

Weight

30.76

Unit: % mass

Emission intensity as provided on ISCC or RSB certificate

12.16

Unit: g CO₂e/MJ

Lower Calorific Value (LCV) of biofuel

38.358

Unit: MJ/kg

Fossil fuel fraction

Fuel grade (select from drop down)

Distillate fuel

Lower Calorific Value of fossil fuel component

42.7

Unit: MJ/kg

Part A & Part B – Input Fields

Enter Biofuel and Fossil Fuel Fraction Values below. The auto-calculated breakdown is used for C_F calculation.



C_F
Maritime Calculator

A Inputs
ENTER VALUES IN THE FIELDS BELOW

Fuel quantity bunkered
316.24

Unit: tons

Biofuel fraction
Weight
30.76
Unit: % mass
Emission intensity as provided on ISCC or RSB certificate
12.16
Unit: g CO₂e/MJ
Lower Calorific Value (LCV) of biofuel
38.358
Unit: MJ/kg

Fossil fuel fraction
Fuel grade (select from drop down)
Distillate fuel
Unit: MJ/kg
Lower Calorific Value of fossil fuel component
42.7
Unit: MJ/kg

Fuel quantity bunkered
Enter the fuel quantity bunkered

Biofuel fraction

Weight
Weight in % mass

Emission intensity
Provided on ISCC or RSB certificate

LCV of biofuel
Enter LCV value

Fuel Consumption (tonnes)

Fuel grade
select from drop down

LCV of fossil fuel component
Enter the LCV value

Part B – Biofuel fraction & Fossil fuel fraction

The C_F and weight values for the biofuel and fossil fuel fractions are shown in Part B.

B Biofuel fraction & Fossil fuel fraction
AUTO-CALCULATED BREAKDOWN

DESCRIPTION	UNIT	VALUE
Biofuel fraction		
Weight	kg	97275.424
C_F value	g-CO ₂ /g fuel	0.466
Energy content of biofuel fraction	MJ	3731290.714
Fossil fuel fraction		
Weight	% mass	69.24
Weight	kg	218964.576
C_F value	g-CO ₂ /g fuel	3.206
Energy content of fossil fuel fraction	MJ	9349787.395

Part C – Results

Enter Biofuel and Fossil Fuel Fraction Values below. The auto-calculated breakdown is used for C_F calculation.

Part C - Show the C_F value of the blend and the calculated CO₂ emissions.

Consolidated report showing the biofuel and fossil fuel fraction values below. The report also includes the calculated C_F breakdown used for C_F calculation.

Report generated

C

Results

FINAL OUTPUTS

C_F VALUE OF THE BLEND

2.425

g-CO₂/g fuel

CALCULATED CO₂ EMISSIONS

766.742

tons



C_F Maritime Calculator

Generated report

C_F 905 Maritime Compliance Report

Fuel quantity bunkered:

316.240 t

Biofuel fraction:

30.76 % mass

Emission intensity:

12.16 g CO₂e/MJ

LCV of biofuel:

38.358 MJ/kg

Fuel grade:

Distillate fuel

Blend C_F:

2.425 g-CO₂/g fuel

Calculated CO₂ emissions:

766.742 tonnes

Generated on:

19/04/2026

Generated by C_F Maritime Calculator

Part A - Inputs

FUEL QUANTITY BUNKERED	316.240 tonnes
BIOFUEL FRACTION (WEIGHT)	30.76 % mass
EMISSION INTENSITY (ISCC / RSB CERTIFICATE)	12.16 g CO ₂ e/MJ
LCV OF BIOFUEL	38.358 MJ/kg
FUEL GRADE (FOSSIL COMPONENT)	Distillate fuel
FOSSIL C _F VALUE	3.206
FOSSIL LCV VALUE	42.7

Part B - Fuel fractions

Description	Unit	Value
Biofuel fraction - Weight	kg	97.275.424
Biofuel fraction - C _F value	g-CO ₂ /g fuel	0.46643328
Biofuel fraction - Energy content	MJ	3.731.290.714
Fossil fuel fraction - Weight	% mass	69.24
Fossil fuel fraction - Weight	kg	218.964.576
Fossil fuel fraction - LCV	MJ/kg	42.7
Fossil fuel fraction - C _F value	g-CO ₂ /g fuel	3.206
Fossil fuel fraction - Energy content	MJ	9.349.787.395

Part C - Results

C _F VALUE OF THE BLEND	2.425
CALCULATED CO ₂ EMISSIONS	766.742
NUMERATOR VALUE	2.425
DENOMINATOR VALUE	13.081.078.109

Corrected Blend C_F Formula

Blend C_F = ((Biofuel Energy + Total Energy) × Biofuel C_F) + ((Fossil Energy + Total Energy) × Fossil C_F)

WORKED CALCULATION BLEND VALUE

((3.731.290.714 + 13.081.078.109) × 0.466) + ((9.349.787.395 + 13.081.078.109) × 3.206)

2.425

TOTAL ENERGY VALUE

3.731.290.714 + 9.349.787.395

13.081.078.109

BLEND C_F VALUE

2.425

CALCULATED CO₂ EMISSIONS

2.425 × 316.240 = 766.742

FINAL RESULT: 766.742 tonnes CO₂

Check the C_F of the biofuel


CII Maritime Calculator | User Guide



NavCII Fuel

FuelEU Maritime Calculator

Choose the calculation module, The CII calculator home screen presents the main checks available in the tool.



Choose calculation module

- Choose “Check your vessel CII rating” to continue with the vessel CII assessment path.
- Choose “Check the CF of the biofuel” to move into the biofuel correction-factor route.

1

FuelEU Calculator

GHG intensity, compliance balance and penalties.



FuelEU
Maritime Calculator

2

Pooling Compliance Check


Pooling eligibility and balance assessment



FuelEU
Pooling Dashboard

1. Dashboard of the FuelEU Maritime Calculator

The main screen combines calculator inputs, file actions, and report output controls in one place.



Calculate Now	Click “Calculate Now” to view Part C CII results.
Load sample case	To open the sample example, click “Load Sample Case”.
Save XML	Click “Save XML” to export the vessel’s CII results as an XML file.
Import XML	Click “Import XML” to open the saved XML file.
Print / Save PDF	Click “Print / Save PDF” to save the report as a PDF.
Reset	Click Reset to empty all fields..

FuelEU Maritime Calculator

Professional GHG intensity calculator for maritime compliance, target assessment and penalty estimation.

Calculate nowLoad sample caseSave XMLImport XMLPrint / Save PDFReset

A Part A - Data identifying the ship and company

SHIP PARTICULARS, REPORTING PERIOD AND OPERATIONAL INPUTS

NAME OF SHIP	IMO NUMBER	REPORTING YEAR	REPORTING PERIOD FROM	REPORTING PERIOD TO
Sample Vessel	1234567	2025	01-01-2025	31-12-2025
TOTAL DISTANCE TRAVELLED (NM)	TIME SPENT AT SEA (HOURS)	TIME AT ANCHORAGE (HOURS)	TOTAL NUMBER OF FUELS	WIND-ASSISTED PROPULSION (APPLICABLE)
0	0	0	3	NO

B Part B - GHG intensity calculation by fuel

FUEL PATHWAYS, TONNES ALLOCATION AND EMISSION FACTOR INPUTS

PATHWAY NAME / CONSUMER	POS/POC AVAILABLE	ACTIVE LCV MJ/G	ACTIVE E VALUE GCO2EQ/MJ	100% COVERED TONNES	50% COVERED TONNES	ACTIONS
HFO (Grades RME to RMIK)	NO	0.0405 Master LCV from fuel table	- E value inactive	11816	0	<button>Remove</button>
e-diesel	YES	0.0427 No change in LCV (master value)	10.0000 No change in E (standard value)	400	0	<button>Remove</button>
e-LNG / Otto (dual fuel medium speed)	YES	0.0491 No change in LCV (master value)	10.0000 No change in E (standard value)	250	0	<button>Remove</button>

Add Row

Part A – Vessel & Year Inputs

Enter the core vessel particulars and annual reporting fields before calculation.

Part A

Data identifying the ship and company

Part A - Data identifying the ship and company
SHIP PARTICULARS, REPORTING PERIOD AND OPERATIONAL INPUTS

NAME OF SHIP	IMO NUMBER	REPORTING YEAR	REPORTING PERIOD FROM	REPORTING PERIOD TO
		2025	dd-mm-yyyy	dd-mm-yyyy
TOTAL DISTANCE TRAVELLED (NM)	TIME SPENT AT SEA (HOURS)	TIME AT ANCHORAGE (HOURS)	TOTAL NUMBER OF FUELS	WIND-ASSISTED PROPULSION (APPLICABLE)
0	0	0	3	NO

Name of ship

Enter the vessel name

Reporting period To

Choose the reporting year To

IMO

Enter the vessel IMO number

Total distance travelled

Enter the distance travelled.

Reporting year

Choose the reporting year

Time spent at sea

Enter the total time spend at sea

Reporting period from

Choose the reporting year from

Time at anchorage

Enter the total time at anchorage

Total number of fuels

Choose number of fuels used

Wind-assisted propulsion

Select wind-assisted propulsion applicable

Part B

GHG intensity calculation by fuel

B Fuel Consumption (tonnes)
FUEL ENTRIES AND CORRECTION FACTOR CONFIGURATION

FUEL	CF (TCO ₂ /TFUEL)	CONSUMPTION (T)	ACTIONS
Select fuel type		0.000	Remove
			+ Add Row

DOES THE VESSEL HAVE CORRECTION FACTORS?
 Select Yes to show the Correction Factors table. Select No to hide it. No

What to enter

- Fuel: select the required fuel type from the list.
- POS/POC AVAILABLE : enter the applicable conversion-factor value.
- Consumption (t): enter the fuel consumption quantity in tonnes.

Row actions

- Use “Add Row” to insert another fuel line when multiple fuels are required.
- Use “Remove” to delete a row that is no longer needed.
- The lower section also shows the correction-factor selection area visible in the tool.

PoS / PoC Inputs
PoS / PoC inputs for e-NH3 / ICE

LCV OPTION
 No change in LCV (use master value)

MASTER LCV FROM FUEL TABLE
 0.0186

LCV M/G

E OPTION
 No change in E (use standard value)

STANDARD E FROM FUEL TABLE
 10.0000

E VALUE GCO2EQ/MJ

EU OPTION
 No change in eu (use standard value)

STANDARD EU FROM FUEL TABLE
 0.0000

EU VALUE GCO2EQ/MJ

Cancel Apply

Part C & Part D – Results

Compliance Balance, Penalty Calculations, and Long-Term Compliance Outlook

Show Detailed Result

Detailed Result


Aggregated by pathway / consumer from the fuels selected in Part B.

PATHWAY NAME / CONSUMER	ENERGY USE IN SCOPE (IN MILLION MJS)	WTT GHG (CO ₂ EQ _{WTT})	TTW CO ₂	TTW CH ₄	TTW N ₂ O	SLIP (C _{SLIP})	TTW GHG	RFNBO REWARD (RWD)
HFO (Grades RME to RMK)	478.5480	13.50000	76.88889	0.03086	1.32444	0.00	78.24420	1.00
e-diesel	17.0800	-63.20000	75.08197	0.02927	1.25621	0.00	76.36745	2.00
e-LNG / Otto (dual fuel medium speed)	12.2750	-46.20000	56.00815	0.00000	0.66762	3.10	70.70293	2.00

Close

Parts C and D show detailed calculations, compliance balance, penalty calculations, and the long-term compliance outlook.

Compliance balance and penalty calculations KPIs



Report generation

All-in-one compliance report with calculations, penalties, and outlook.



Detailed PDF report covering vessel and company identification data as below:

- ✓ GHG intensity calculation by fuel type
- ✓ Detailed FuelEU calculation results
- ✓ Computed compliance balance
- ✓ Target comparison and penalty assessment
- ✓ Long-term compliance outlook
- ✓ Milestone-year outlook and projected penalty exposure

Report generated

FuelEU Maritime

FuelEU Maritime Compliance Report

Ship Name: Sample Vessel
IMO Number: 1234567
Reporting Year: 2025
Reporting Period: 2025-01-01 to 2025-12-31
Generated by FuelEU Maritime Calculator

FuelEU Maritime Compliance Report

Part A - Data identifying the ship and company

NAME OF SHIP	Sample Vessel
IMO NUMBER	1234567
REPORTING YEAR	2025
REPORTING PERIOD FROM	2025-01-01
REPORTING PERIOD TO	2025-12-31
TOTAL DISTANCE TRAVELLED (NM)	0
TIME SPENT AT SEA (HOURS)	0
TIME AT ANCHORAGE (HOURS)	0
TOTAL NUMBER OF FUELS	3
WIND-ASSISTED PROPULSION (APPLICABLE)	NO

Part B - GHG intensity calculation by fuel

PATHWAY NAME / CONSUMER	POS/POC AVAILABLE	ACTIVE LCV MJ/G	ACTIVE E VALUE GCO2EQ/MJ	100% COVERED TONNES	50% COVERED TONNES
HFO (Grade RME to RMK)	NO	0.0405	-	11,816	0
e-diesel	YES	0.0427	10,0000	400	0
e-LNG / Otto (dual fuel medium speed)	YES	0.0481	10,0000	250	0

Part C - Compliance balance and penalty calculations

SHOW DETAILED RESULT: NO

SELECTED FWD: 1.00

REDUCTION BAND: 2025-2029 -2%

REPORTING PERIOD SUMMARY: 2025-01-01 to 2025-12-31

Total GHG Intensity
Actual = Weighted HFO + Weighted TME, adjusted by FuelEU year band.
82.69709

Current Target
Reference value 91.16 gCO2eq/MJ reduced by FuelEU year band.
89.3368

Compliance Balance
Displayed as CO2eq.
3,372.33 tCO2eq

Status
Penalty: EUR NA

TOTAL ENERGY IN SCOPE (t)
50,793,000

WEIGHTED WTT
Σ(WTT × energy) / Σ(energy × reward)
8.96001

WEIGHTED TTW
Σ(TTW × energy) / Σ(energy × reward)
73.73708

FUELU PENALTY
Only calculated when balance is negative
EUR NA

Detailed Result

PATHWAY NAME / CONSUMER	ENERGY USE IN SCOPE (IN MILLION MJ/G)	WTT GHG (CO2EQWTT)	TTW CO2	TTW CH4	TTW N2O	SLIP (CSLIP)	TTW GHG	RPNRD REWARD (RWD)
HFO (Grades RME to RMK)	476.548	13.5	76.8889	0.0086	1.32844	0	78.2442	1

Part D - Long-Term Compliance Outlook

YEAR	REDUCTION (%)	REQUIRED GHG (GCO2EQ/MJ)	COMPLIANCE BALANCE	PENALTY
2020	0	91.16	-4,298.34	€ 0
2023	2	89.34	-3,372.33	€ 0
2026	4	85.69	-1,520.31	€ 0
2029	14.5	77.94	-2,415.23	€ 17,09,602
2040	31	62.9	-10,094.8	€ 71,17,222
2045	62	34.64	-24,407.93	€ 1,72,76,894
2050	80	18.23	-52,742.81	€ 2,31,76,216

FuelEU Penalty Projection Graph
Penalty based on reporting milestone year

2. Dashboard of the Pooling of Compliance Calculator

Before joining pool — Adjusted compliance balance.



FuelEU
Pooling Dashboard

+ Add ship

Load sample (A-E)

Clear all ships

Import CSV

Print

Export CSV

TOTAL POOL BALANCE

30

TOTAL SURPLUS (≥0)

210

TOTAL DEFICIT (≤0)

-180

Add ship

Click “Add ship” to add the vessel compliance balance.

Load sample (A-E)

To open the sample example, click “Load sample (A-E)”.

Clear all ships

Click “Clear all ships” to empty all fields.

Import CSV

Click “Import CSV” to import the ship data to the calculator.

Print

Click “Print” to save the report as a PDF.

Export CSV

Click “Export CSV” to export data in excel.

Before joining pool — Adjusted compliance balance

Enter ship names and adjusted compliance balances. All calculations below remain unchanged visually; the allocation logic is updated as requested.

SHIP	ADJUSTED COMPLIANCE BALANCE	
Ship A	200	Delete
Ship B	-30	Delete
Ship C	-50	Delete
Ship D	10	Delete
Ship E	-100	Delete

Before joining pool — Adjusted compliance balance

SHIP	ADJUSTED COMPLIANCE BALANCE
Ship A	+200
Ship B	-30
Ship C	-50
Ship D	+10
Ship E	-100
Total pool compliance balance	30

- ✓ Enter the vessel compliance balance to add the vessel.
- ✓ Use the “Delete” option to remove the vessel data.
- ✓ The ship name and compliance balance will be displayed.

2. Dashboard of the Pooling of Compliance Calculator

Allocation alternative — Verified compliance balance.



FuelEU
Pooling Dashboard

Allocation alternative 1 — Verified compliance balance

SHIP	TRANSFER (VERIFIED)	RESIDUAL AFTER POOLING
Ship A	-170	+30
Ship B	+30	0
Ship C	+50	0
Ship D	-10	0
Ship E	+100	0
Total pool compliance balance	180	30

Dashboard of the calculator displaying post-pooling calculation results

✓ Verified compliance balance, with vessel data required to be entered first.

✓ Option to import vessel data via Excel for faster and error-free data entry.

✓ Pooling allocation automatically executed using ship-level data in line with Allocation Alternative 1.

✓ Detailed pooling results generated, showing complete calculations and allocation outcomes.

✓ Post-pooling results can be exported to Excel for review, reporting, and record-keeping.

Report generated

FuelEU Maritime — Pooling of Compliance

Generated report for compliance balance allocation and pool verification.

TOTAL POOL BALANCE
70

TOTAL SURPLUS
200

TOTAL DEFICIT
-130

Before Joining Pool — Adjusted Compliance Balance

SHIP	ADJUSTED COMPLIANCE BALANCE
Ship A	+200
Ship B	-30
Ship E	-100
Total Pool Compliance Balance	70

Verified Compliance Balance — Allocation Alternative 1

SHIP	TRANSFER (VERIFIED)	RESIDUAL AFTER POOLING
Ship A	-130	+70
Ship B	+30	0
Ship E	+100	0
Totals	130	70

This is an automated compliance estimation report. FuelEU Maritime verified balances are subject to official regulatory review.

Excel data generated

	A	B	C	D
1	Ship	Adjusted compliance balance (Initial)	Transfer (verified)	Residual after pooling
2	Ship A	200	-170	30
3	Ship B	-30	30	0
4	Ship C	-50	50	0
5	Ship D	10	-10	0
6	Ship E	-100	100	0
7	Total	30	180	30

Get in touch for calculator support

Use this closing slide for demos, handovers, or follow-up questions related to the CII and FuelEU calculator presentation.



abhiroopkmadhavan@gmail.com



Click on the logo



Access the tool

Click on the below image



Click on the logo