

1) Data Import:

Import List of Orders.csv into Power BI.

Open the list of orders in the Power Query Editor using the Transform Data option.

Import Order Details.csv and Sales Target.csv into Power Query Editor.

The screenshot shows the Power Query Editor window with the 'Sales target.csv' data preview. The window has a title bar 'Sales target.csv' and a close button. Below the title bar, there are three dropdown menus: 'File Origin' (set to '1252: Western European (Windows)'), 'Delimiter' (set to 'Comma'), and 'Data Type Detection' (set to 'Based on first 200 rows'). The main area displays a table with three columns: 'Month of Order Date', 'Category', and 'Target'. The table contains 22 rows of data, showing monthly targets for Furniture and Clothing categories from April 2018 to November 2018. A message at the bottom of the preview area states: 'The data in the preview has been truncated due to size limits.' At the bottom of the window, there are three buttons: 'Extract Table Using Examples', 'Load', and 'Transform Data', along with a 'Cancel' button.

Month of Order Date	Category	Target
01-04-2018	Furniture	10400
01-05-2018	Furniture	10500
01-06-2018	Furniture	10600
01-07-2018	Furniture	10800
01-08-2018	Furniture	10900
01-09-2018	Furniture	11000
01-10-2018	Furniture	11100
01-11-2018	Furniture	11300
01-12-2018	Furniture	11400
01-01-2019	Furniture	11500
01-02-2019	Furniture	11600
01-03-2019	Furniture	11800
01-04-2018	Clothing	12000
01-05-2018	Clothing	12000
01-06-2018	Clothing	12000
01-07-2018	Clothing	14000
01-08-2018	Clothing	14000
01-09-2018	Clothing	14000
01-10-2018	Clothing	16000
01-11-2018	Clothing	16000

Order Details.csv

File Origin

1252: Western European (Windows)

Delimiter

Comma

Data Type Detection

Based on first 200 rows

Order ID	Amount	Profit	Quantity	Category	Sub-Category
B-25601	1275	-1148	7	Furniture	Bookcases
B-25601	66	-12	5	Clothing	Stole
B-25601	8	-2	3	Clothing	Hankerchief
B-25601	80	-56	4	Electronics	Electronic Games
B-25602	168	-111	2	Electronics	Phones
B-25602	424	-272	5	Electronics	Phones
B-25602	2617	1151	4	Electronics	Phones
B-25602	561	212	3	Clothing	Saree
B-25602	119	-5	8	Clothing	Saree
B-25603	1355	-60	5	Clothing	Trousers
B-25603	24	-30	1	Furniture	Chairs
B-25603	193	-166	3	Clothing	Saree
B-25603	180	5	3	Clothing	Trousers
B-25603	116	16	4	Clothing	Stole
B-25603	107	36	6	Clothing	Stole
B-25603	12	1	2	Clothing	Hankerchief
B-25603	38	18	1	Clothing	Kurti
B-25604	65	17	2	Clothing	T-shirt
B-25604	157	5	9	Clothing	Saree
B-25605	75	0	7	Clothing	Saree

The data in the preview has been truncated due to size limits.

Extract Table Using Examples

Load

Transform Data

Cancel

Page 1

List of Orders.csv

File Origin

1252: Western European (Windows)

Delimiter

Comma

Data Type Detection

Based on first 200 rows

Order ID	Order Date	CustomerName	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
B-25606	06-04-2018	Hazel	Karnataka	Bangalore
B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
B-25610	09-04-2018	Yogesh	Bihar	Patna
B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune


The data in the preview has been truncated due to size limits.

Extract Table Using Examples

Load

Transform Data

Cancel



Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply Close New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Properties Advanced Editor Manage Choose Columns Remove Columns Keep Rows Remove Rows Split Column Group By Data U

Queries [3] Sales target Order Details List of Orders

= Table.TransformColumnTypes(#"Promoted Headers",{{"Month of Order Date", type date}, {"Category

	Month of Order Date	Category	Target
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	01-04-2018	Furniture	10400
2	01-05-2018	Furniture	10500
3	01-06-2018	Furniture	10600
4	01-07-2018	Furniture	10800
5	01-08-2018	Furniture	10900
6	01-09-2018	Furniture	11000
7	01-10-2018	Furniture	11100
8	01-11-2018	Furniture	11300
9	01-12-2018	Furniture	11400
10	01-01-2019	Furniture	11500
11	01-02-2019	Furniture	11600
12	01-03-2019	Furniture	11800
13	01-04-2018	Clothing	12000
14	01-05-2018	Clothing	12000
15	01-06-2018	Clothing	12000
16	01-07-2018	Clothing	14000
17	01-08-2018	Clothing	14000
18	01-09-2018	Clothing	14000
19	01-10-2018	Clothing	16000
20	01-11-2018	Clothing	16000

2) Row Limiting & Data Types:

Restrict the List of Orders table to the first 500 rows.

Set the Order Date column to the Date data type.

Change the Amount and Target columns to fixed decimal numbers.

The screenshot shows the Power BI Desktop interface. The ribbon at the top includes tabs for 'Enter Data', 'Data source settings', 'Manage Parameters', 'Export query results', 'Refresh Preview', 'Properties', 'Advanced Editor', 'Manage', 'Choose Columns', 'Remove Columns', 'Keep Rows', 'Remove Rows', 'Sort', 'Split Column', 'Group By', 'Data Type: Any', 'Use First Row as Header', and 'Replace Values'. The formula bar displays the DAX formula: `= Table.TransformColumnTypes("#Promoted Headers",{{"Order ID", type text}, {"Order Date", type date},`

A 'Keep Top Rows' dialog box is open in the center, prompting the user to 'Specify how many rows to keep.' The 'Number of rows' input field contains the value '500'. The dialog has 'OK' and 'Cancel' buttons.

The background data table has the following columns and data:

	Order ID	Order Date	CustomerName	State	City
1	B-25601				
2	B-25602				
3	B-25603				
4	B-25604				
5	B-25605				
6	B-25606				
7	B-25607				
8	B-25608				
9	B-25609				
10	B-25610				
11	B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13	B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14	B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15	B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16	B-25616	15-04-2018	Kanak	Goa	Goa
17	B-25617	17-04-2018	Sagar	Nagaland	Kohima
18	B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	B-25620	20-04-2018	Sarita	Maharashtra	Pune
21	B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal

Enter Data

Data source settings

Manage Parameters

Export query results

Refresh Preview

Properties

Advanced Editor

Manage

Choose Columns

Remove Columns

Keep Rows

Remove Rows

Sort

Split Column

Group By

Replace Values

Transform

Merge Queries

Append Queries

Combine Files

Combine

fx

= Table.TransformColumnTypes("#Kept First 500 Rows",{{"Order Date", type date}})

	Order ID	Order Date	CustomerName	State	City
		Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2	B-25602	01-04-2018	Pearl	Maharashtra	Pune
3	B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5	B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6	B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
10	B-25610	09-04-2018	Yogesh	Bihar	Patna
11	B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13	B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14	B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15	B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16	B-25616	15-04-2018	Kanak	Goa	Goa
17	B-25617	17-04-2018	Sagar	Nagaland	Kohima
18	B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	B-25620	20-04-2018	Sarita	Maharashtra	Pune
21	B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal

Query Settings

PROPERTIES

Name

List of Orders

All Properties

APPLIED STEPS

Source

Promoted Headers

Changed Type

Kept First 500 Rows

Order_date date datatype

column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 09:05

Enter Data

Data source settings

Manage Parameters

Export query results

Refresh Preview

Properties

Advanced Editor

Manage

Choose Columns

Remove Columns

Keep Rows

Remove Rows

Sort

Split Column

Group By

Replace Values

Transform

Merge Queries

Append Queries

Combine Files

Combine

fx

= Table.TransformColumnTypes("#Changed Type",{{"Amount", Currency.Type}})

	Order ID	Amount	Profit	Quantity	Category
		Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	B-25601	1,275.00	-1148	7	Furniture
2	B-25601	66.00	-12	5	Clothing
3	B-25601	8.00	-2	3	Clothing
4	B-25601	80.00	-56	4	Electronics
5	B-25602	168.00	-111	2	Electronics
6	B-25602	424.00	-272	5	Electronics
7	B-25602	2,617.00	1151	4	Electronics
8	B-25602	561.00	212	3	Clothing
9	B-25602	119.00	-5	8	Clothing
10	B-25603	1,355.00	-60	5	Clothing
11	B-25603	24.00	-30	1	Furniture
12	B-25603	193.00	-166	3	Clothing
13	B-25603	180.00	5	3	Clothing
14	B-25603	116.00	16	4	Clothing
15	B-25603	107.00	36	6	Clothing
16	B-25603	12.00	1	2	Clothing
17	B-25603	38.00	18	1	Clothing
18	B-25604	65.00	17	2	Clothing
19	B-25604	157.00	5	9	Clothing
20	B-25605	75.00	0	7	Clothing
21	B-25606	87.00	4	2	Clothing

Query Settings

PROPERTIES

Name

Order Details

All Properties

APPLIED STEPS

Source

Promoted Headers

Changed Type

Amount_Fixed decima datatype

column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 09:11

Power Query Editor interface showing a table with columns: Month of Order Date, Category, and Target. The Target column is highlighted with a yellow background and the data type is set to Fixed decimal number. The table contains 22 rows of data, including dates, categories (Furniture, Clothing), and target values.

Query Settings: Name: Sales target

APPLIED STEPS: Source, Promoted Headers, Changed Type, Target_Fixed decimal datatype

Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 09:11

3) Text Formatting:

Format the CustomerName column to proper case to ensure consistent capitalization.

Power Query Editor interface showing a table with columns: CustomerName, State, and City. The CustomerName column is highlighted with a yellow background and the data type is set to Text. The table contains 22 rows of data, including customer names, states, and cities.

Query Settings: Name: List of Orders

APPLIED STEPS: Source, Promoted Headers, Changed Type, Kept First 500 Rows, Order_date date datatype, CustomerName_Capitalized E...

4) Column Creation:

Merge the City and State columns to create a new column named Location in the format: City, State

Create a custom column named Profit Margin calculated as: Profit / Amount (expressed as a percentage)

The screenshot shows the Power Query Editor interface. A 'Merge Columns' dialog box is open, allowing the user to merge the 'State' and 'City' columns into a new column named 'Location'. The separator is set to 'Comma'. The background table contains the following data:

Order ID	Order Date	CustomerName	State	City
5601	12-04-2018	Mukesh	Haryana	Chandigarh
5602	13-04-2018	Vandana	Himachal Pradesh	Simla
5603	15-04-2018	Bhavna	Sikkim	Gangtok
5604	15-04-2018	Kanak	Goa	Goa
5605	17-04-2018	Sagar	Nagaland	Kohima
5606	18-04-2018	Manju	Andhra Pradesh	Hyderabad
5607	18-04-2018	Ramesh	Gujarat	Ahmedabad
5608	20-04-2018	Sarita	Maharashtra	Pune
5609	20-04-2018	Deepak	Madhya Pradesh	Bhopal

me_Capitalized Each Word", "Location", each Text.Combine([City],

A ^B C State	A ^B C City	A ^B C Location
% Valid 100%	% Valid 100%	% Valid 100%
% Error 0%	% Error 0%	% Error 0%
% Empty 0%	% Empty 0%	% Empty 0%
Gujarat	Ahmedabad	Ahmedabad,Gujarat
Maharashtra	Pune	Pune,Maharashtra
Madhya Pradesh	Bhopal	Bhopal,Madhya Pradesh
Rajasthan	Jaipur	Jaipur,Rajasthan
West Bengal	Kolkata	Kolkata,West Bengal
Karnataka	Bangalore	Bangalore,Karnataka
Jammu and Kashmir	Kashmir	Kashmir,Jammu and Kashmir
Tamil Nadu	Chennai	Chennai,Tamil Nadu
Uttar Pradesh	Lucknow	Lucknow,Uttar Pradesh
Bihar	Patna	Patna,Bihar
Kerala	Thiruvananthapuram	Thiruvananthapuram,Kerala
Punjab	Chandigarh	Chandigarh,Punjab
Haryana	Chandigarh	Chandigarh,Haryana
Himachal Pradesh	Simla	Simla,Himachal Pradesh
Sikkim	Gangtok	Gangtok,Sikkim
Goa	Goa	Goa,Goa
Nagaland	Kohima	Kohima,Nagaland
Andhra Pradesh	Hyderabad	Hyderabad,Andhra Pradesh
Gujarat	Ahmedabad	Ahmedabad,Gujarat
Maharashtra	Pune	Pune,Maharashtra
Madhya Pradesh	Bhopal	Bhopal,Madhya Pradesh

Query Settings

PROPERTIES

Name

List of Orders

All Properties

APPLIED STEPS

Source

Promoted Headers

Changed Type

Kept First 500 Rows

Order_date date datatype

CustomerName_Capitalized E...

✕ Inserted Location_Merged Col...

Conditional Column

Index Column

Duplicate Column

General

Format

Extract

Parse

From Text

Statistics

Standard

Scientific

From Number

Trigonometry

Rounding

Information

Date

Time

Duration

From Date & Time

[3]

target

Details

Orders

Order ID

% Valid

% Error

% Empty

1 B-25601

2 B-25601

3 B-25601

4 B-25601

5 B-25602

6 B-25602

7 B-25602

8 B-25602

9 B-25602

10 B-25603

11 B-25603

12 B-25603

13 B-25603

14 B-25603

15 B-25603

16 B-25603

17 B-25603

18 B-25604

19 B-25604

Custom Column

Add a column that is computed from the other columns.

New column name

Profit Margin

Custom column formula

= [Profit]/[Amount]

Available columns

Order ID

Amount

Profit

Quantity

Category

Sub-Category

<< Insert

Learn about Power Query formulas

✓ No syntax errors have been detected.

OK

Cancel

Query Settings

PROPERTIES

Name

Order Details

All Properties

APPLIED STEPS

Source

Promoted Headers

Changed Type

✕ Amount_Fixed decima datatype

[Profit]/[Amount])

ABC123

Profit Margin

100%	Valid	100%
0%	Error	0%
0%	Empty	0%
		-0.900392157
		-0.181818182
		-0.25
		-0.7
		-0.660714286
		-0.641509434
		0.439816584
		0.377896613
		-0.042016807
		-0.044280443
		-1.25
		-0.860103627
		0.027777778
		0.137931034
		0.336448598
		0.083333333
		0.473684211
		0.261538462
		0.031847134
		0
		0.045977011

Query Settings

PROPERTIES

Name

Order Details

All Properties

APPLIED STEPS

Source

Promoted Headers

Changed Type

Amount_Fixed decima datatype

Added Profit Margin column

5) Conditional Column:

Add a conditional column named Profit Status based on:

- Profit < 0 → Loss
- Profit = 0 → Break-Even
- Profit > 0 → Profit

Transform

Add Column

View

Tools

Help

Conditional Column

Index Column

Duplicate Column

Merge Columns

Extract

Format

Parse

Statistics

Standard

Scientific

Trigonometry

Rounding

Information

Date

Time

Duration

From Text

From Number

From Date & Time

Table.AddColumn(#"Amount Fixed decimal datatype", "Profit Margin", each [Profit]/[Amount])

Query Settings

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Profit Status

	Column Name	Operator	Value		Output
If	Profit	is less than	0	Then	Loss
Else If	Profit	equals	0	Then	Break-Even
Else If	Profit	is greater than	0	Then	Profit

Add Clause

Else

OK

Cancel

19	B-25604	157.00	5	9	Clothing
20	B-25605	75.00	0	7	Clothing
21	B-25606	87.00	4	2	Clothing

[Profit] < 0 then "Loss" ✓

ABC 123 Profit Status

100%	Valid	100%
0%	Error	0%
0%	Empty	0%

00392157	Loss
81818182	Loss
-0.25	Loss
-0.7	Loss
60714286	Loss
41509434	Loss
39816584	Profit
77896613	Profit
42016807	Loss
44280443	Loss
-1.25	Loss
60103627	Loss
27777778	Profit
37931034	Profit
36448598	Profit
83333333	Profit
73684211	Profit
61538462	Profit
31847134	Profit
0	Break-Even
45977011	Profit

Query Settings

PROPERTIES

Name

Order Details

All Properties

APPLIED STEPS

Source

Promoted Headers

Changed Type

Amount_Fixed decima datatype

Added Profit Margin column

✕ Profit Status Added Column

6) Merging Data (Joins)

Merge the List of Orders and Order Details tables using Order ID.

Name the merged output table as Orders Data.

7) Handling Missing Data & Duplicate Data

- Identify missing values across all tables.
- Define and apply appropriate strategies such as:

Replacing missing values

Removing records

Retaining nulls with justification

- Identify duplicate rows and define a suitable handling strategy based on business logic.

Solution:

There are no missing values as well as no duplicate records across all three tables.

8) Sorting and Filtering Data

- Sort records in the Orders Data table by Order Date in descending order.
- Apply filters to analyse orders from a specific state (e.g., Tamil Nadu).

The screenshot displays the Power BI Desktop interface. The main view shows a table with 21 rows and 7 columns. The columns are: Order ID, Order Date, CustomerName, State, City, and two unnamed columns. The data is sorted by Order Date in descending order. The right sidebar shows the Query Settings for 'Order date_descending Sorted'. The table data is as follows:

Order ID	Order Date	CustomerName	State	City	Column 1	Column 2
B-26100	31-03-2019	Hitika	Madhya Pradesh	Indore		
B-26099	30-03-2019	Bhishm	Maharashtra	Mumbai		
B-26098	29-03-2019	Pinky	Jammu and Kashmir	Kashmir		
B-26097	28-03-2019	Vini	Karnataka	Bangalore		
B-26096	28-03-2019	Atharv	West Bengal	Kolkata		
B-26095	28-03-2019	Monisha	Rajasthan	Jaipur		
B-26094	27-03-2019	Deepak	Madhya Pradesh	Bhopal		
B-26091	27-03-2019	Manju	Andhra Pradesh	Hyderabad		
B-26092	27-03-2019	Ramesh	Gujarat	Ahmedabad		
B-26093	27-03-2019	Sarita	Maharashtra	Pune		
B-26090	27-03-2019	Sagar	Nagaland	Kohima		
B-26088	26-03-2019	Bhavna	Sikkim	Gangtok		
B-26086	26-03-2019	Mukesh	Haryana	Chandigarh		
B-26087	26-03-2019	Vandana	Himachal Pradesh	Simla		
B-26085	26-03-2019	Shrichand	Punjab	Chandigarh		
B-26089	26-03-2019	Kanak	Goa	Goa		
B-26084	25-03-2019	Anita	Kerala	Thiruvananthapuram		
B-26083	24-03-2019	Yogesh	Bihar	Patna		
B-26082	23-03-2019	Jitesh	Uttar Pradesh	Lucknow		
B-26078	22-03-2019	Kasheen	West Bengal	Kolkata		
B-26077	22-03-2019	Divsha	Rajasthan	Jaipur		

7 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT

7 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT

9. Grouping and Aggregating Data

- Duplicate the Order Details table and perform the following:

Count of Order ID

Average Profit by Category

Total Amount by Sub-Category

- Duplicate the Sales Target table and aggregate the total Target by Month of order date.

Count of Order ID

The screenshot displays the Power BI Desktop interface. The main view shows a table with columns: Order ID, Amount, Profit, and Quantity. The 'Profit' column is highlighted, and a context menu is open, showing options like Sum, Minimum, Maximum, Median, Average, Standard Deviation, Count Values, and Count Distinct Values. The 'Count Values' option is selected.

The table data is as follows:

Order ID	Amount	Profit	Quantity
1 B-25601	1,275.00	-1148	
2 B-25601	66.00	-12	
3 B-25601	8.00	-2	3 Clothing
4 B-25601	80.00	-56	4 Electronics
5 B-25602	168.00	-111	2 Electronics
6 B-25602	424.00	-272	5 Electronics
7 B-25602	2,617.00	1151	4 Electronics
8 B-25602	561.00	212	3 Clothing
9 B-25602	119.00	-5	8 Clothing
10 B-25603	1,355.00	-60	5 Clothing
11 B-25603	24.00	-30	1 Furniture
12 B-25603	193.00	-166	3 Clothing
13 B-25603	180.00	5	3 Clothing
14 B-25603	116.00	16	4 Clothing
15 B-25603	107.00	36	6 Clothing
16 B-25603	12.00	1	2 Clothing
17 B-25603	38.00	18	1 Clothing
18 B-25604	65.00	17	2 Clothing
19 B-25604	157.00	5	9 Clothing
20 B-25605	75.00	0	7 Clothing
21 B-25606	87.00	4	2 Clothing

The 'Query Settings' pane on the right shows the 'APPLIED STEPS' list, which includes 'Profit Status Added Column'.

The formula bar shows the following DAX formula:

```
= List.NonNullCount(#"Profit Status Added Column"[Order ID])
```

The result of the formula is 1500.

Average Profit by Category

ewToolsHelp

anage
meters

Export query
results

Refresh
Preview

Properties
Advanced Editor
Manage

Choose
Columns

Remove
Columns

Keep
Rows

Remove
Rows

Sort

Split
Column

Group
By

Data Type: Whole Number

Use First Row as Headers

Replace Values

ameters

Output Data

Query

Manage Columns

Reduce Rows

Transform

= Table.AddColumn(#"Added Profit Margin column", "Profit Status", each if [Profit] <

100%

0%

0%

Valid

Error

Empty

100%

0%

0%

Valid

Error

Empty

100%

0%

0%

Valid

Error

Empty

100%

0%

0%

Valid

Error

Empty

100%

0%

0%

Valid

Error

Empty

100%

0%

0%

Valid

Error

Empty

\$ Amount

Profit

Quantity

Category

1,275.00	-1148	7 Furniture
66.00	-12	5 Clothing
8.00	-2	3 Clothing
80.00	-56	4 Electronics
168.00	-111	2 Electronics
424.00	-272	5 Electronics
2,617.00	1151	4 Electronics
561.00	212	3 Clothing
119.00	-5	8 Clothing
1,355.00	-60	5 Clothing
24.00	-30	1 Furniture
193.00	-166	3 Clothing
180.00	5	3 Clothing
116.00	16	4 Clothing
107.00	36	6 Clothing
12.00	1	2 Clothing
38.00	18	1 Clothing
65.00	17	2 Clothing
157.00	5	9 Clothing
75.00	0	7 Clothing
87.00	4	2 Clothing

Group By

Group rows in this table based on the values in the currently selected columns.

Group By

Specify the column to group by and the desired output.

☒ Basic
 ☐ Advanced

Category

New column name

avg_profit_by_category

Operation

Average

Column

Profit

OK

Cancel

= Table.Group("#Profit Status Added Column", {"Category"}, {"avg_profit_by_category", each	
Valid 100% Error 0% Empty 0%	
1 Furniture	9.456790123
2 Clothing	11.76290832
3 Electronics	34.07142857

Total Amount by Sub-Category

ABC Category	ABC Sub-Category	ABC Profit Margin	ABC Profit Status
Group By Specify the column to group by and the desired output. ☒ Basic ☐ Advanced Sub-Category New column name tot_amount_by_subcategory Operation Sum Column Amount OK Cancel			
4 Clothing	Stole	0.137931034	Profit

✕ ✓ <i>fx</i>		= Table.Group("#Profit Status Added Column", {"Sub-Category"},	
A ^B C Sub-Category		1.2 tot_amount_by_subcategory	
- Valid 100% - Error 0% - Empty 0%		- Valid 100% - Error 0% - Empty 0%	
1	Bookcases		56861
2	Stole		18546
3	Hankerchief		14608
4	Electronic Games		39168
5	Phones		46119
6	Saree		53511
7	Trousers		30039
8	Chairs		34222
9	Kurti		3361
10	T-shirt		7382
11	Shirt		7555
12	Leggings		2106
13	Tables		22614
14	Printers		58252
15	Accessories		21728
16	Furnishings		13484
17	Skirt		1946

- Duplicate the Sales Target table and aggregate the total Target by Month of order date.

Close & Apply Close New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Properties Advanced Editor Manage Choose Columns Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Use Formula Replace Transform

Queries [5] `= Table.TransformColumnTypes(#"Changed Type",{{"Target", Currency.Type}})`

Sales target

- Copy
- Paste
- Delete
- Rename
- Enable load
- Include in report refresh
- Duplicate
- Reference
- Move To Group
- Move Up
- Move Down
- Create Function...
- Convert To Parameter
- Advanced Editor
- Properties...

Month of Order Date	Category	Target
100%	Valid	100%
0%	Error	0%
0%	Empty	0%
01-04-2018	Furniture	10,400.00
01-05-2018	Furniture	10,500.00
01-06-2018	Furniture	10,600.00
01-07-2018	Furniture	10,800.00
01-08-2018	Furniture	10,900.00
01-09-2018	Furniture	11,000.00
01-10-2018	Furniture	11,100.00
01-11-2018	Furniture	11,300.00
01-12-2018	Furniture	11,400.00
01-01-2019	Furniture	11,500.00
01-02-2019	Furniture	11,600.00
01-03-2019	Furniture	11,800.00
01-04-2018	Clothing	12,000.00
01-05-2018	Clothing	12,000.00
01-06-2018	Clothing	12,000.00
01-07-2018	Clothing	14,000.00
01-08-2018	Clothing	14,000.00
01-09-2018	Clothing	14,000.00
01-10-2018	Clothing	16,000.00
01-11-2018	Clothing	16,000.00
01-12-2018	Clothing	16,000.00

Column From Custom Invoke Custom Examples Column Function General Conditional Column Index Column Duplicate Column Merge Columns Extract Parse Format From Text Statistics Standard Scientific Rounding Information

Queries [6] `= Table.TransformColumnTypes(#"Changed Type",{{"Target", Currency.Type}})`

Sales target

Order Details

List of Orders

Orders Data

Order Details_duplicate

Sales target_duplicate

Month of Order Date	Category	Target
100%	Valid	100%
0%	Error	0%
0%	Empty	0%
01-04-2018	Furniture	10,400.00
01-05-2018	Furniture	10,500.00
01-06-2018	Furniture	10,600.00
01-07-2018	Furniture	10,800.00
01-08-2018	Furniture	10,900.00
01-09-2018	Furniture	11,000.00
01-10-2018	Furniture	11,100.00
01-11-2018	Furniture	11,300.00
01-12-2018	Furniture	11,400.00
01-01-2019	Furniture	11,500.00
01-02-2019	Furniture	11,600.00
01-03-2019	Furniture	11,800.00
01-04-2018	Clothing	12,000.00
01-05-2018	Clothing	12,000.00
01-06-2018	Clothing	12,000.00
01-07-2018	Clothing	14,000.00
01-08-2018	Clothing	14,000.00
01-09-2018	Clothing	14,000.00
01-10-2018	Clothing	16,000.00
01-11-2018	Clothing	16,000.00
01-12-2018	Clothing	16,000.00

Age

Date Only

Parse

Year

Month

Quarter

Week

Day

Subtract Days

Combine Date and Time

Earliest

Latest

Month

Start of Month

End of Month

Days in Month

Name of Month

Query Settings

PROPERTIES

Name

Sales target_duplicate

APPLIED STEPS

Source

Promoted Headers

Changed Type

Target_Fixed decimal datatype

Table: ReorderColumns("#Inserted Month Name", {"Month of Order Date", "Month Name", "Category", "Target"})

Month of Order Date	Month Name	Category	Target
01-04-2018	April	Furniture	10,400.00
01-05-2018	May	Furniture	10,500.00
01-06-2018	June	Furniture	10,600.00
01-07-2018	July	Furniture	10,800.00
01-08-2018	August	Furniture	10,900.00
01-09-2018	September	Furniture	11,000.00
01-10-2018	October	Furniture	11,100.00
01-11-2018	November	Furniture	11,300.00
01-12-2018	December	Furniture	11,400.00
01-01-2019	January	Furniture	11,500.00
01-02-2019	February	Furniture	11,600.00
01-03-2019	March	Furniture	11,800.00
01-04-2018	April	Clothing	12,000.00
01-05-2018	May	Clothing	12,000.00
01-06-2018	June	Clothing	12,000.00
01-07-2018	July	Clothing	14,000.00
01-08-2018	August	Clothing	14,000.00
01-09-2018	September	Clothing	14,000.00
01-10-2018	October	Clothing	16,000.00
01-11-2018	November	Clothing	16,000.00

Group By

Specify the column to group by and the desired output.

Basic (selected) Advanced

Month Name

New column name: tot_target Operation: Sum Column: Target

OK Cancel

Table: Group("#Reordered Columns", {"Month Name"}, [{"tot_target", each List.Sum([Target]), type}]

Month Name	tot_target	type
April	31400	
May	31500	
June	31600	
July	33800	
August	33900	
September	34000	
October	36100	
November	36300	
December	36400	
January	43500	
February	43600	
March	43800	

10. Data Modeling:

- Establish a relationship between: o List of Orders and Order Details using Order ID

← New relationship



Select tables and columns that are related.

From table

List of Orders

City	CustomerName	Location	Order Date	Order ID	State
Indore	Hitika	Indore,Madhy...	23 April 2018	B-25627	Madhya Prad...
Indore	Ashmi	Indore,Madhy...	26 April 2018	B-25637	Madhya Prad...
Indore	Yaanvi	Indore,Madhy...	01 May 2018	B-25645	Madhya Prad...

To table

Order Details

Category	Order ID	Profit	Profit Margin	Profit Status	Quantity	Sub-Categ
Furniture	B-25601	-1148	-0.900392157	Loss	7	Bookcas
Clothing	B-25601	-12	-0.181818182	Loss	5	Stole
Clothing	B-25601	-2	-0.25	Loss	3	Hankerc

Cardinality

One to many (1:*)

Cross-filter direction

Single

☒ Make this relationship active

☐ Apply security filter in both directions

☐ Assume referential integrity

Save

Cancel

- Establish a relationship between:
Order Details and Sales Target using Category

← New relationship



Select tables and columns that are related.

From table

Sales target

Category	Month of Ord...
Furniture	01 April 2018
Furniture	01 May 2018
Furniture	01 June 2018

To table

Order Details

Category	Order ID	Profit	Profit Margin	Profit Status	Quantity	Sub-Cate...
Clothing	B-25602	212	0.377896613	Profit	3	Saree
Clothing	B-25603	5	0.027777778	Profit	3	Trousers
Clothing	B-25623	69	0.436708861	Profit	3	Stole

Cardinality

Many to many (*.*)

Cross-filter direction

Both

☒ Make this relationship active


☒ Apply security filter in both directions

☐ Assume referential integrity

 This relationship has cardinality Many-Many. This should only be used if it is expected that neither column (Category and Category) contains unique values, and that the significantly different behavior of Many-Many relationships is understood. [Learn more](#)

Save

Cancel



Manage relationships



New relationship

Autodetect

Edit

Delete

Filter

☐	From: table (column) ↑	Relationship	To: table (column)	Status	
☐	Order Details (Order ID)		Orders Data (Order ID)	Active	...
☐	Order Details (Order ID)		List of Orders (Order ID)	Active	...
☐	Order Details (Sub-Category)		Order Details_duplicate (Sub-...	Active	...
☐	Sales target (Category)		Order Details (Category)	Active	...