


1) create the department table pk constraint.

2) create the employee table use department table pk as foreign key .

3) create the location table and use the not null unique ,not null and pk constraint.

After creation of the table insert the data in all 3 tables.




```
CREATE TABLE ANS_DEPARTMENT
(
  DEP_NO INT PRIMARY KEY,
  DEP_NAME VARCHAR(30),
  MANAGER_NO INT
);

CREATE TABLE ANS_EMPLOYEE
(
  EMPLOYEE_ID INT PRIMARY KEY NOT NULL,
  NAME VARCHAR(100),
  AGE INT,
  DEP_ID INT FOREIGN KEY REFERENCES ANS_DEPARTMENT(DEP_NO)
);

CREATE TABLE ANS_LOCATION
(
  EMPLOYEE_NO INT FOREIGN KEY REFERENCES ANS_EMPLOYEE(EMPLOYEE_ID),
  LOC_ID INT PRIMARY KEY NOT NULL,
  CITY VARCHAR(50) NOT NULL,
  PINCODE INT UNIQUE
);

INSERT INTO ANS_DEPARTMENT VALUES(1,'SALES',10);
INSERT INTO ANS_DEPARTMENT VALUES(2,'ACCOUNTS',11);
INSERT INTO ANS_DEPARTMENT VALUES(3,'HR',12);
INSERT INTO ANS_DEPARTMENT VALUES(4,'DEVELOPMENT',13);
INSERT INTO ANS_DEPARTMENT VALUES(5,'MARKETING',14);

INSERT INTO ANS_EMPLOYEE VALUES(2001,'JOHN',25,1);
INSERT INTO ANS_EMPLOYEE VALUES(2002,'JAMES',26,2);
INSERT INTO ANS_EMPLOYEE VALUES(2003,'RITHA',30,3);
INSERT INTO ANS_EMPLOYEE VALUES(2004,'LAURA',26,4);
INSERT INTO ANS_EMPLOYEE VALUES(2005,'NEENA',28,5);
```



```
INSERT INTO ANS_EMPLOYEE VALUES(1001,'JOHN',25,1);
INSERT INTO ANS_EMPLOYEE VALUES(1002,'JAMES',26,2);
INSERT INTO ANS_EMPLOYEE VALUES(1003,'RITHA',30,3);
INSERT INTO ANS_EMPLOYEE VALUES(1004,'LAURA',26,4);
INSERT INTO ANS_EMPLOYEE VALUES(1005,'NEENA',28,5);
INSERT INTO ANS_EMPLOYEE VALUES(1006,'LILLY',25,2);
INSERT INTO ANS_EMPLOYEE VALUES(2001,'JOHN',25,1);
INSERT INTO ANS_EMPLOYEE VALUES(2002,'JAMES',26,2);
INSERT INTO ANS_EMPLOYEE VALUES(2003,'RITHA',30,3);
INSERT INTO ANS_EMPLOYEE VALUES(2004,'LAURA',26,4);
INSERT INTO ANS_EMPLOYEE VALUES(2005,'NEENA',28,5);
INSERT INTO ANS_EMPLOYEE VALUES(2006,'LILLY',25,2);

INSERT INTO ANS_LOCATION VALUES(2001,1,'BANGALORE',567345);
INSERT INTO ANS_LOCATION VALUES(1001,2,'MANGALORE',567342);
INSERT INTO ANS_LOCATION VALUES(2002,3,'SHIMOGA',547345);
INSERT INTO ANS_LOCATION VALUES(1002,4,'HUBLI',435345);
INSERT INTO ANS_LOCATION VALUES(2002,5,'DHARWAD',566345);
INSERT INTO ANS_LOCATION VALUES(1003,6,'MYSORE',567205);
INSERT INTO ANS_LOCATION VALUES(2003,7,'UDUPI',567102);

SELECT * FROM ANS_LOCATION ;
SELECT * FROM ANS_EMPLOYEE ;
```

DBeaver 22.2.0 - <dlithe> Script

File Edit Navigate Search SQL Editor Database Window Help

SQL | Commit | Rollback | Auto | dbo@dlithe

Da... x Pr... x

Enter a part of obj

dlithe - rewasoluti

Databases

dlithe

Security

Administer

Project - G... x

Name

Bookmarks

Diagrams

Scripts

SELECT * FROM ANS_DEPARTMENT ;

Results 1 x

SELECT * FROM ANS_DEPARTMENT

Grid

| DEP_NO | DEP_NAME | MANAGER_NO |
|--------|-------------|------------|
| 1 | SALES | 10 |
| 2 | ACCOUNTS | 11 |
| 3 | HR | 12 |
| 4 | DEVELOPMENT | 13 |
| 5 | MARKETING | 14 |

Text

Record

Save Cancel Script

IST en Writable

Smart Insert

66 : 1 : 1826

Set: 0 | 0

73°F Cloudy

12:59 PM 9/7/2022

DBeaver 22.2.0 - <dlithe> Script

File Edit Navigate Search SQL Editor Database Window Help

SQL | Commit | Rollback | Auto | dbo@dlithe

Da... x Pr... x

Enter a part of obj

dlithe - rewasoluti

Databases

dlithe

Security

Administer

Project - G... x

Name

Bookmarks

Diagrams

Scripts

SELECT * FROM ANS_EMPLOYEE ;

Results 1 x

SELECT * FROM ANS_EMPLOYEE

Grid

| EMPLOYEE_ID | NAME | AGE | DEP_ID |
|-------------|-------|-----|--------|
| 1,001 | JOHN | 25 | 1 |
| 1,002 | JAMES | 26 | 2 |
| 1,003 | RITHA | 30 | 3 |
| 1,004 | LAURA | 26 | 4 |
| 1,005 | NEENA | 28 | 5 |
| 1,006 | LILLY | 25 | 2 |
| 2,001 | JOHN | 25 | 1 |
| 2,002 | JAMES | 26 | 2 |
| 2,003 | RITHA | 30 | 3 |
| 2,004 | LAURA | 26 | 4 |
| 2,005 | NEENA | 28 | 5 |
| 2,006 | LILLY | 25 | 2 |

Text

Record

Save Cancel Script

IST en Writable

Smart Insert

73 : 1 : 1838

Set: 0 | 0

73°F Cloudy

1:00 PM 9/7/2022

DBeaver 22.2.0 - <dlithe> Script

File Edit Navigate Search SQL Editor Database Window Help

SQL | Commit | Rollback | Auto | dlithe | dbo@dlithe

Da... x Pr... x | <dlithe> Script x

Enter a part of obj

dlithe - rewasoluti

Databases

dlithe

Security

Administer

Results 1 x

SELECT * FROM ANS_LOCATION

Enter a SQL expression to filter results (use Ctrl+Space)

| | EMPLOYEE_NO | LOC_ID | CITY | PINCODE |
|---|-------------|--------|-----------|---------|
| 1 | 2,001 | 1 | BANGALORE | 567,345 |
| 2 | 1,001 | 2 | MANGALORE | 567,342 |
| 3 | 2,002 | 3 | SHIMOGA | 547,345 |
| 4 | 1,002 | 4 | HUBLI | 435,345 |
| 5 | 2,002 | 5 | DHARWAD | 566,345 |
| 6 | 1,003 | 6 | MYSORE | 567,205 |
| 7 | 2,003 | 7 | UDUPI | 567,102 |

Value x 2001

Project - G... x

Name

Bookmarks

Diagrams

Scripts

Save Cancel Script

IST | en | Writable

Smart Insert

65 : 27 : 1820

Set: 0 | 0

73°F Cloudy

1:00 PM 9/7/2022