2. EXECUTE DDL COMMANDS

MySQL Workbench – BCA Practical

Step 1: Create the Database

```
CREATE DATABASE COLLEGE;

USE COLLEGE;
```

What it does: Creates a database named COLLEGE and selects it for use.

Step 2: Create the STUDENT Table

```
CREATE TABLE STUDENT (
    REGNO INT,
    STUDENTNAME VARCHAR(25),
    TOTALMARKS INT
);

DESC STUDENT;
```

What it does: Creates the STUDENT table with REGNO, STUDENTNAME and TOTALMARKS.

Step 3: Add the AVG Column

```
ALTER TABLE STUDENT
ADD AVG DECIMAL(5,2);

DESC STUDENT;
```

What it does: Adds a new AVG column. DECIMAL(5,2) means 3 digits before the decimal and 2 digits after it.

Step 4: Change AVG from (5,2) to (7,2)

```
ALTER TABLE STUDENT
MODIFY AVG DECIMAL(7,2);

DESC STUDENT;
```

What it does: Changes AVG to DECIMAL(7,2): 5 digits before the decimal and 2 digits after it. Example: 12345.67.

Step 5: Rename STUDENT to SCHOLAR

```
RENAME TABLE STUDENT TO SCHOLAR;

DESC SCHOLAR;
```

What it does: Changes the table name from STUDENT to SCHOLAR.

Step 6: Enter Five Tuples

```
INSERT INTO SCHOLAR VALUES
(101, 'PRASHANTH', 680, 99.71);

INSERT INTO SCHOLAR VALUES
(102, 'RAJU', 690, 79.82);

INSERT INTO SCHOLAR VALUES
(103, 'RAMESH', 700, 91.91);

INSERT INTO SCHOLAR VALUES
```

```
(104, 'SURESH', 400, 89.72);

INSERT INTO SCHOLAR VALUES
(105, 'RAGHU', 900, 321.73);

SELECT * FROM SCHOLAR;
```

What it does: Inserts five records and displays them.

Step 7: Delete All Records at Once

```
TRUNCATE TABLE SCHOLAR;

SELECT * FROM SCHOLAR;
```

What it does: Deletes all records but keeps the table structure.

Step 8: Drop the Existing Table

```
DROP TABLE SCHOLAR;
```

What it does: Completely removes the SCHOLAR table and its structure.

Expected Output After Step 6

REGNO	STUDENTNAME	TOTALMARKS	AVG
101	PRASHANTH	680	99.71
102	RAJU	690	79.82
103	RAMESH	700	91.91
104	SURESH	400	89.72
105	RAGHU	900	321.73

Easy Sequence to Remember

CREATE DATABASE → CREATE TABLE → ADD → MODIFY → RENAME → INSERT → TRUNCATE → DROP

1. CREATE DATABASE
2. CREATE TABLE
3. ADD COLUMN
4. MODIFY COLUMN
5. RENAME TABLE
6. INSERT RECORDS
7. TRUNCATE TABLE
8. DROP TABLE