



The SQL Project

THE PIZZA SALES


By, Anusha E Aremal



Retrieve the total number of orders placed


```
Select count(order_id) as total_orders from orders;
```





Calculate the total revenue generated from pizza sales

```
select
sum(details.quantity * pizzas.price) as total_sales
from details join pizzas
on pizzas.pizza_id= details.pizza_id ;
SELECT
    ROUND(SUM(details.quantity * pizzas.price), 2) AS total_sales
FROM
    details
        JOIN
    pizzas ON pizzas.pizza_id = details.pizza_id;
```





Identify the highest-priced pizza

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

Result Grid

The Greek Pizza

name

Filter Ro

price

35.95

Identify the most common pizza size ordered

R	esult Gri	id 🔢 🙌 Fi
	size	order_count
١	L	18526
	M	15385
	S	14137
	XL	544
	XXL	28













List the top 5 most ordered pizza types along with their quantities.


```
SELECT
    pizza_types.name, (SUM(details.quantity)) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza types.pizza type id = pizzas.pizza type id
        JOIN
    details ON details.pizza id = pizzas.pizza id
GROUP BY pizza types.name
ORDER BY quantity DESC
LIMIT 5;
```






Join the necessary tables to find the total quantity of each pizza category ordered

```
SELECT
    pizza_types.category, SUM(details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza types.pizza type id = pizzas.pizza type id
        JOIN
    details ON details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```





Determine the distribution of orders by hour of the day

```
SELECT

HOUR(order_time) AS hour, COUNT(order_id) AS order_count

FROM

orders


GROUP BY HOUR(order_time);
```




Re	sult Grid	I 🔢 🙌 Filte	е
	hour	order_count	
•	11	1231	
	12	2520	
	13	2455	
	14	1472	
	15	1468	
	16	1920	
	17	2336	
	18	2399	
	19	2009	
	20	1642	
	21	1198	
	22	663	
	23	28	
	10	8	
	9	1	

Join relevant tables to find the category-wise distribution of pizzas

```
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```





Group the orders by date and calculate the average number of pizzas ordered per day

```
SELECT

ROUND(AVG(quantity), 0) as avg_pizzas_ordered_per_day

FROM

(SELECT

orders.order_date, SUM(details.quantity) AS quantity

FROM

orders

JOIN details ON orders.order_id = details.order_id

GROUP BY orders.order_date) AS order_quantity;
```



Determine the top 3 most ordered pizza types based on revenue

```
SELECT
    pizza_types.name,
    SUM(details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza type id = pizza types.pizza type id
        JOIN
    details ON details.pizza id = pizzas.pizza id
GROUP BY pizza types.name
ORDER BY revenue DESC
LIMIT 3:
```



113	esult Grid 🔢 🙌 Filter Ro	
	name	revenue
١	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue

```
SELECT
    pizza_types.category,
    ROUND((SUM(details.quantity * pizzas.price) / (SELECT
                    ROUND(SUM(details.quantity * pizzas.price), 2) AS total_sales
                FROM details
                JOIN
                    pizzas ON pizzas.pizza_id = details.pizza_id)) * 100,
            2) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza types.pizza type id = pizzas.pizza type id
        JOIN
    details ON details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC:
```

R	esult Grid	■ 6 ≯
	category	revenue
•	Classic	26.91
	Supreme	25.46
	Chicken	23.96
	Veggie	23.68



Analyze the cumulative revenue generated over time

```
select order_date,
sum(revenue)
over(order by order_date) as cum_revenue
from
(select orders.order_date,
sum(details.quantity*pizzas.price) as revenue
from details
join pizzas
on details.pizza_id=pizzas.pizza_id
join orders
on orders.order_id= details.order_id
group by order_date) as sales;
```

Re	sult Grid	Note:
	order_date	cum_revenue
•	2015-01-01	2713.8500000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55
	2015-01-06	14358.5
	2015-01-07	16560.7
	2015-01-08	19399.05
	2015-01-09	21526.4
	2015-01-10	23990.350000000002
	2015-01-11	25862.65
	2015-01-12	27781.7
	2015-01-13	29831.300000000003
	2015-01-14	32358.700000000004
	2015-01-15	34343.50000000001
	2015-01-16	36937.65000000001
	2015-01-17	39001.75000000001
	2015-01-18	40978 60000000000



Determine the top 3 most ordered pizza types based on revenue for each pizza category

```
select name, revenue from
(Select category, name, revenue,
rank() over(partition by category order by revenue desc) as rn
from
(Select pizza types.category,
pizza types.name,
sum((details.quantity) *pizzas.price) as revenue
from pizza types join pizzas
on pizza types.pizza type id= pizzas.pizza type id
join details
on details.pizza id= pizzas.pizza id
group by pizza_types.category,pizza_types.name) as a) as b
where rn <= 3;
```

	name	revenue
•	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Hawaiian Pizza	32273.25
	The Pepperoni Pizza	30161.75
	The Spicy Italian Pizza	34831.25
	The Italian Supreme Pizza	33476.75
	The Sicilian Pizza	30940.5
	The Four Cheese Pizza	32265.70000000065



