1   **admin** | log out

Jenkins   calculator   #26

🔺 **Back to Project**

🔍 **Status**

📝 **Changes**

🖥 **Console Output**

📄   **View as plain text**

📝 **Edit Build Information**

🚫 **Delete Build**

🔶 **Git Build Data**

💾 **No Tags**

📋 **Aggregated Test Result**

⬅️ **Previous Build**

Timestamps	View as plain text

⦿ System clock time
   ☐ Use browser timezone
◯ Elapsed time
◯ None

🔴 # Console Output

```
11:19:22 Started by user admin
11:19:22 Building in workspace C:\Bitnami\jenkins-2.89.4-
1\apps\jenkins\jenkins_home\workspace\calculator
11:19:22  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe rev-parse --is-inside-work-tree #
timeout=10
11:19:22 Fetching changes from the remote Git repository
11:19:22  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe config remote.origin.url
https://github.com/anushamogili/hello.git # timeout=10
11:19:22 Fetching upstream changes from https://github.com/anushamogili/hello.git
11:19:22  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe --version # timeout=10
11:19:23  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe fetch --tags --progress
https://github.com/anushamogili/hello.git +refs/heads/*:refs/remotes/origin/*
11:19:25  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe rev-parse
"refs/remotes/origin/master^{commit}" # timeout=10
11:19:25  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe rev-parse
"refs/remotes/origin/origin/master^{commit}" # timeout=10
11:19:25 Checking out Revision b51c11d815ef0833e0f0eabc48cb12b13e5581c0
(refs/remotes/origin/master)
11:19:25  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe config core.sparsecheckout # timeout=10
11:19:25  > C:/Bitnami/jenkins-2.89.4-1/git/bin/git.exe checkout -f
```

b51c11d815ef0833e0f0eabc48cb12b13e5581c0
11:19:26 Commit message: "1st project"

Jenkins   calculator   #26

compile && exit %%ERRORLEVEL%%"
11:19:27 [INFO] Scanning for projects...
11:19:27 [INFO]
11:19:27 [INFO] ------------------------< BTH:Calculator >------------------------
11:19:27 [INFO] Building Calculator 0.0.1-SNAPSHOT
11:19:27 [INFO] --------------------------------[jar]--------------------------------
11:19:27 [INFO]
11:19:27 [INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ Calculator ---
11:19:28 [WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e.
build is platform dependent!
11:19:28 [INFO] skip non existing resourceDirectory C:\Bitnami\jenkins-2.89.4-
1\apps\jenkins\jenkins_home\workspace\calculator\src\main\resources
11:19:28 [INFO]
11:19:28 [INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ Calculator ---
11:19:28 [INFO] Changes detected - recompiling the module!
11:19:28 [WARNING] File encoding has not been set, using platform encoding Cp1252, i.e. build is
platform dependent!
11:19:28 [INFO] Compiling 1 source file to C:\Bitnami\jenkins-2.89.4-
1\apps\jenkins\jenkins_home\workspace\calculator\target\classes
11:19:30 [INFO] --
11:19:30 [INFO] BUILD SUCCESS
11:19:30 [INFO] --
11:19:30 [INFO] Total time: 2.627 s
11:19:30 [INFO] Finished at: 2018-03-16T11:19:30+01:00
11:19:30 [INFO] --
11:19:30 [calculator] $ cmd.exe /C "C:\Users\mogil\Desktop\apache-maven-3.5.3\bin\mvn.cmd test
&& exit %%ERRORLEVEL%%"
11:19:31 [INFO] Scanning for projects...
11:19:31 [INFO]
11:19:31 [INFO] ------------------------< BTH:Calculator >------------------------
11:19:31 [INFO] Building Calculator 0.0.1-SNAPSHOT
11:19:31 [INFO] --------------------------------[jar]--------------------------------
11:19:31 [INFO]
11:19:31 [INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ Calculator ---
11:19:32 [WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e.
build is platform dependent!
11:19:32 [INFO] skip non existing resourceDirectory C:\Bitnami\jenkins-2.89.4-
1\apps\jenkins\jenkins_home\workspace\calculator\src\main\resources
11:19:32 [INFO]
11:19:32 [INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ Calculator ---
11:19:32 [INFO] Nothing to compile - all classes are up to date
11:19:32 [INFO]
11:19:32 [INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @
Calculator ---
11:19:32 [WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e.
build is platform dependent!
11:19:32 [INFO] skip non existing resourceDirectory C:\Bitnami\jenkins-2.89.4-
1\apps\jenkins\jenkins_home\workspace\calculator\src\test\resources
11:19:32 [INFO]
11:19:32 [INFO] --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ Calculator ---
11:19:32 [INFO] Changes detected - recompiling the module!
11:19:32 [WARNING] File encoding has not been set, using platform encoding Cp1252, i.e. build is
platform dependent!
11:19:32 [INFO] Compiling 1 source file to C:\Bitnami\jenkins-2.89.4-

1\apps\jenkins\jenkins_home\workspace\calculator\target\test-classes
11:19:33 [INFO] --

Jenkins   calculator   #26
──

11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[3,24]
package org.junit does not exist
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[5,17]
package org.junit does not exist
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[6,17]
package org.junit does not exist
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[11,10]
cannot find symbol
11:19:33   symbol: class BeforeClass
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[16,10]
cannot find symbol
11:19:33   symbol: class Test
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[20,10]
cannot find symbol
11:19:33   symbol: class Test
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[24,10]
cannot find symbol
11:19:33   symbol: class Test
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[28,10]
cannot find symbol
11:19:33   symbol: class Test
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[32,10]
cannot find symbol
11:19:33   symbol: class Test
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[36,10]
cannot find symbol
11:19:33   symbol: class Test
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[18,17]
cannot find symbol
11:19:33   symbol: method assertEquals(int,int)
11:19:33   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[22,37]
cannot find symbol
11:19:33   symbol: method sub(int,int)
11:19:33   location: variable calc of type calc.CalculatorMain

11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[26,37]

Jenkins   calculator   #26

11:19:33   location: variable calc of type calc.CalculatorMain
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[30,37]
cannot find symbol
11:19:33   symbol: method div(int,int)
11:19:33   location: variable calc of type calc.CalculatorMain
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[34,37]
cannot find symbol
11:19:33   symbol: method div(int,int)
11:19:33   location: variable calc of type calc.CalculatorMain
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[38,47]
cannot find symbol
11:19:33   symbol: method mul(int,int)
11:19:33   location: variable calc of type calc.CalculatorMain
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[38,63]
cannot find symbol
11:19:33   symbol: method div(int,int)
11:19:33   location: variable calc of type calc.CalculatorMain
11:19:33 [INFO] 17 errors
11:19:33 [INFO] ---
11:19:33 [INFO] --
11:19:33 [INFO] BUILD FAILURE
11:19:33 [INFO] --
11:19:33 [INFO] Total time: 1.455 s
11:19:33 [INFO] Finished at: 2018-03-16T11:19:33+01:00
11:19:33 [INFO] --
11:19:33 [ERROR] Failed to execute goal org.apache.maven.plugins:maven-compiler-
plugin:3.1:testCompile (default-testCompile) on project Calculator: Compilation failure:
Compilation failure:
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[3,24]
package org.junit does not exist
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[5,17]
package org.junit does not exist
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[6,17]
package org.junit does not exist
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[11,10]
cannot find symbol
11:19:33 [ERROR]   symbol: class BeforeClass
11:19:33 [ERROR]   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[16,10]
cannot find symbol
11:19:33 [ERROR]   symbol: class Test
11:19:33 [ERROR]   location: class calc.CaculatorTest
11:19:33 [ERROR] /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[20,10]
cannot find symbol

11:19:33 **[ERROR]**   symbol: class Test
11:19:33 **[ERROR]**   location: class calc.CaculatorTest

Jenkins   calculator   #26

~~1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[24,10]~~
cannot find symbol
11:19:33 **[ERROR]**   symbol: class Test
11:19:33 **[ERROR]**   location: class calc.CaculatorTest
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[28,10]
cannot find symbol
11:19:33 **[ERROR]**   symbol: class Test
11:19:33 **[ERROR]**   location: class calc.CaculatorTest
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[32,10]
cannot find symbol
11:19:33 **[ERROR]**   symbol: class Test
11:19:33 **[ERROR]**   location: class calc.CaculatorTest
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[36,10]
cannot find symbol
11:19:33 **[ERROR]**   symbol: class Test
11:19:33 **[ERROR]**   location: class calc.CaculatorTest
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[18,17]
cannot find symbol
11:19:33 **[ERROR]**   symbol: method assertEquals(int,int)
11:19:33 **[ERROR]**   location: class calc.CaculatorTest
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[22,37]
cannot find symbol
11:19:33 **[ERROR]**   symbol: method sub(int,int)
11:19:33 **[ERROR]**   location: variable calc of type calc.CalculatorMain
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[26,37]
cannot find symbol
11:19:33 **[ERROR]**   symbol: method mul(int,int)
11:19:33 **[ERROR]**   location: variable calc of type calc.CalculatorMain
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[30,37]
cannot find symbol
11:19:33 **[ERROR]**   symbol: method div(int,int)
11:19:33 **[ERROR]**   location: variable calc of type calc.CalculatorMain
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[34,37]
cannot find symbol
11:19:33 **[ERROR]**   symbol: method div(int,int)
11:19:33 **[ERROR]**   location: variable calc of type calc.CalculatorMain
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[38,47]
cannot find symbol
11:19:33 **[ERROR]**   symbol: method mul(int,int)
11:19:33 **[ERROR]**   location: variable calc of type calc.CalculatorMain
11:19:33 **[ERROR]** /C:/Bitnami/jenkins-2.89.4-
1/apps/jenkins/jenkins_home/workspace/calculator/src/test/java/calc/CaculatorTest.java:[38,63]
cannot find symbol
11:19:33 **[ERROR]**   symbol: method div(int,int)
11:19:33 **[ERROR]**   location: variable calc of type calc.CalculatorMain
11:19:33 **[ERROR]** -> [Help 1]

11:19:33 [ERROR]

11:19:33 [ERROR] To see the full stack trace of the errors, re-run Maven with the -e switch.

Jenkins   calculator   #26

11:19:33 [ERROR] For more information about the errors and possible solutions, please read the following articles:

11:19:33 [ERROR] [Help 1] http://cwiki.apache.org/confluence/display/MAVEN/MojoFailureException

11:19:33 Build step 'Invoke top-level Maven targets' marked build as failure

11:19:33 Finished: FAILURE