

Integrate the Splunk SOAR with Microsoft AD Server Part 2 - Install and Configure AD LDAP App

Summary

This document contains the prerequisites before starting to work on any attack use case and steps for installing & Configuring AD LDAP App on SOAR to connect to the Windows AD Server.


1. Prerequisites

Before starting, ensure you have:


- Access to **Splunk SOAR with Admin privileges**
- A **Windows Server** that has been:
 - Promoted as a **Domain Controller**
 - Configured with a binding **user with Domain Admin rights**

2. Install the AD LDAP App on Splunk SOAR


- 1) Open **Splunk SOAR UI** in browser
- 2) Login using Splunk SOAR admin credentials



3) Go to Home drop-down > Apps




4) Click the **New Apps** button on top-right




5) In the Search field, type: **AD LDAP**


6) Find the AD LDAP app in results > **Install**



7) Once **installation is complete**, close the popup window



8) In the same Apps section, Click **Configure New Asset** of AD LDAP App



9) Fill in the details under each tab

Asset Settings tab:

Asset Name: ad_admin
Server name or IP: Use the Public or Private IP of Windows DC (static recommended)
Username: soar_admin (created an admin user in Windows DC or can use default Administrator)
Password: Use the password of the already created username soar_admin
Check the box for: Force the use of SSL protocol
SSL port: 636 > Save

Python version 3.9 is deprecated and its support will end soon. Convert your playbooks, apps, and custom functions to Python version 3.13 using the new utilities provided. [Python update information](#)

SOAR Search...

white-harpalyke-coconut version 7.1.0.225 soar_local_admin

Apps > AD LDAP

Microsoft **AD LDAP**
App specifically designed for interacting with Microsoft Active Directory's LDAP Implementation
Publisher: Splunk · Product vendor: Splunk
App version: 2.3.7 · Python version: 3.13 · Latest tested versions: ldap3 on 25/10/2024

Configure New Asset

Asset Settings

Custom Settings

Automation Broker

Access and Approvals

Additional Settings

Asset Settings

Required Fields

* Asset Name
ad_admin
You cannot change the asset name once it is added

* The Active Directory Server hostname, IP or VIP for binding
172.31.13.236

* The username with which to bind to LDAP
soar_admin

* The password for the binding user

* The port to bind for SSL (default 636)
636

Configuration Settings

☒ Force the use of SSL protocol. Note that some actions are not possible without secure binding!

☐ Select if you want to validate the LDAP SSL certificate

Cancel Next Save

Documentation

Search documentation...

AD LDAP

Publisher: Splunk
Connector Version: 2.3.7
Product Vendor: Splunk
Product Name: Active Directory LDAP
Minimum Product Version: 6.3.0

App specifically designed for interacting with Microsoft Active Directory's LDAP Implementation

App Information

- This LDAP application utilizes the LDAP3 library for Python. This was chosen, in part, due to the pythonic design of the library and the quality of the documentation. Both SSL and TLS are supported.
- Please make sure to view additional documentation for this app on our GitHub Open Source Repo!

LDAP Ports Requirements (Based on Standard Guidelines of IANA ORG)

- LDAP(service) TCP(transport protocol) - 389
- LDAP(service) UDP(transport protocol) - 389
- LDAP(service) TCP(transport protocol) over TLS/SSL (was sldap) - 636
- LDAP(service) UDP(transport protocol) over TLS/SSL (was sldap) - 636

10) Click **Test Connectivity** to ensure successful integration

Testing Connectivity

App 'AD LDAP' started successfully (id: 1776321444123) on asset: 'ad_admin' (id: 2)
Loaded action execution configuration
configured server 172.31.13.236...
binding to directory...
Test Connectivity Passed

Test Connectivity Passed

Close

If the connection is successful, you are now ready to use AD LDAP queries and actions in playbooks or manual tasks within SOAR.

Next Steps

- For the Brute-Force Use Case Overview and Architecture & Workflow – Refer **16_BruteForce_UseCase_Architecture_and_Workflow_V1.pdf**.
- Creating Alerts and Triggering them from Splunk Enterprise to SOAR – Refer **17_Creating_Bruteforce_alert_on_Splunk_Enterprise_V1.pdf**.