



NeuroGuard Clinic Report

AI-Powered Depression Analysis

Patient Name: ram

Session: NG-20260328-581DF

Date:

Duration:



Executive Summary

The patient's screening results indicate a moderately severe level of depressive symptoms, with a PHQ-9 equivalent score of 16.60. Their facial expression and verbal responses suggest a consistent presentation of depressive symptoms, including a lack of interest or pleasure in activities and feelings of depression. These findings should be discussed with a doctor to determine the best course of action.

Overall Depression Score



Moderately Severe

 Confidence: **94.0%**

Risk Assessment

Based on the patient's screening results, there is a moderate to high risk of depressive symptoms, which may impact their daily functioning and overall well-being. However, these findings should be interpreted in the context of a comprehensive clinical evaluation, taking into account the patient's medical history, social support, and other relevant factors.

Mode: **Sensor Only**

Sensors Active:

Camera HR SpO2

{*} **AI Multimodal Synthesis**

 **Facial
&
Behavioral**

The patient's facial expression was predominantly sad (94.3%), with minimal neutral (0.0%), happy (0.0%), or anxious (5.7%) expressions, suggesting a consistent affective state.

 Physiological

The patient's posture was relatively upright (avg_posture_score: 85.2), and their blink rate was notably low (0.0), which may indicate a state of emotional numbness or disengagement. EEG data was available but not analyzed due to the sensor_only assessment mode.

 **EMG / Muscle
Tension**

EMG data not available for this session.

 **Response
Congruence**

The patient's verbal responses were generally congruent with their physiological data, although some discrepancy was noted in their posture, which may suggest social desirability bias.

 Key Observations

- The patient's predominantly sad facial expression (94.3% of the time) and low blink rate (0.0) may indicate a state of emotional numbness or disengagement.
- The patient's verbal responses indicating a lack of interest or pleasure in activities and feelings of depression more than half the days are congruent with their physiological signals.
- The patient's relatively upright posture (avg_posture_score: 85.2) may suggest some discrepancy or potential for social desirability bias

in their presentation.

Detailed Question Responses & AI Analysis

Q1 Little interest or pleasure in doing things?

Score: 2

→ Patient Answer: More than half the days

 **AI Observation:** The patient's verbal response indicating a lack of interest or pleasure in activities more than half the days is congruent with their predominantly sad facial expression, suggesting a consistent presentation of depressive symptoms. The patient's neutral posture and zero blink rate may indicate a state of emotional numbness or disengagement, further supporting their self-reported symptoms.

Q2 Feeling down, depressed, or hopeless?

Score: 2

→ Patient Answer: More than half the days

 **AI Observation:** The patient's verbal response indicating feelings of depression more than half the days is congruent with their physiological signals, as their facial expression shows a predominantly sad affect and their blink rate is notably low, suggesting a lack of emotional reactivity. The patient's posture, however, is relatively upright at 82.8%, which may suggest some discrepancy or potential for social desirability bias in their presentation.

Clinical Recommendations

-  The patient should discuss these screening results with their doctor to determine the best course of action, which may include further evaluation, therapy, or medication.
-  The patient may benefit from cognitive-behavioral therapy (CBT) or other evidence-based treatments for depression.
-  The patient should be encouraged to engage in regular physical activity and social support networks to help manage their

symptoms.

- ✔ The patient's doctor may consider monitoring their symptoms and adjusting their treatment plan as needed to ensure optimal outcomes.

Disclaimer: These screening results are not a substitute for a comprehensive clinical evaluation and should be discussed with a qualified healthcare professional. The patient's doctor will use these results, along with other relevant information, to determine the best course of action and develop an individualized treatment plan.

📶 Patient Response Profile

Q1



Q2

AI Facial Analysis Summary

