
Software Conformance

Software Conformance

- To access the software conformance function, click Conformance on the main menu bar.
- Using this function, the user can create software profiles to match against devices' software and generate a conformance report.
- The Conformance report contains individual device conformance status and indicates which software packages are missing.




Create Software Profile



- From the Create tab, click Software Profile.
- Select software packages either from a server repository or directly from CCO. They can also be entered by manual typing.
- The software packages will be used to match against devices' software packages.
- Click Validate to resolve missing pre-requisites or superseded SMUs/SPs.
- The newly created software profile will be displayed on the Software Profiles tab.


Conformance tab



- By default, the Conformance tab displays the latest run report.
- Up to 10 conformance reports are stored in the database. The earliest report will be purged to make room for a new report if the maximum is reached.
- Click the Software Profile button to see the software packages defined in the software profile.

Run/Re-Run Report

- From the Conformance tab, click the Run Report button.
- The Conformance Report Wizard will prompt for the software profile and devices to match against.
- Click the Finish button to generate the report.
- Click the Re-Run button to re-run a report with the same selected devices.



Export

| | Software Conformance Report | | | |
|-----------------------------|---|---------------------------------------|--------------------------|--------------------------|
| | | 10/06/2015 04:38 PM | | |
| | | | | |
| Summary: | | | | |
| Total Hosts: 6 | | | | |
| | -1 | | | |
| Match Criteria: Active Page | скадеѕ | | | |
| Results: | | | | |
| | plete conformance (see the 'N ware inventory retrieval (see '* | | | |
| Software Profile: 5.3 | 3.0 Baseline Packages | | | |
| asr9k-fpd-px-5.3.0.pie | | | | |
| asr9k-mcast-px-5.3.0.pie | | | | |
| asr9k-mgbl-px-5.3.0.pie | | | | |
| asr9k-mini-px-5.3.0.pie | | | | |
| asr9k-mpls-px-5.3.0.pie | | | | |
| Hostname | Software | Active Packages | Missing Packages | Conformed |
| ommaurya-IM5455-P2 | asr9k-px 5.3.1.19J | asr9k-fpd-px-5.3.1.19J | asr9k-fpd-px-5.3.0.pie | No (16h 26m 48s ago) |
| | doron px o.e. 11 roo | asr9k-mcast-px-5.3.1.19J | asr9k-mcast-px-5.3.0.pie | 110 (1011 Zolli 100 ago) |
| | | asr9k-mgbl-px-5.3.1.19J | asr9k-mgbl-px-5.3.0.pie | |
| | | asr9k-mini-px-5.3.1.19J | asr9k-mini-px-5.3.0.pie | |
| | | asr9k-mpls-px-5.3.1.19J | asr9k-mpls-px-5.3.0.pie | |
| | | asr9k-px-5.3.1.19J.CSCus85349-0.0.7.i | acron inple parenersing | |
| | | asr9k-px-5.3.1.19J.CSCus96502-0.0.6.i | | |
| | | asr9k-px-5.3.1.19J.CSCus97573-0.0.2.i | | |
| ommaurya-VKG03-PE1 | asr9k-px 5.3.0 | asr9k-fpd-px-5.3.0 (matched) | | Yes (16h 28m 20s ago) |
| | aleren process | asr9k-mcast-px-5.3.0 (matched) | | (to (to |
| | | asr9k-mgbl-px-5.3.0 (matched) | | |
| | | asr9k-mini-px-5.3.0 (matched) | | |
| | | asr9k-mpls-px-5.3.0 (matched) | | |
| ommaurya-VKG11-P1 | asr9k-px 5.3.0 | asr9k-mcast-px-5.3.0 (matched) | asr9k-fpd-px-5.3.0.pie | No (16h 27m 42s ago) |
| | , | asr9k-mgbl-px-5.3.0 (matched) | Call and La | 2 , 2 |
| | | asr9k-mini-px-5.3.0 (matched) | | |
| | | asr9k-mpls-px-5.3.0 (matched) | | |
| ommaurya-VKG19-CE2 | asr9k-px 4.2.1 | asr9k-9000v-nV-px-4.2.1 | asr9k-fpd-px-5.3.0.pie | No (267d 15h 35m ago) |
| | | asr9k-mcast-px-4.2.1 | asr9k-mcast-px-5.3.0.pie | (25: 2 :5:: 25:: ugo) |
| | | asr9k-mgbl-px-4.2.1 | asr9k-mgbl-px-5.3.0.pie | |
| | | asr9k-mini-px-4.2.1 | asr9k-mini-px-5.3.0.pie | |
| | | asr9k-mpls-px-4.2.1 | asr9k-mpls-px-5.3.0.pie | |

- From the Conformance tab, click the Export button.
- A Microsoft Excel compatible file is generated and downloaded by the browser.
- The Conformed column displays the device conformance status. It also displays the latest software inventory retrieval time. An '*' indicates a failed retrieval.