

OneToNum - Notepad

File Edit Format View Help

```
import java.util.Scanner;
public class OneToNum{
    public static void main( String[] args){

        Scanner sc= new Scanner(System.in);

        System.out.println("Enter Your Number");

        int number = sc.nextInt();

        for( int i=1; i <= number; i++){
            System.out.println(i);
        }
    }
}
```

Ln 15, Col 2 100% Windows (CRLF) UTF-8

4:37 PM 8/21/2026

```
OneToNum - Notepad
File Edit Format View Help
import java.util.Scanner;
public class OneToNum{
    public static void main( String[] args){
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter Your Number");
        int n = sc.nextInt();
        for(int i=1; i<=n; i++){
            System.out.println(i);
        }
    }
}
```

Command Prompt

```
C:\Users\Admin\Desktop\java asn>javac OneToNum.java
C:\Users\Admin\Desktop\java asn>java OneToNum
Enter Your Number
16
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
C:\Users\Admin\Desktop\java asn>
```

Ln 11, Col 11 100% Windows (CRLF) UTF-8 4:36 PM 8/21/2026

```
MultipleOfThree - Notepad
File Edit Format View Help
//Question 2
import java.util.Scanner;
public class MultipleOfThree{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter your number");
        int n = sc.nextInt();
        for(int i=1; i<=n; i++){
            System.out.println(i*3);
        }
    }
}
```

Ln 8, Col 19 100% Windows (CRLF) UTF-8 4:59 PM 8/21/2026

```
MultipleOfThree - Notepad
File Edit Format View Help
//Question 2
import java.util.Scanner;
public class MultipleOfThree{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter your number:");
        int n = sc.nextInt();
        int sum = 0;
        for(int i=1; i<=n; i+=3){
            sum = sum + i;
        }
        System.out.println(sum);
    }
}
```

Command Prompt

```
C:\Users\Admin\Desktop\java asn>javac MultipleOfThree.java
C:\Users\Admin\Desktop\java asn>java MultipleOfThree
Enter your number:18
3
6
9
12
15
18
21
24
27
30
33
36
39
42
45
48
51
54
C:\Users\Admin\Desktop\java asn>
```

Ln 8, Col 19 100% Windows (CRLF) UTF-8 4:59 PM 8/21/2026

```
SumOdd - Notepad
File Edit Format View Help
// Question5
import java.util.Scanner;
public class SumOdd{
    public static void main(String[] args){
        Scanner sc= new Scanner(System.in);
        System.out.print("Enter Number:");
        int n = sc.nextInt();
        int sum = 0;
        for(int i=1; i<=n; i+=2){
            sum = sum + i;
        }
        System.out.println(sum);
    }
}
```

Ln 1, Col 13 100% Windows (CRLF) UTF-8 5:47 PM 8/21/2026

```
SumOdd - Notepad
File Edit Format View Help
//Q6
import java.util.Scanner;
public class Number{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int[] arr = new int[5];
        System.out.println("Enter your number");

        for(int i=0;i<5;i++){
            arr[i] = sc.nextInt();
        }
        for(int num:arr){
            System.out.print(num + " ");
        }
    }
}

Command Prompt
C:\Users\Admin\Desktop\java asn>javac SumOdd.java
C:\Users\Admin\Desktop\java asn>java SumOdd
Enter Number:14
49
C:\Users\Admin\Desktop\java asn>
```

```
*Number - Notepad
File Edit Format View Help
//Q6
import java.util.Scanner;
public class Number{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int[] arr = new int[5];
        System.out.println("Enter your number");

        for(int i=0;i<5;i++){
            arr[i] = sc.nextInt();
        }
        for(int num:arr){
            System.out.print(num + " ");
        }
    }
}

Ln 1, Col 5
100% Windows (CRLF) UTF-8
5:01 PM 8/22/2026
```

```
SumOf - Notepad
File Edit Format View Help
//Q7
import java.util.Scanner;
public class SumOf{
    public static void main(){
        Scanner sc = new Scanner(System.in);
        int[] arr = new int[5];
        int sum =0;
        System.out.println("Enter 5 Interges");

        for (int i =0;i<5;i++){
            arr[i] = sc.nextInt();
        }
        for( int num :arr){
            sum = sum + num;
        }
        System.out.println("sum of all number is :" + sum);
    }
}
```

Ln 3, Col 19 100% Windows (CRLF) UTF-8 5:16 PM 8/22/2026

```
MyNames - Notepad
File Edit Format View Help
//Q8
import java.util.Scanner;
public class MyNames{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        String[] names = new String[5];
        System.out.print("Enter 4 Names");

        for( int i =0;i < 4;i++){
            names[i]= sc.next();
        }

        for( String nam:names){
            System.out.println(nam + " " );
        }
    }
}
```

Ln 8, Col 31 100% Windows (CRLF) UTF-8 5:49 PM 8/22/2026

```
LargeElement - Notepad
File Edit Format View Help
//Q9
import java.util.Arrays;
import java.util.Scanner;
public class LargeElement{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);

        int[] arr = new int[5];

        System.out.println("Enter 5 interges");
        for(int i= 0;i<5;i++){
            arr[i] = sc.nextInt();
        }

        Arrays.sort(arr);

        int Largest = arr[arr.length - 1];
        System.out.println("The Largest Element is: " + Largest);
    }
}
```

Ln 2, Col 25 100% Windows (CRLF) UTF-8 6:15 PM 8/22/2026

```
Q10 - Notepad
File Edit Format View Help
import java.util.Scanner;
public class Q10{
    public static void main(String[] args){

        Scanner sc = new Scanner(System.in);
        int[] arr = new int[5];
        System.out.print("Enter 5 Number:");
        int sum = 0;

        for(int i=0; i<5;i++){
            arr[i] = sc.nextInt();
            sum = sum + arr[i];
        }

        double Average = (double)sum/5;
        System.out.println("The Number of Average is: " + Average);
    }
}
```

Ln 7, Col 19 100% Windows (CRLF) UTF-8 6:46 PM 8/22/2026

```
*Q11 - Notepad
File Edit Format View Help
//Q11
import java.util.Scanner;
public class Q11{
    public static void main(String[] args){

        Scanner sc = new Scanner(System.in);
        int[] arr = new int[6];
        int Positive = 0;
        int Negative = 0;
        System.out.print("Enter 6 Number: ");

        for(int i=0; i<6;i++){
            arr[i] = sc.nextInt();

            if(arr[i] > 0){
                Positive++;
            }
            else if(arr[i] < 0){
                Negative++;
            }
        }
        System.out.println("Positive Numbers: " + Positive);
        System.out.println("Negative Numbers: " + Negative);
    }
}
```

Ln 10, Col 19 100% Windows (CRLF) UTF-8 7:32 PM 8/22/2026

```
Q12 - Notepad
File Edit Format View Help
//Q12
import java.util.Arrays;
import java.util.Scanner;
public class Q12{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);

        int[] arr = new int[5];

        System.out.print("Enter 5 Integers: ");

        for(int i=0; i<5; i++){
            arr[i]= sc.nextInt();
        }
        Arrays.sort(arr);

        System.out.print("Sorted Array: ");

        for(int i=0; i<5;i++){
            System.out.print(arr[i] + " ");
        }
    }
}
```

Ln 15, Col 20 100% Windows (CRLF) UTF-8 8:21 PM 8/22/2026

```
CheckElement - Notepad
File Edit Format View Help

import java.util.Scanner;
import java.util.Arrays;
public class CheckElement{
    public static void main(String[] args){

        Scanner sc = new Scanner(System.in);

        Integer[] arr = new Integer[5];

        System.out.print("Enter 5 numbers: " );

        for(int i=0; i< 5;i++){
            arr[i]= sc.nextInt();
        }

        System.out.print("Enter the Number to search");
        int num = sc.nextInt();

        if(Arrays.asList(arr).contains(num)){
            System.out.println("Found");
        }else{
            System.out.println("Not Found");
        }
    }
}

Ln 20, Col 15    100%    Windows (CRLF)    UTF-8
8:37 PM 8/22/2026
```

```
Search - Notepad
File Edit Format View Help
//Q14
import java.util.Scanner;
import java.util.Arrays;
public class Search{
    public static void main(String[] args){

        Scanner sc = new Scanner(System.in);

        int[] arr = new int[5];

        System.out.print("Enter 5 integers: " );

        for(int i= 0; i< 5;i++){
            arr[i] = sc.nextInt();
        }

        Arrays.sort(arr);

        System.out.print("Enter the number to search: ");
        int num = sc.nextInt();

        int index = Arrays.binarySearch(arr , num);

        if( index >=0){
            System.out.print("The Number " + num + " is found at index " + index);
        }else{
            System.out.print("Not Found");
        }
    }
}

Ln 13, Col 26    100%    Windows (CRLF)    UTF-8
9:17 PM 8/22/2026
```

```
PatternRAT - Notepad
File Edit Format View Help
//Q16
public class PatternRAT {
    public static void main(String[] args) {

        // Outer loop controls the rows
        for (int i = 1; i <= 5; i++) {

            // Inner loop prints numbers from 1 to i
            for (int j = 1; j <= i; j++) {
                System.out.print(j);

                // Print * between numbers
                if (j < i) {
                    System.out.print(" ");
                }
            }

            // Move to next line
            System.out.println();
        }
    }
}
```

Ln 22, Col 2 100% Windows (CRLF) UTF-8 10:21 PM 8/22/2026

```
Q17 - Notepad
File Edit Format View Help
public class Q17 {
    public static void main(String[] args) {

        // Outer loop controls the rows
        for (int i = 1; i <= 5; i++) {

            // Inner loop controls the numbers in each row
            for (int j = 1; j <= i; j++) {

                // Print odd numbers
                System.out.print(2 * j - 1);

                // Print * between numbers
                if (j < i) {
                    System.out.print(" ");
                }
            }

            // Move to next line
            System.out.println();
        }
    }
}
```

Ln 17, Col 8 100% Windows (CRLF) UTF-8 10:24 PM 8/22/2026

```
Q17 - Notepad
File Edit Format View Help
public class Q17 {
    public static void main(String[] args) {
        //
        for (int i = 1; i <= 5; i++) {
            // Outer loop controls the rows
            for (int j = 1; j <= 5; j++) {
                // Inner loop prints the same number 5 times
                System.out.print(i);
            }
            // Move to next line
            System.out.println();
        }
    }
}
```

Command Prompt

```
Q17.java:22: error: reached end of file while parsing
    }
    ^
1 error

C:\Users\Admin\Desktop\java asn>javac Q17.java

C:\Users\Admin\Desktop\java asn>java Q17
1
1*3
1*3*5
1*3*5*7
1*3*5*7*9

C:\Users\Admin\Desktop\java asn>
```

Ln 23, Col 2 100% Windows (CRLF) UTF-8 10:24 PM 8/22/2026

```
Square - Notepad
File Edit Format View Help
public class Square {
    public static void main(String[] args) {
        // Outer loop controls the rows
        for (int i = 1; i <= 5; i++) {
            // Inner loop prints the same number 5 times
            for (int j = 1; j <= 5; j++) {
                System.out.print(i);
            }
            // Move to next line
            System.out.println();
        }
    }
}
```

Ln 1, Col 20 100% Windows (CRLF) UTF-8 10:27 PM 8/22/2026

```
Square - Notepad
File Edit Format View Help
public class Square {
    public static void main(String[] args) {
        // use --help for a list of possible options
        for (int i = 1; i <= 5; i++) {
            C:\Users\Admin\Desktop\java asn>javac Square.java
            C:\Users\Admin\Desktop\java asn>java Square
            11111
            22222
            33333
            44444
            55555
        }
    }
}
```

Command Prompt

```
C:\Users\Admin\Desktop\java asn>javac Square.java
C:\Users\Admin\Desktop\java asn>java Square
11111
22222
33333
44444
55555
C:\Users\Admin\Desktop\java asn>
```

Ln 1, Col 20 100% Windows (CRLF) UTF-8 10:27 PM 8/22/2026

```
NumberPattern - Notepad
File Edit Format View Help
//Q19
public class NumberPattern {
    public static void main(String[] args) {
        // Outer loop controls rows
        for (int i = 1; i <= 5; i++) {
            // Print number i, i times
            for (int j = 1; j <= i; j++) {
                System.out.print(i);
            }
            // Move to next line
            System.out.println();
        }
    }
}
```

Ln 2, Col 20 100% Windows (CRLF) UTF-8 10:33 PM 8/22/2026

```
NumberPattern - Notepad
File Edit Format View Help
//Q19
public class NumberPattern {
    public static void main(String[] args) {
        // 55555
        for (int i = 1; i <= 5; i++) {
            C:\Users\Admin\Desktop\java asn>javac NumberPattern.java
            C:\Users\Admin\Desktop\java asn>java NumberPattern
            1
            22
            333
            4444
            55555
        }
    }
}
```

```
NumPattern - Notepad
File Edit Format View Help
//Q20
public class NumPattern{
    public static void main(String[] args) {
        // Outer loop controls rows
        for (int i = 1; i <= 5; i++) {
            // Print numbers from 1 to i
            for (int j = 1; j <= i; j++) {
                System.out.print(j);
            }
            // Move to next line
            System.out.println();
        }
    }
}
```

```
NumPattern - Notepad
File Edit Format View Help
//Q20
public class NumPattern{
    public static void main(String[] args) {
        //
        C:\Users\Admin\Desktop\java asn>java NumPattern
        1
        12
        123
        1234
        12345

        C:\Users\Admin\Desktop\java asn>
    }
}
```

Ln 2, Col 24 100% Windows (CRLF) UTF-8 10:35 PM 8/22/2026

```
ConNumPattern - Notepad
File Edit Format View Help
//Q21
public class ConNumPattern{
    public static void main(String[] args) {
        int num = 1;

        // Outer loop controls rows
        for (int i = 1; i <= 5; i++) {
            // Print numbers in each row
            for (int j = 1; j <= i; j++) {
                System.out.print(num + " ");
                num++;
            }

            // Move to next line
            System.out.println();
        }
    }
}
```

Ln 2, Col 27 100% Windows (CRLF) UTF-8 10:37 PM 8/22/2026

```
ConNumPattern - Notepad
File Edit Format View Help
//Q21
public class ConNumPattern {
    public static void main(String[] args) {
        int n = 5;
        for (int i = 1; i <= n; i++) {
            for (int j = 1; j <= i; j++) {
                System.out.print(j + " ");
            }
            System.out.println();
        }
    }
}
```

Command Prompt

```
C:\Users\Admin\Desktop>java asn>java ConNumPattern
1
1 2 3
1 2 3 4 5 6
1 2 3 4 5 6 7 8 9 10
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

C:\Users\Admin\Desktop>java asn>
```

Ln 2, Col 27 100% Windows (CRLF) UTF-8 10:37 PM 8/22/2026

```
SquarePattern - Notepad
File Edit Format View Help
//Q22
public class SquarePattern {
    public static void main(String[] args) {
        // Outer loop controls rows
        for (int i = 1; i <= 6; i++) {
            // Inner loop controls columns
            for (int j = 1; j <= 6; j++) {
                // Print star on boundary
                if (i == 1 || i == 6 || j == 1 || j == 6) {
                    System.out.print("*");
                } else {
                    // Print space inside
                    System.out.print(" ");
                }
            }
            // Move to next line
            System.out.println();
        }
    }
}
```

Ln 2, Col 27 100% Windows (CRLF) UTF-8 10:41 PM 8/22/2026