

Dry Run

Step 3 create linkedlist class
declare head variable to point first
node node head = null;

check wheather the head is null
if yes

make new node is first

* If the list is not empty
use temporary variable to reach
last node

if (head == null);

head = newNode;
if empty make newnode as first

not empty else

node temp = head;

while (temp.next != null)

temp = temp.next;

connect last node to the new node
temp.next = newNode;

in class: node ~~next~~ next;

in constructor

next = null;

create object in main and
add method also to create new node

* we create songlist object to manage
linked list

* create node object to store song
number, name and
take next node reference

in songlist

if (head == null)

head = temp;

tail = temp;

else

tail.next = temp;

tail = temp;

}

a.next } point same address,
b

because a also store b address.


★ Print actual data.
(b.data) ans, 5

a.next = b

a → b

System.out.println(b.data) = 5

System.out.println(a.next.data) = 5




insertion 2nd index to

10

10 under 6 address

3 under 6 address X can

connection



10 address store in

3

get value $O(n)$ traverse
insertion

```
public static class Node
```

```
int data;
```

```
Node next;
```

```
Node(this.data)
```

```
this.data = data;
```

```
}
```

Display linked list


Node head

* System.out.println(a.next.next.data)

means print c data

(a.next.next.next.data)

print d data



```
Node temp = a;
```

```
temp move
```

* ~~Node temp~~ Node temp = a;

```
for(int i=0; i < 5; i++)
```

```
System.out.println(temp.data);
```

```
temp = temp.data next;
```

← Variable
Node temp = a;

Page No.	
Date	

temp = temp.next

means b

a.next means b

temp = temp.next

mean c

temp = temp.next

means d

~~temp = null~~

while(temp != null)

System.out.println(temp.data)

temp = temp.next;

Create function to display()

public static void display(Node head)

Node temp = head;

while(temp != null)

System.out.println(temp.data)

temp = temp.next;

display(head);

while(a != null)

System.out.print(a.data);

a = a.next;

Temp, a is head which is point to first node