

File name: TAPBdmpdaStandardLowQ_eiger2_18490_sub_rebin_ang.dat

SasView version: 5.0.6

SasModels version: 1.0.7

Fit optimizer used: Levenberg-Marquardt

Model name: fractal+sphere+cylinder

Q Range: min = 0.00010925045900000001, max = 0.025671497

Chi2/Npts: 0.26869

scale = $0.00012437 \pm 0.00051606$

background = 0.05 (fixed) cm^{-1}

fractalspherecyl = (fixed)

A_scale = 0.37578 ± 1.9663

A_volfraction = 0.035986 ± 0.18589

A_radius = $2499.2 \pm 180.69 \text{ \AA}$

A_fractal_dim = $2.9757 \pm 1\text{e}+08$

A_cor_length = $0 \pm 1\text{e}+08 \text{ \AA}$

A_sld_block = $16.134 \pm 24.989 \text{ } 10^{-6}/\text{\AA}^2$

A_sld_solvent = 8.9 (fixed) $10^{-6}/\text{\AA}^2$

B_scale = $8.8818\text{e-}16 \pm 1\text{e}+08$

B_sld = $9.3809 \pm 1\text{e}+08 \text{ } 10^{-6}/\text{\AA}^2$

B_sld_solvent = 8.9 (fixed) $10^{-6}/\text{\AA}^2$

B_radius = $300.59 \pm 1\text{e}+08 \text{ \AA}$

C_scale = 0.63176 ± 2.5639

C_sld = $12.192 \pm 2.8281 \text{ } 10^{-6}/\text{\AA}^2$

C_sld_solvent = 8.9 (fixed) $10^{-6}/\text{\AA}^2$

C_radius = $8428.6 \pm 131.58 \text{ \AA}$

C_length = $907.66 \pm 67.178 \text{ \AA}$

Distribution of A_radius = 0.14884 ± 0.067604 Function: lognormal

Distribution of B_radius = $0.45 \pm 1\text{e}+08$ Function: lognormal

Distribution of C_radius = 0.28764 ± 0.034176 Function: lognormal

Distribution of C_length = 1 ± 0.020088 Function: lognormal

Graph

Model Computation

Data: "TAPBdmpdaStandardLowQ_eiger2_18490_sub_rebin_ang.dat"





