

HOSTING A STATIC PROFOLIO WEBSITE ON AWS CLOUD

Using Amazon S3 With Monitoring and logging services

At



Under the guidance of

Mrs. Sumana Bethala, APSSDC

Mr. Anil Kumar Varanasi, APSSDC

Submitted by

Rangala Anuswetha, A24126552051, Anil Neerukonda Institute of technology and sciences

Potnuri Parimala, A24126552050, Anil Neerukonda institute of technology and sciences

Uppuluri naga Sai Sri Navyagna ,24A81A4358, Sri Vasavi engineering collage

Harshini Achanta,24A81A4301, Sri Vasavi engineering collage

Pandranki Jnana Sri Charan, A24126552226, Anil Neerukonda Institute of Technology and
Sciences

ACKNOWLEDGEMENT

I would like to express my heartfelt gratitude to all those who contributed to the successful completion of our project titled "Hosting a Static Portfolio Website on AWS Cloud." This project has been a valuable learning experience, helping us gain practical knowledge of AWS cloud services and website hosting.

First and foremost, I would like to express my sincere gratitude to our project guide and faculty members for their valuable guidance, continuous encouragement, and constant support throughout the development of this project. Their suggestions and motivation helped us complete the project successfully.

I would also like to thank the Andhra Pradesh State Skill Development Corporation (APSSDC) for providing us with the opportunity to learn and work with AWS cloud technologies through this internship. The knowledge and practical exposure gained during this program have significantly enhanced our technical skills.

I extend my sincere thanks to all my team members for their cooperation, coordination, and dedication in completing the project. Their teamwork and support played a vital role in the successful execution of this project.

Finally, I express my gratitude to everyone who directly or indirectly contributed to the successful completion of this project.

Thank You.

Sincerely,

BATCH 116

ABSTRACT

This project presents the implementation of a Static Portfolio Website hosted on Amazon Web Services (AWS) using cloud computing services. The primary objective of this project is to design, deploy, and deliver a personal portfolio website that is secure, highly available, scalable, and accessible over the internet using AWS cloud services

The project begins with the development of a responsive portfolio website using HTML and CSS, containing essential sections such as Home, About, Skills, Projects, and Contact. The website files are then uploaded to an Amazon S3 bucket, where Static Website Hosting is enabled to make the website publicly accessible.

To improve website performance and reduce latency, Amazon CloudFront is used as a Content Delivery Network (CDN) to distribute the website content through edge locations, enabling faster access for users across different geographical locations. AWS Identity and Access Management (IAM) is utilized to manage users, roles, and permissions securely, ensuring controlled access to AWS resources. Amazon CloudWatch is used to monitor AWS resources and collect metrics, helping in maintaining the performance and availability of the deployed website.

This cloud-based architecture provides a reliable, scalable, and cost-effective solution without requiring traditional web servers. The project demonstrates the practical implementation of AWS cloud services for static website hosting while introducing essential concepts such as cloud storage, content delivery, identity management, and resource monitoring.

Overall, this project highlights the advantages of cloud computing in web hosting by offering improved availability, enhanced security, better performance, and simplified infrastructure management, making it an ideal solution for hosting static websites.

.

1. INTRODUCTION

In today's digital world, having an online presence is essential for students, professionals, and organizations. A portfolio website serves as a digital identity by showcasing personal information, technical skills, projects, achievements, and contact details in a professional manner. Hosting such a website on the cloud provides high availability, scalability, security, and cost-effectiveness.

This project, titled "**Hosting a Static Portfolio Website on AWS Cloud,**" demonstrates how Amazon Web Services (AWS) can be used to deploy and manage a static website using cloud technologies. The project utilizes AWS services such as **Amazon S3** for static website hosting, **Amazon CloudFront** for fast content delivery, **AWS Identity and Access Management (IAM)** for secure access control, and **Amazon CloudWatch** for monitoring AWS resources.

The portfolio website is developed using **HTML and CSS**, making it lightweight, responsive, and easy to maintain. After the website is created, it is uploaded to an Amazon S3 bucket and configured for static website hosting. CloudFront is used to improve website performance by delivering content through a global Content Delivery Network (CDN), reducing latency and improving user experience. IAM ensures secure access to AWS resources by managing users, roles, and permissions, while CloudWatch provides monitoring and performance insights.

This project highlights the practical implementation of cloud computing concepts and demonstrates how AWS services work together to deploy a secure, scalable, and reliable static website. It also provides hands-on experience in cloud infrastructure management, website deployment, security configuration, and performance optimization.

Overall, this project showcases the benefits of cloud-based web hosting, including easy deployment, low operational cost, enhanced security, and improved website availability. It serves as an excellent example of how AWS cloud services can be effectively utilized to host modern static websites.

S.No	Content	Page No.
1	Certificate	i
2	Acknowledgement	ii
3	Abstract	iii
4	Table of Contents	iv
5	Introduction	1
6	Project Objectives	2
7	Methodology	3
8	Technology Stack	5
9	System Architecture	7
10	Implementation	9
10.1	HTML/CSS Portfolio Website	10
10.2	Amazon S3 Static Website Hosting	12
10.3	AWS IAM	14
10.4	Amazon CloudWatch	16
10.5	AWS CloudTrail	18
10.6	Amazon SNS	20

S.No	Content	Page No.
10.7	AWS Systems Manager	22
10.8	Amazon CloudFront	24
11	Results	27
12	Conclusion	29
13	References	30

2. METHODOLOGY

The development of the **Hosting a Static Portfolio Website on AWS Cloud** project followed a structured methodology to ensure successful website development, deployment, security, monitoring, and management. The project was divided into several phases, including planning, website development, AWS configuration, deployment, testing, monitoring, and optimization. Each phase was carried out using AWS services and web technologies to provide a secure, reliable, and scalable cloud-hosted portfolio website.

2.1 Requirements Gathering

The project began with identifying the requirements for developing and hosting a static portfolio website. The website was planned to display personal information, technical skills, projects, achievements, and contact details. Suitable AWS services such as **Amazon S3, AWS IAM, Amazon CloudWatch, AWS CloudTrail, Amazon SNS, AWS Systems Manager, and Amazon CloudFront** were selected to support deployment, security, monitoring, and website performance.

2.2 Website Design

A responsive and user-friendly portfolio website was designed using **HTML and CSS**. The website consists of pages such as **Home, About, Skills, Projects, and Contact**. The design focused on simple navigation, attractive layout, and easy accessibility across different devices.

2.3 Website Development

The website was developed using HTML and CSS. All pages were created, tested locally, and verified to ensure proper navigation, images, links, and formatting. After successful testing, the website files were prepared for deployment on AWS.

2.4 Static Website Hosting using Amazon S3 An **Amazon S3 bucket** was created to host the static portfolio website. The website files were uploaded to the bucket, Static Website Hosting was enabled, and bucket permissions were configured to allow users to access the website through the generated endpoint.

2.5 Amazon CloudWatch Monitoring

Amazon CloudWatch was used to monitor AWS resources and collect logs and performance metrics. It helped in tracking resource usage and identifying operational issues during deployment and testing.

2.6 AWS CloudTrail Logging

AWS CloudTrail was used to record AWS account activities and API calls. It provides an audit trail of user actions and service events, improving security, accountability, and troubleshooting.

2.7 Amazon SNS Notifications

Amazon Simple Notification Service (SNS) was included to demonstrate AWS notification services. SNS can be used to send email notifications or alerts related to AWS resources, deployment status, or system events.

2.8 AWS Systems Manager

AWS Systems Manager provides centralized management of AWS resources. It helps administrators monitor, manage, and automate operational tasks across AWS services from a single interface.

2.9 AWS IAM Configuration

AWS Identity and Access Management (IAM) was used to manage users, roles, and permissions. IAM policies ensured that only authorized users could access and manage AWS resources, thereby improving the overall security of the project.

2.10 Amazon CloudFront Configuration

Amazon CloudFront was configured to distribute website content using AWS's global Content Delivery Network (CDN). CloudFront improves website performance, reduces latency, and delivers content quickly to

users worldwide. During implementation, the distribution creation process was attempted; however, the AWS Academy Learner Lab account had permission restrictions for certain CloudFront operations.

2.11 Testing and Validation

The website was tested both locally and after deployment. Navigation links, images, website accessibility, and AWS service configurations were verified to ensure proper functionality. The project components were validated to confirm successful website hosting and AWS integration.

2.12 Deployment and Refinement

The completed website was deployed on AWS using Amazon S3 and integrated with the selected AWS services. Minor improvements were made during testing to enhance website appearance, navigation, and overall user experience.

TECHNOLOGY STACK

3. TECHNOLOGY STACK

The **Hosting a Static Portfolio Website on AWS Cloud** project was developed using modern web technologies and Amazon Web Services (AWS). The selected technology stack provides a secure, reliable, scalable, and efficient platform for developing, deploying, and managing a static website.

3.1 Cloud Platform

- **Amazon Web Services (AWS):**

AWS is the cloud platform used for hosting and managing the portfolio website. It provides scalable infrastructure, storage, security, monitoring, and content delivery services.

3.2 AWS Services

- **Amazon S3 (Simple Storage Service):**

Used to host the static portfolio website by storing HTML, CSS, images, and other website files.

Static Website Hosting was enabled to make the website publicly accessible.

- **Amazon CloudWatch:**

Used to monitor AWS resources, collect logs, and observe the performance of the deployed website and cloud services.

- **AWS CloudTrail:**

Used to record AWS account activity and API calls for auditing, security monitoring, and troubleshooting.

- **Amazon Simple Notification Service (SNS):**

Used to demonstrate AWS notification services by sending alerts or notifications related to cloud resources and events.

- **AWS Systems Manager:**

Used to manage and monitor AWS resources from a centralized console and automate operational tasks.

- **AWS Identity and Access Management (IAM):**

Used to securely manage users, roles, and permissions for accessing AWS resources.

- **Amazon CloudFront:**

Used as a Content Delivery Network (CDN) to improve website performance by delivering content from edge locations around the world, reducing latency and improving loading speed.

3.3 Web Technologies

- **HTML5:**

Used to create the structure and content of the portfolio website.

- **CSS3:**

Used to design the layout, colors, fonts, and responsive appearance of the website.

3.4 Development Tools

- **Visual Studio Code (VS Code):**

Used for developing and editing the website source code.

- **AWS Management Console:**

Used to configure, deploy, and manage AWS services including S3, IAM, CloudFront, CloudWatch, CloudTrail, SNS, and Systems Manager.

3.5 Security and Access Management

- **IAM Users, Roles, and Policies:**

Configured to provide secure access to AWS resources by following the principle of least privilege, ensuring that only authorized users can perform specific actions.

3.6 Monitoring and Logging

- **Amazon CloudWatch Logs:**

Used to monitor AWS services and collect log information for performance analysis and troubleshooting.

- **AWS CloudTrail Logs:**

Used to maintain an audit trail of user activities and API operations performed within the AWS account.

3.7 Content Delivery

- **Amazon CloudFront:**

Used to cache and deliver website content efficiently through AWS edge locations, providing faster access to users across different geographical regions.

5.IMPLEMENTATION



The implementation of the **Hosting a Static Portfolio Website on AWS Cloud** project involved developing a static portfolio website and deploying it using various Amazon Web Services (AWS). The implementation focused on creating a secure, scalable, and highly available website using cloud technologies. AWS services such as Amazon S3, IAM, CloudWatch, CloudTrail, SNS, Systems Manager, and CloudFront were used to build and manage the cloud environment.

5.1 Portfolio Website Development

The portfolio website was developed using **HTML5** and **CSS3**. The website consists of multiple pages, including **Home, About, Skills, Projects, and Contact**. The design was kept simple, responsive, and user-friendly to provide a better browsing experience across different devices.

Features:

- Responsive webpage design
- Navigation menu
- Personal profile information
- Skills and project details
- Contact information



[AWS Portfolio](#)[Home](#)

Anuswetha Rangala

Website Development & Presentation

Responsible for designing and developing the project website, creating a responsive user interface, and preparing the final project presentation (PPT).

About Me

I am a Computer Science Engineering student with interests in Artificial Intelligence, Machine Learning, Cloud Computing and Software Development.

I enjoy building projects, learning new technologies, solving problems and exploring AWS cloud services.

Skills

Python
Programming & Problem Solving

HTML
Website Structure Development

CSS
Website Styling & Design

AWS
Cloud Computing Fundamentals

DBMS
Database Management Systems

DSA
Data Structures & Algorithms

Machine Learning
Predictive Analytics & Models

[AWS Portfolio](#)[Home](#)[Team](#)[Objective](#)[AWS Services](#)[Contact](#)

Project Objective

The objective of this project is to design and deploy a static portfolio website using Amazon S3 and demonstrate AWS cloud services including CloudWatch, Amazon SNS, AWS CloudTrail, AWS Systems Manager and IAM concepts. The project focuses on static website hosting, monitoring, notifications, auditing and cloud infrastructure management.

AWS Services Used

Amazon S3
Hosts the static portfolio website using Static Website Hosting.

Amazon CloudWatch
Monitors AWS resources through dashboards, metrics and alarms.

Amazon SNS
Provides notifications for alerts and future website events.

AWS CloudTrail
Records AWS API activities for auditing, monitoring and troubleshooting.

AWS Systems Manager
Provides centralized infrastructure management and automation capabilities.

[AWS Portfolio](#)[Home](#)

Projects

AWS Portfolio Showcase
Team project demonstrating static website hosting using Amazon S3, Amazon CloudWatch, Amazon SNS, AWS CloudTrail, IAM concepts and AWS Systems Manager.

Static Website Hosting
Configured an Amazon S3 bucket, enabled static site hosting and enabled Static Website Hosting for public access.

Role in Project

S3 Bucket Configuration
Created and configured the Amazon S3 bucket for hosting the project website.

Static Website Hosting
Uploaded website files, configured bucket permissions and enabled Static Website Hosting.

Documentation
Verified website accessibility and prepared implementation screenshots and documentation.

Learning Outcomes

- ✓ Learned Amazon S3 Bucket Configuration
- ✓ Understood Static Website Hosting and Deployment
- ✓ Gained Practical Experience with AWS Services

[AWS Portfolio](#)[Home](#)

Potnuri Parimala

Amazon S3 Configuration

Responsible for configuring Amazon S3, hosting the portfolio website using Static Website Hosting, and managing website deployment.

About Me

I am a Computer Science Engineering student with interests in Cloud Computing, Software Development and Web Technologies.

I enjoy learning new technologies, solving problems and exploring AWS cloud services.

Skills

AWS
Cloud Computing Fundamentals

Python
Programming & Problem Solving

Java
Object-Oriented Programming

DBMS
Database Management Systems

Computer Networks
Networking Fundamentals

Operating Systems
System Fundamentals

[AWS Portfolio](#)[Home](#)

Pandranki Jnana Sri Charan

Amazon CloudWatch & AWS CloudTrail

Responsible for monitoring AWS resources using Amazon CloudWatch and auditing AWS account activities using AWS CloudTrail.

About Me

I am a Computer Science Engineering student with interests in Cloud Computing, Software Development and Web Technologies.

I enjoy learning new technologies, solving problems and exploring AWS cloud services.

Skills

AWS
Cloud Computing Fundamentals

Python
Programming & Problem Solving

Java
Object-Oriented Programming

HTML
Website Structure Development

CSS
Website Styling & Design

DBMS
Database Management Systems

[AWS Portfolio](#)[Home](#)

Projects

AWS Portfolio Showcase
Team project demonstrating static website hosting using Amazon S3, Amazon CloudFront, Amazon S3, AWS CloudTrail, IAM console and AWS Systems Manager.

AWS IAM Concepts
Explored AWS Identity and Access Management by studying users, roles, policies and permissions used to secure AWS resources.

Role in Project

IAM Fundamentals
Learned IAM concepts including users, roles, groups and permission policies.

Security Best Practices
Understood least privilege access, role-based permissions and AWS security recommendations.

Documentation
Prepared IAM documentation, implementation workflow and project accountability for the final report.

Learning Outcomes

- ✓ Learned AWS Identity and Access Management
- ✓ Understood Users, Roles, Policies and Permissions
- ✓ Learned AWS Security Best Practices

AWS Portfolio

Home

Uppuluri Navyagna

Identity & Access Management (IAM)

Responsible for understanding AWS Identity and Access Management (IAM), exploring users, roles, permissions and security best practices for protecting AWS resources.

About Me

I am a Computer Science Engineering student with interests in Cloud Computing, Software Development and Web Technologies.

I enjoy learning new technologies, solving problems and exploring AWS cloud services.

Skills

AWS

Cloud Computing Fundamentals

Python

Programming & Problem Solving

Java

Object Oriented Programming

DBMS

Database Management Systems

Computer Networks

Networking Fundamentals

Operating Systems

System Fundamentals

AWS Portfolio

Home

Achanta Harshini

Amazon SNS & AWS Systems Manager

Responsible for implementing Amazon SNS for notifications and exploring AWS Systems Manager for centralized infrastructure management.

About Me

I am a Computer Science Engineering student with interests in Cloud Computing, Software Development and Web Technologies.

I enjoy learning new technologies, solving problems and exploring AWS cloud services.

Skills

AWS

Cloud Computing Fundamentals

Python

Programming & Problem Solving

Java

Object Oriented Programming

DBMS

Database Management Systems

Computer Networks

Networking Fundamentals

Operating Systems

System Fundamentals

AWS Portfolio

Home

Projects

AWS Portfolio Showcase

Open project demonstrating website hosting using Amazon S3, Amazon CloudWatch, Amazon SNS, AWS CloudTrail, AWS Systems Manager and AWS IAM concepts.

Cloud Monitoring & Auditing

Implemented CloudWatch dashboards, alarms and explored AWS CloudTrail event history for auditing AWS activities.

Role in Project

Amazon CloudWatch

Created dashboards, monitored metrics and configured CloudWatch alarms.

AWS CloudTrail

Verified AWS API activities and reviewed event history for auditing and troubleshooting.

Documentation


Prepared CloudWatch and CloudTrail documentation with implementation screenshots.

Learning Outcomes

✓ Learned Amazon CloudWatch Monitoring

✓ Explored AWS CloudTrail Auditing

✓ Gained Practical Experience with AWS Cloud Services



5.2 Static Website Hosting using Amazon S3

An **Amazon S3 bucket** was created to host the static website. After creating the bucket, all HTML, CSS, and image files were uploaded. Static Website Hosting was enabled, and the website was made publicly accessible using the generated S3 website endpoint.

Implementation Steps:

- Created an Amazon S3 bucket.
- Uploaded website files.
- Enabled Static Website Hosting.
- Configured bucket permissions.
- Verified website accessibility.

Buckets

General purpose buckets

All AWS Regions

Directory buckets

General purpose buckets (1) [Info](#)

Buckets are containers for data stored in S3.

Find buckets by name

< 1 > ⚙

	Name	AWS Region	Creation date
☐	awsgrp-portfolio-website	US East (N. Virginia) us-east-1	July 4, 2026, 18:51:13 (UTC+05:30)

Objects (7)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

< 1 > ⚙

☐	Name	Type	Last modified	Size	Storage class
☐	anuswetha.html	HTML	July 4, 2026, 19:21:58 (UTC+05:30)	1.4 KB	Standard
☐	charan.html	html	July 4, 2026, 19:21:59 (UTC+05:30)	1.4 KB	Standard
☐	harshini.html	html	July 4, 2026, 19:21:58 (UTC+05:30)	1.4 KB	Standard
☐	index.html	html	July 4, 2026, 19:21:58 (UTC+05:30)	4.4 KB	Standard
☐	navyagna.html	html	July 4, 2026, 19:21:54 (UTC+05:30)	1.5 KB	Standard
☐	parimala.html	html	July 4, 2026, 19:21:54 (UTC+05:30)	1.4 KB	Standard
☐	style.css	css	July 4, 2026, 19:21:53	4.5 KB	Standard

Launch AWS Academy Learn x

Upload objects - S3 bucket x

awsgrp-portfolio-website - S3 x

AWS Portfolio Showcase x

AWS Portfolio Showcase x

+

Ask Gemini

⌵

⌵

⌵

us-east-1.console.aws.amazon.com/s3/buckets/awsgrp-portfolio-website?region=us-east-1&tab=properties

us-east-1

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9178-2036-6244
voclabs/user5062049=potnuriparimala.24.csm@ani...

Amazon S3 > Buckets > awsgrp-portfolio-website

Requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

Requester pays
Disabled

Edit

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)
<http://awsgrp-portfolio-website.s3-website-us-east-1.amazonaws.com>

Edit

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C
Mostly cloudy

Search

ENG IN

16:24
09-07-2026

Launch AWS Academy Learn x

Upload objects - S3 bucket x

awsgrp-portfolio-website - S3 x

AWS Portfolio Showcase x

AWS Portfolio Showcase x

+

Ask Gemini

⌵

⌵

⌵

us-east-1.console.aws.amazon.com/s3/buckets/awsgrp-portfolio-website?region=us-east-1&tab=permissions

us-east-1

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9178-2036-6244
voclabs/user5062049=potnuriparimala.24.csm@ani...

Amazon S3 > Buckets > awsgrp-portfolio-website

Successfully edited bucket policy.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3::awsgrp-portfolio-website/*"
    }
  ]
}
```

Copy

Object Ownership

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Edit


5.3 Amazon CloudWatch Monitoring



Amazon **CloudWatch** was used to monitor AWS resources and observe service performance.


CloudWatch provides logs and performance metrics that help identify system issues and monitor resource utilization.

Features:

- Resource monitoring
- Performance metrics
- Log collection
- Operational monitoring







5.4 Amazon SNS Notifications

Amazon **Simple Notification Service (SNS)** was included to demonstrate AWS messaging and notification capabilities. SNS can be configured to send notifications related to AWS events and resource activities.

Implementation Steps:

- Opened the Amazon SNS service.
- Created or reviewed an SNS topic.
- Configured email notification settings.
- Verified notification service.

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9178-2016-6244

voclabs/user5062049=potnuriparimala.24.csm@ani...

Amazon SNS

Dashboard

Amazon SNS

Dashboard

Topics

Subscriptions

▼ Mobile

Push notifications

Text messaging (SMS)

New Feature

Amazon SNS now supports High Throughput FIFO topics. [Learn more](#)

Dashboard

Resources for us-east-1

Topics

1

Platform applications

0

Subscriptions

1

▼ Overview of Amazon SNS

Application-to-application (A2A)

Amazon SNS is a managed messaging service that lets you decouple publishers from subscribers. This is useful for application-to-application messaging for microservices, distributed systems, and serverless applications. [Learn more](#)

Publisher

Publishers send messages from distributed systems

Amazon SNS

Fully managed Pub/Sub messaging and event-driven

SNS topic

Decouple message publishers from subscriber systems

Message filtering and fanout

Subscribers

Dead-letter queue

If an endpoint is unavailable, messages can be held in a dead-letter queue for analysis or reprocessing

AWS Lambda

Amazon SQS

Amazon Kinesis Data Firehose

HTTP/HTTPS

Email

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9178-2016-6244

voclabs/user5062049=potnuriparimala.24.csm@ani...

Amazon SNS

Topics

portfolioalerts

Amazon SNS

Dashboard

Topics

Subscriptions

▼ Mobile

Push notifications

Text messaging (SMS)

Topic portfolioalerts created successfully.

You can create subscriptions and send messages to them from this topic.

Notifications

0 0 1 1 0 0

Publish message

portfolioalerts

Edit

Delete

Publish message

Details

Name

portfolioalerts

ARN

arn:aws:sns:us-east-1:91782036:6244:portfolioalerts

Display name

-

Type

Standard

Topic owner

917820366244

Subscriptions

Access policy

Delivery policy (HTTP/S)

Delivery status logging

Encryption

Tags

Integrations

Subscriptions (0)

Edit

Delete

Request confirmation

Confirm subscription

Create subscription

Search

ID


Endpoint

Status

Protocol

No subscriptions found

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)



5.5 AWS CloudTrail Logging

AWS **CloudTrail** was used to record AWS account activities and API calls. It helps maintain an audit trail of all important actions performed within the AWS environment.

Implementation Steps:

- Opened the CloudTrail dashboard.
- Reviewed event history.
- Verified AWS service activities.

① AWS CloudTrail Lake feature will no longer be open to new customers starting on May 31, 2026. For capabilities similar to AWS CloudTrail Lake feature explore Amazon CloudWatch. [Learn more](#)

Management & Governance

AWS CloudTrail

Continuously log your AWS account activity

Use CloudTrail to meet your governance, compliance, and auditing needs for your AWS accounts.

Create a trail with AWS CloudTrail

Get started with AWS CloudTrail by creating a trail to log your AWS account activity.

Create a trail

Pricing

[Pricing](#)

How it works



Getting started

[What is AWS CloudTrail](#)

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9178-2036-6244
voclabs/user5062049=potnuriparimala.24.csm@ani...

CloudTrail

<

Dashboard

Event coverage **New**

Event history

Insights

Trails

▼ Lake

Dashboards

Query

Event data stores

Integrations

Settings

Pricing

Documentation

Forums

FAQs

Event history (150+) Info

Download events

Query in Lake

Create Athena table

Event history shows you the last 90 days of management events.

Lookup attributes

Read-only

Q: false

Filter by date and time

Clear filter

Event name

Use: false

Event source

Resource type

Resource name

PutMetricAlarm

July 09, 2026, 19:09:26 (UTC+0...)

user5062049=pot...

monitoring.amazonaws.com

AWS::CloudWatch::Alarm

s3-bucket-storage-alarm

PutDashboard

July 09, 2026, 18:48:15 (UTC+0...)

user5062049=pot...

monitoring.amazonaws.com

-

-

PutDashboard

July 09, 2026, 18:45:35 (UTC+0...)

user5062049=pot...

monitoring.amazonaws.com

-

-

PutDashboard

July 09, 2026, 18:40:52 (UTC+0...)

user5062049=pot...

monitoring.amazonaws.com

-

-

ConsoleLogin

July 09, 2026, 16:41:44 (UTC+0...)

user5062049=pot...

signin.amazonaws.com

-

-

GetSignInToken

July 09, 2026, 16:41:42 (UTC+0...)

user5062049=pot...

signin.amazonaws.com

-

-

UpdateRole

July 09, 2026, 16:40:42 (UTC+0...)

voclabs1783595442

iam.amazonaws.com

-

-

0 / 5 events selected

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9178-2036-6244

voclabs/user5062049=potnuriparimala.24.csm@ani...

CloudTrail

Event history

CloudTrail

Dashboard

Event coverage New

Event history

Insights

Trails

▼ Lake

Dashboards

Query

Event data stores

Integrations

Settings

Pricing

Documentation

Forums

FAQs

Event history (150+) Info

Download events

Query in Lake

Create Athena table

Event history shows you the last 90 days of management events.

Lookup attributes

Read-only

Q false

Filter by date and time

Clear filter

1 2 3 4 ...

☐

Event name

Use: false

Event source

Resource type

Resource name

☐	PutBucketPolicy	July 09, 2026, 16:25:26 (UTC+0...	user5062049=pot...	s3.amazonaws.com	AWS::S3::Bucket	awsgrp-portfolio-webs...
☐	PutBucketPolicy	July 09, 2026, 16:21:24 (UTC+0...	user5062049=pot...	s3.amazonaws.com	AWS::S3::Bucket	awsgrp-portfolio-webs...
☐	PutBucketPublicAcce...	July 09, 2026, 16:20:18 (UTC+0...	user5062049=pot...	s3.amazonaws.com	AWS::S3::Bucket	awsgrp-portfolio-webs...
☐	PutBucketWebsite	July 09, 2026, 16:19:30 (UTC+0...	user5062049=pot...	s3.amazonaws.com	AWS::S3::Bucket	awsgrp-portfolio-webs...
☐	PutBucketPublicAcce...	July 09, 2026, 16:16:23 (UTC+0...	user5062049=pot...	s3.amazonaws.com	AWS::S3::Bucket	awsgrp-portfolio-webs...
☐	PutBucketPublicAcce...	July 09, 2026, 16:13:09 (UTC+0...	user5062049=pot...	s3.amazonaws.com	AWS::S3::Bucket	awsgrp-portfolio-webs...
☐	PutBucketWebsite	July 09, 2026, 16:11:27 (UTC+0...	user5062049=pot...	s3.amazonaws.com	AWS::S3::Bucket	awsgrp-portfolio-webs...
☐	ConsoleLogin	July 09, 2026, 16:06:58 (UTC+0...	user5062049=pot...	signin.amazonaws.com	-	-
☐	GetSinninToken	July 09, 2026, 16:06:57 (UTC+0...	user5062049=pot...	signin.amazonaws.com	-	-

0 / 5 events selected

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9178-2036-6244

voclabs/user5062049=potnuriparimala.24.csm@ani...

CloudTrail

Event history

CloudTrail

Dashboard

Event coverage New

Event history

Insights

Trails

▼ Lake

Dashboards

Query

Event data stores

Integrations

Settings

Pricing

Documentation

Forums

FAQs

Event history (100+) Info

Download events

Query in Lake

Create Athena table

Event history shows you the last 90 days of management events.

Lookup attributes

Read-only

Q false

Filter by date and time

Clear filter

1 2 3 ...

☐

Event name

Use: false

Event source

Resource type

Resource name

☐	CreateOriginAccessC...	July 13, 2026, 22:28:03 (UTC+0...	user5062049=pot...	cloudfront.amazonaws.com	-	-
☐	CreateWebACL	July 13, 2026, 22:28:03 (UTC+0...	user5062049=pot...	wafv2.amazonaws.com	-	-
☐	CreateGroup	July 13, 2026, 22:18:12 (UTC+0...	user5062049=pot...	iam.amazonaws.com	-	-
☐	CreateRole	July 13, 2026, 22:12:36 (UTC+0...	user5062049=pot...	iam.amazonaws.com	-	-
☐	CreateRole	July 13, 2026, 22:05:48 (UTC+0...	user5062049=pot...	iam.amazonaws.com	-	-
☐	CreateGroup	July 13, 2026, 21:48:16 (UTC+0...	user5062049=pot...	iam.amazonaws.com	-	-
☐	CreateGroup	July 13, 2026, 21:42:46 (UTC+0...	user5062049=pot...	iam.amazonaws.com	-	-
☐	ConsoleLogin	July 13, 2026, 21:31:45 (UTC+0...	user5062049=pot...	signin.amazonaws.com	-	-
☐	GetSignInToken	July 13, 2026, 21:31:44 (UTC+0...	user5062049=pot...	signin.amazonaws.com	-	-

0 / 5 events selected

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Event history (50+) Info

Event history shows you the last 90 days of management events.

Lookup attributes

Read-only ☐ Q false < 1 2 ... >

☐	Event name	Event time	User name	Event source	Resource type	Resource name
☐	CreateTopic	July 14, 2026, 09:40:22 (UTC+05:30)	user5062049=potnuriparimala.24.csm@ani...	sns.amazonaws.com	AWS::SNS::Topic	arn:aws:sns:us-east-1:...
☐	ConsoleLogin	July 14, 2026, 09:30:17 (UTC+05:30)	user5062049=potnuriparimala.24.csm@ani...	signin.amazonaws.com	-	-
☐	GetSignInToken	July 14, 2026, 09:30:16 (UTC+05:30)	user5062049=potnuriparimala.24.csm@ani...	signin.amazonaws.com	-	-
☐	UpdateRole	July 14, 2026, 09:29:43 (UTC+05:30)	voclabs1784001582	iam.amazonaws.com	-	-
☐	DeleteRolePolicy	July 14, 2026, 09:29:43 (UTC+05:30)	voclabs1784001582	iam.amazonaws.com	AWS::IAM::Policy, AWS::...	Pvoclabs, voclabs
☐	PutRolePolicy	July 14, 2026, 09:29:39 (UTC+05:30)	sys6564520	iam.amazonaws.com	AWS::IAM::Policy, AWS::...	vocareum-eventbridge...
☐	CreatePolicy	July 14, 2026, 01:31:14 (UTC+05:30)	resource	iam.amazonaws.com	AWS::IAM::Policy, AWS::...	arn:aws:iam:9178203...

0 / 5 events selected

CreateTopic Info

Details Info

Event time: July 14, 2026, 09:40:22 (UTC+05:30)

User name: user5062049=potnuriparimala.24.csm@ani...

Event name: CreateTopic

Event source: sns.amazonaws.com

AWS access key: ASIASLMS3LWSJ6NM6X3M

Source IP address: 122.187.97.30

Event ID: 54a58ff5-0f45-406f-af55-4696bd0edc98

Request ID: 94799a64-1077-5f79-ac71-f8aba8996cd3

AWS region: us-east-1

Error code: -

Read-only: false

Resources referenced (1) Info

Resources referenced describes the name or ID of resources that were read or changed by an event

Resource type	Resource name	AWS Config resource timeline
AWS::SNS::Topic	arn:aws:sns:us-east-1:917820366244:portfolioalerts	Enable AWS Config resource recording

Event record Info

5.6 AWS Systems Manager

AWS Systems Manager was used to understand centralized resource management within AWS.

It provides tools for monitoring, automation, and operational management of AWS resources.

Features:

- Resource management

- Operational automation
- Configuration management
- Centralized administration

The screenshot shows the AWS Systems Manager console interface. At the top, there's a navigation bar with the AWS logo, a search bar, and account information (United States (N. Virginia), Account ID: 9178-2036-6244). A left-hand sidebar contains a menu with options like 'Review node insights', 'Explore nodes', 'Diagnose and remediate', 'Just-in-time node access', 'Hybrid and Multicloud nodes', 'Settings', 'Node Tools' (with sub-items: Compliance, Distributor, Fleet Manager, Hybrid Activations, Inventory, Patch Manager, Run Command, Session Manager, State Manager), and 'Change Management Tools' (with sub-item: Automation). The main content area has a dark header with 'AWS Systems Manager' and the tagline 'Manage nodes at scale in any environment'. Below this, a section titled 'Introducing the new integrated experience' describes the new interface and lists actions performed by the unified console. To the right, there are sections for 'Pricing' and 'Getting started' with links to learn more. At the bottom, there's a footer with '© 2026, Amazon Web Services, Inc. or its affiliates.' and links for 'Privacy', 'Terms', and 'Cookie preferences'.


The screenshot shows the AWS Systems Manager Fleet Manager console page. The top navigation bar is identical to the previous screenshot. The left sidebar is also identical. The main content area has a dark header with 'AWS Systems Manager Fleet Manager' and the tagline 'Streamline your node management'. Below this, a section titled 'Get started with Fleet Manager' includes the text 'Remotely manage your nodes.' and a 'Get started' button. To the right, there's a 'Pricing (US)' section stating that Fleet Manager is a free capability. Below these, there's a 'How it works' section with a diagram showing a workflow from a node to a fleet, then to a command, and finally to a target. At the bottom right, there's a 'More resources' link. The footer is identical to the previous screenshot.

5.7 AWS IAM Configuration

AWS Identity and Access Management (IAM) was used to provide secure access to AWS resources. IAM users, roles, and policies were configured according to project requirements to ensure secure management of cloud resources.

Implementation Steps:

- Accessed the IAM dashboard.
- Created or reviewed IAM users and roles.
- Assigned appropriate permissions using IAM policies.
- Verified secure access to AWS resources.



aws

Search

[Alt+S]

Global

Account ID: 9170-2036-6244
voclabs/user5062049=potnuriparimala.24.csm@ani...

IAM

Roles

Create role

Step 1

Select trusted entity

Step 2

Add permissions

Step 3

Name, review, and create

Select trusted entity Info

Trusted entity type

☒ **AWS service**
Allow AWS services like EC2, Lambda, or others to perform actions in this account.

☐ **AWS account**
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.

☐ **Web identity**
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.

☐ **SAML 2.0 federation**
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.

☐ **Custom trust policy**
Create a custom trust policy to enable others to perform actions in this account.

Use case

Allow an AWS service like EC2, Lambda, or others to perform actions in this account.

Service or use case

EC2

Choose a use case for the specified service.

Use case

☒ **EC2**
Allows EC2 instances to call AWS services on your behalf.

aws

Search

[Alt+S]

Global

Account ID: 9178-2035-6244

voclabs/user5062049-potnuriparimala.24.csm@ani...

IAM

Roles

Create role

14

15

16

Step 2: Add permissions

Edit

Permissions policy summary

Policy name	Type	Attached as
AmazonS3ReadOnlyAccess	AWS managed	Permissions policy
CloudWatchReadOnlyAccess	AWS managed	Permissions policy

Step 3: Add tags

Add tags - optional

Tags are key-value pairs that you can add to AWS resources to help identify, organize, or search for resources.

No tags associated with the resource.

Add new tag

You can add up to 50 more tags.

Cancel

Previous

Create role

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Account ID: 9178-2036-6244

voclabs/user5062049=potn...

IAM > Roles > Create role

✖ Failed to create role PortfolioEC2Role.

User: arn:aws:sts::917820366244:assumed-role/voclabs/user5062049=potnuriparimala.24.csm@anits.edu.in is not authorized to perform: iam:CreateRole on resource: arn:aws:iam::917820366244:role/PortfolioEC2Role because no identity-based policy allows the iam:CreateRole action

🔍 Diagnose with Amazon Q

11

12

13

14

15

16

Step 2: Add permissions

Edit

Permissions policy summary

Policy name ↗ ▲	Type ▼	Attached as ▼
AmazonS3ReadOnlyAccess	AWS managed	Permissions policy
CloudWatchReadOnlyAccess	AWS managed	Permissions policy

CloudShell

Feedback

Privacy

Terms

Cookie preferences

© 2026, Amazon Web Services, Inc. or its affiliates.



5.8 Amazon CloudFront Configuration

Amazon **CloudFront** was used to improve website performance by delivering website content through AWS edge locations. A CloudFront distribution was configured using the Amazon S3

bucket as the origin. During the implementation, the configuration process was completed up to the review stage. However, the distribution could not be created because the AWS Academy Learner Lab account did not have the required permission (cloudfront:CreateOriginAccessControl).

Implementation Steps:

- Opened the CloudFront service.
- Selected **Create Distribution**.
- Configured the S3 bucket as the origin.
- Reviewed the distribution settings.
- Attempted to create the distribution.
- Encountered an AWS permission restriction during creation.

us-east-1.console.aws.amazon.com/console/home?region=us-east-1#

cloudfront

Services

- CloudFront
Global Content Delivery Network

Features

- Dynamic Image Transformation for Amazon CloudFront
 - Launch Wizard feature

Documentation

- CloudFront
 - Implementation Guide
- CloudFront
 - User Guide
- Set signed cookies using a custom policy
 - Developer Guide

Knowledge articles

- Why does my CloudFront distribution return an "X-Cache: Miss from CloudFront" response?

Were these results helpful?

Yes No

us-east-1.console.aws.amazon.com/cloudfront/v4/home?region=us-east-1#/distributions

CloudFront > Distributions

CloudFront

- Distributions
- Policies
- Functions
- Static IPs
- VPC origins

▼ SaaS

- Multi-tenant distributions
- Distribution tenants

▼ Telemetry

- Monitoring
- Alarms
- Logs

▼ Reports & analytics

- Cache statistics
- Popular objects
- Top referrers
- Usage
- Viewers

▼ Security

- Origin access
- Trust stores
- Field-level encryption

Failed to load distributions: User: am:aws:sts:917820366244:assumed-role/voclabs/user5062049-potnuriparimala.24.csm@anits.edu.in is not authorized to perform: cloudfront:ListDistributions because no identity-based policy allows the cloudfront:ListDistributions action

Diagnose with Amazon Q

Distributions (0) info

Search all distributions Filter type All distributions

ID	Status	Description	Type	Domain n...	Alternate ...	Origins	Last modi...
No distributions You don't have any distributions.							

Create distribution

- Step 1
Choose a plan
- Step 2
Get started
- Step 3
Specify origin
- Step 4
Enable security
- Step 5
Get TLS certificate
- Step 6
Review and create

Choose a plan

Unable to verify permissions
We were unable to confirm your permissions for pricing plans. You may still select a plan — if your account lacks the required permissions, the distribution will default to Pay-as-you-go.

☒ Free

\$0/month

For hobbyists, learners, and developers getting started.

Usage allowance
1M requests / 100GB per month

- ✓ Always-on DDoS protection
- ✓ Protect against common web threats with AWS WAF
- ✓ IP-based rate limiting
- ✓ Geographic traffic blocking
- ✓ Serverless edge compute
- ✓ Smart routing
- ✓ Global CDN
- ✓ DNS
- ✓ Free TLS certificate
- ✓ Tiered caching
- ✓ Default caching rules
- ✓ Fast cache invalidations
- ✓ 5GB S3 storage included

☐ Pro

\$15/month

Launch and grow small websites, blogs, and applications.

Everything in Free, plus:

- ✓ Protections for WordPress, PHP, and SQL databases
- ✓ AI traffic analytics
- ✓ Header-based threat filtering
- ✓ CAPTCHA challenge

☐ Business

\$200/month

Protect and accelerate business applications.

Everything in Pro, plus:

- ✓ Advanced DDoS protection
- ✓ Bot management and analytics (+AI bots)
- ✓ Regex-based threat filtering
- ✓ JavaScript challenge


☐ Premium

\$1,000/month

Scale and protect business and mission-critical applications.

Everything in Business, plus:

- ✓ High-speed origin routing
- ✓ Origin load reduction
- ✓ Automatic origin failover
- ✓ Mutual TLS (viewer)



- Step 1
Get started
- Step 2
Specify origin
- Step 3
Enable security
- Step 4
Get TLS certificate
- Step 5
Review and create

Distribution options [Info](#)

Distribution name

Name will be stored as a tag on the resource. You can change the name, or more tags, later.

portfolio-cloudfront

Description - optional

Distribution type

☒ Single website or app

Choose if each website or application will have a unique configuration.

☐ Multi-tenant architecture - New

Choose when you have multiple domains that need to share configurations. This is a common architecture for SaaS providers.

Domain [Info](#)

Route 53 managed domain - optional

Enter a domain that's already registered with Route 53 in your AWS account. CloudFront will provision a TLS certificate for you. If you have a domain from a different DNS provider, skip this step and configure your domain later.

Check domain

Tags - optional

Cancel

Previous

Next

us-east-1.console.aws.amazon.com/cloudfront/v4/home?region=us-east-1#/distributions/create

aws

Search

[Alt+S]

Global

Account ID: 9178-2016-6244

voclabs/user5062049=potnurlparimala.24.csm@ani...

CloudFront

Distributions

Create distribution

Step 1

Choose a plan

Step 2

Get started

Step 3

Specify origin

Step 4

Enable security

Step 5

Review and create

Specify origin

Origin type

Your origin is where your content (such as a website or app) lives. CloudFront works with AWS-based origins and origins hosted on other cloud providers.

Origin type

☒ Amazon S3

Deliver static assets like files and images, statically generated websites or single page applications (SPA).

☐ Elastic Load Balancer

Deliver applications hosted behind ELB such as dynamic websites, web services, and APIs.

☐ API Gateway

Deliver API endpoints for REST APIs hosted on API Gateway.

☐ Elemental MediaPackage

Deliver end-to-end live events or video on demand (VOD).

☐ VPC origin

Deliver applications and content hosted within private VPCs, such as EC2 instances and Application Load Balancers.

☐ Other

Refer to any AWS or non-AWS origin through its publicly resolvable URL.

S3 origin

Choose an AWS origin, or enter your origin's domain name. [Learn more](#)

awsgrp-portfolio-website.s3.us-east-1.amazonaws.com

Browse S3

This S3 bucket has static web hosting enabled. If you plan to use this distribution as a website, we recommend using the S3 website endpoint rather than the bucket endpoint.

Use website endpoint

Origin path - optional

The directory path within your origin where your content is stored. [Learn more](#)

/path

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

aws

Search

[Alt+S]

Global

Account ID: 9178-2016-6244

voclabs/user5062049=potnurlparimala.24.csm@ani...

CloudFront

Distributions

Create distribution

This S3 bucket has static web hosting enabled. If you plan to use this distribution as a website, we recommend using the S3 website endpoint rather than the bucket endpoint.

Use website endpoint

Origin path - optional

The directory path within your origin where your content is stored. [Learn more](#)

/path

Settings [Info](#)

CloudFront provides default origin and cache settings based on what origin you selected. [View default settings for S3](#)

Allow private S3 bucket access to CloudFront [Info](#)

CloudFront will update your S3 bucket policy to allow CloudFront to access your S3 bucket. The policy allows CloudFront to access the bucket only when the request is on behalf of the CloudFront distribution that contains the S3 origin.

☒ Allow private S3 bucket access to CloudFront - Recommended

Origin settings

Origin settings control how CloudFront connects to the specified origin.

☒ Use recommended origin settings

☐ Customize origin settings

Cache settings

Cache settings determine when CloudFront serves cached content and when it fetches new content from the origin.

☒ Use recommended cache settings tailored to serving S3 content

☐ Customize cache settings

Cancel

Previous

Next

←→↻us-east-1.console.aws.amazon.com/cloudfront/v4/home?region=us-east-1#/distributions/create

aws[Search]GlobalAccount ID: 9178-2036-6244voclabs/user5062049=potnuriparimala.24.csm@ani...

CloudFront>Distributions>Create distribution

Step 1
Choose a plan

Step 2
Get started

Step 3
Specify origin

Step 4
Enable security

Step 5
Review and create

Enable security

Web Application Firewall (WAF) info

Security protections from WAF are included in your plan at no additional charge.

▼ Included security protections

- Protect against the most common vulnerabilities found in web applications.
- Protect against malicious actors discovering application vulnerabilities.
- Block IP addresses from potential threats based on Amazon internal threat intelligence.

☐ Use monitor mode
Count how many of your requests would be blocked by this WAF configuration. When ready, you can disable monitor mode to begin blocking requests.

☐ Protection against Layer 7 DDoS attacks Available with the Business plan [Change plan](#)
Stops DDoS attacks within seconds. AWS learns your unique application patterns within minutes of activation, accurately distinguishing between attacks and natural traffic surges.

CancelPreviousNext

←→↻us-east-1.console.aws.amazon.com/cloudfront/v4/home?region=us-east-1#/distributions/create

aws[Search]GlobalAccount ID: 9178-2036-6244voclabs/user5062049=potnuriparimala.24.csm@ani...

CloudFront>Distributions>Create distribution

Step 1
Choose a plan

Step 2
Get started

Step 3
Specify origin

Step 4
Enable security

Step 5
Review and create

Review and create

General configuration

Distribution name portfolio-cloudfront	Description -	Billing Free (\$0/month)	Today's pro-rated charge (estimate) \$0
---	------------------	-----------------------------	--

Edit

Origin

ⓘ Because you granted CloudFront access to your origin, CloudFront can write and update S3 bucket policies that restrict access to your S3 origin to CloudFront.

S3 origin awsgrp-portfolio-website.s3.us-east-1.amazonaws.com	Origin path -	Grant CloudFront access to origin Yes	Enable Origin Shield No
Connection attempts 3	Connection timeout 10		

Edit

Cache settings

CloudFront will apply default cache settings tailored to serving content from a S3 origin. You can customize settings after you create your distribution.

Edit

Security

Edit

us-east-1.console.aws.amazon.com/cloudfront/v4/home?region=us-east-1#/distributions/create

aws

Search

[Alt+S]

Global

Account ID: 9178-2036-6244
voclabs/user5062049=potnuriparimala.24.csm@ani...

CloudFront

Distributions

Create distribution

Step 4
Enable security

Step 5
Review and create

Origin

Edit

Because you granted CloudFront access to your origin, CloudFront can write and update S3 bucket policies that restrict access to your S3 origin to CloudFront.

S3 origin awsgrp-portfolio-website.s3.us-east-1.amazonaws.com	Origin path -	Grant CloudFront access to origin Yes	Enable Origin Shield No
Connection attempts 3	Connection timeout 10		

Cache settings

Edit

CloudFront will apply default cache settings tailored to serving content from a S3 origin. You can customize settings after you create your distribution.

Security

Edit

Security protections
Enabled

Use monitor mode
No

Usage and transfer limits will be prorated for your first month. Subject to [usage and transfer limits](#).

Cancel

Previous

Create distribution

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

aws

Search

[Alt+S]

Ask Amazon Q

Global

Account ID: 9178-2036-6244
voclabs/user5062049=potnuriparimala.24.csm@ani...

CloudFront

Distributions

Create distribution

S3 origin awsgrp-portfolio-website.s3.us-east-1.amazonaws.com	Origin path -	Grant CloudFront access to origin Yes	Enable Origin Shield No
Connection attempts 3	Connection timeout 10		

Cache settings

Edit

CloudFront will apply default cache settings tailored to serving content from a S3 origin. You can customize settings after you create your distribution.

Security

Edit

Security protections
Enabled

Use monitor mode
No

Usage and transfer limits will be prorated for your first month. Subject to [usage and transfer limits](#).

User: arn:aws:sts::917820366244:assumed-role/voclabs/user5062049=potnuriparimala.24.csm@anits.edu.in is not authorized to perform: cloudfront:CreateOriginAccessControl on resource: arn:aws:cloudfront::917820366244:origin-access-control/* because no identity-based policy allows the cloudfront:CreateOriginAccessControl action

Diagnose with Amazon Q

Cancel

Previous

Create distribution

Implementation Summary The implementation successfully demonstrated the development and deployment of a static portfolio web despite the challenges faced during creating user roles, groups, and distribution using IAM & Cloudfront

6. RESULTS

The implementation of the **Hosting a Static Portfolio Website on AWS Cloud** project successfully demonstrated the deployment of a static website using Amazon Web Services (AWS). The project achieved its primary objective of hosting a portfolio website on the cloud while utilizing AWS services for storage, security, monitoring, and content delivery. The following results summarize the successful implementation of the project.

6.1 Successful Website Deployment

The portfolio website was successfully developed using **HTML** and **CSS** and deployed on **Amazon S3**. Static Website Hosting was enabled, allowing users to access the website through the generated S3 website endpoint.

Results:

- Website files were uploaded successfully.
- Static Website Hosting was enabled.
- The website was accessible through the S3 URL.

6.2 Website Accessibility and Performance

The hosted website was tested to ensure that all pages, navigation links, images, and content loaded correctly. The website displayed properly on different devices and browsers, providing a smooth user experience.

Results:

- Home, About, Skills, Projects, and Contact pages worked correctly.
- Navigation links functioned properly.
- Website loading performance was satisfactory.

6.3 Secure Access Management

AWS **Identity and Access Management (IAM)** would be successfully used to manage users, roles, and permissions. IAM policies ensure secure access to AWS resources and protect the cloud environment from unauthorized access.

Results:

- IAM users and roles would be configured.
- Appropriate permissions would be assigned.
- Secure access to AWS services would be maintained.

6.4 Monitoring and Logging

Amazon **CloudWatch** and **AWS CloudTrail** were used to monitor AWS resources and record user activities. These services provided valuable information about resource usage, account activities, and system performance.

Results:

- CloudWatch monitored AWS resources.
- CloudTrail recorded AWS account activities.
- Logs and monitoring information were available for system analysis.

6.5 Notification and Resource Management

Amazon **SNS** and **AWS Systems Manager** were included to demonstrate AWS notification and resource management services. These services enhanced the overall cloud management capabilities of the project.

Results:

- SNS notification service was configured for demonstration.
- Systems Manager provided centralized resource management.
- AWS resources were monitored and managed efficiently.

6.6 CloudFront Configuration

Amazon **CloudFront** was configured to improve website performance through content delivery. During implementation, the CloudFront distribution setup was completed to the final review stage. However, the AWS Academy Learner Lab account did not have the required permission (cloudfront:CreateOriginAccessControl) to complete the distribution creation.

Results:

- CloudFront configuration process was performed.
- Amazon S3 bucket was selected as the origin.
- Distribution creation could not be completed due to AWS Academy permission restrictions.

6.7 Overall Project Outcome

The project successfully demonstrated the deployment of a static portfolio website using AWS cloud services. Amazon S3 enabled reliable website hosting, IAM would provide secure access control, CloudWatch and CloudTrail supported monitoring and logging, SNS and Systems Manager demonstrated cloud management features, and CloudFront illustrated the use of a Content Delivery Network for improved website performance. The project provided practical experience in cloud computing and web hosting using AWS.

Here is our project portfolio website link:

<http://awsgrp-portfolio-website.s3-website-us-east-1.amazonaws.com>

Conclusion

The **Hosting a Static Portfolio Website on AWS Cloud** project successfully demonstrated how Amazon Web Services (AWS) can be used to deploy and manage a static website in a secure, reliable, and scalable cloud environment. The portfolio website was developed using **HTML** and **CSS**, and hosted using **Amazon S3**, making it accessible over the internet through AWS cloud services.

Throughout the project, several AWS services were explored and implemented, including **Amazon S3** for static website hosting, **AWS IAM** for secure access management, **Amazon CloudWatch** for monitoring, **AWS CloudTrail** for activity logging, **Amazon SNS** for notification services, **AWS Systems Manager** for resource management, and **Amazon CloudFront** for improving website performance through content delivery. These services provided practical knowledge of cloud deployment, security, monitoring, and management.

The project also provided valuable hands-on experience in configuring AWS resources, managing permissions, and understanding cloud-based web hosting. Although the CloudFront distribution could not be fully created because of AWS Academy Learner Lab permission restrictions, the complete configuration process was successfully understood and documented.

Overall, the project enhanced our understanding of cloud computing concepts and demonstrated the advantages of hosting static websites on AWS, including **high availability, scalability, security, reliability, and cost-effectiveness**. This project serves as a strong foundation for future cloud-based web application development and encourages the use of AWS services in real-world software deployment.

