

A Mini Project Report  
on

# **HOME SELECTION MANAGEMENT SYSTEM**

# **TABLE OF CONTENTS**

**1.0 INTRODUCTION**

**2.0 OVERALL DESCRIPTION**

**2.1 DESCRIPTION**

**2.2 USING THE CODE**

**3.0 SYSTEM REQUIREMENT**

**4.0 CODE**

**4.1 SCREENSHOTS**

**5.0 outputs**

**7.0 CONCLUSION**

**8.0 REFERENCES**

## 1.0 INTRODUCTION

This Web application helps user to register individual home to assist you in finding the perfect home or property. Also you can find your next home from search view in your targeted area. And also it is useful for who are new to the city they can find their dream houses and apartments easily.

## 2.0 OVERALL DESCRIPTION:

### 2.1 Description:

- Any member can register and view available homes .
- There are two roles available User and Admin.
- User can register their home .
- An Admin has some extra privilege including all privilege of user.
- Admin can SMS to the user, view complaints regarding apartments and homes.

### 2.2 Using the code:

- Attach the database in your "MYSQL Server Management ".
- Run the application on localhost.

- Locate the database.

## SYSTEM REQUIREMENTS:

- xamp or wamp.
- windows 10.
- visual studio/notepad++.
- My Sql.

## Database tables:

The screenshot shows the phpMyAdmin interface for a MySQL database named 'realanu'. The left sidebar lists various databases, including 'realanu', which is currently selected. The main panel displays a table structure view for the 'realanu' database. The table list includes:

Table	Action	Rows	Type	Collation	Size	Overhead
admin	Browse Structure Search Insert Empty Drop	1	InnoDB	latin1_swedish_ci	35.0 Kib	-
contact	Browse Structure Search Insert Empty Drop	0	MyISAM	utf8_general_ci	1.0 Kib	-
hire	Browse Structure Search Insert Empty Drop	0	InnoDB	latin1_swedish_ci	35.0 Kib	-
houses	Browse Structure Search Insert Empty Drop	13	InnoDB	latin1_swedish_ci	35.0 Kib	-
landlord	Browse Structure Search Insert Empty Drop	5	InnoDB	latin1_swedish_ci	35.0 Kib	-
message	Browse Structure Search Insert Empty Drop	4	InnoDB	latin1_swedish_ci	35.0 Kib	-
properties	Browse Structure Search Insert Empty Drop	3	InnoDB	latin1_swedish_ci	35.0 Kib	-
user	Browse Structure Search Insert Empty Drop	6	InnoDB	latin1_swedish_ci	35.0 Kib	-
userbook	Browse Structure Search Insert Empty Drop	2	MyISAM	utf8_general_ci	2.1 Kib	-
<b>9 tables</b>	<b>Sum</b>	<b>34</b>	<b>InnoDB</b>	<b>utf8mb4_general_ci</b>	<b>315.1 Kib</b>	<b>0 B</b>

Below the table list, there is a 'Create table' section with a 'Name' field and a 'Number of columns' field set to 4. The 'Go' button is visible at the bottom right of this section.

## Source code:

- Home.html

```

<!DOCTYPE html>
<html lang="en-US">
<head>
<link rel="stylesheet" type="text/css" href="assets/css/style11.css" />

<meta charset="UTF-8"/>
<meta name="author" content="ANUSHA"/>
<meta name="description" content="SELECTION HOUSE"/>
<meta name="keywords" content="GIVE YOUR KEYWORDS FOR"/>
<title>HOME</title>
<style>
img {
    display: inline-block;
}

</style>

<!-- Start WOWSlider.com HEAD section -->
<link rel="stylesheet" type="text/css" href="engine1/style.css" />
<script type="text/javascript" src="engine1/jquery.js"></script>
<link rel="shortcut icon" href="assets/ico/favicon.png">

<title>Home management system</title>

<!-- Bootstrap core CSS -->
<link href="assets/css/bootstrap.css" rel="stylesheet">

<!-- Custom styles for this template -->
<link href="assets/css/main.css" rel="stylesheet">
<link rel="stylesheet" href="assets/css/icomoon.css">
<link href="assets/css/animate-custom.css" rel="stylesheet">

<link href='http://fonts.googleapis.com/css?family=Lato:300,400,700,300italic,400italic'
rel='stylesheet' type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Raleway:400,300,700' rel='stylesheet'
type='text/css'>

<script src="assets/js/jquery.min.js"></script>
<script type="text/javascript" src="assets/js/modernizr.custom.js"></script>

<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media queries -->
<!--[if lt IE 9]>
<script src="assets/js/html5shiv.js"></script>
<script src="assets/js/respond.min.js"></script>
<![endif]-->

<!-- End WOWSlider.com HEAD section --></head>
<body data-spy="scroll" data-offset="0" data-target="#navbar-main" >

```

```

<header class="header">
<div class="wrapper">
<style>
h1 { color:white; }
</style>
<h1>HOME MANAGEMENT
SYSTEM</h1>
</div>

</header>
<nav class="menu">
<div class="wrapper">
<ul>
<a href="#"><li>HOME</li></a>

<a href="about.html"><li>ABOUT US</li></a>

<a class="nav-link" href="realestate-master/landlord_reg.php">SELLER-
REGISTRATION</a></center></h5>
<a class="nav-link" href="realestate-master/landlordlogin.php">SELLER-
LOGIN</a></center></h5>

<a class="nav-link" href="realestate-master/index.php">BUYER-
REGISTER</a></center></h5>

<a href="realestate-master/adminlogin.php"><li>ADMIN</li></a>
</ul>
</div>

</nav>
<div class="slider">
<div class="wrapper">
<!-- Start WOWSlider.com BODY section -->
<div id="wowslider-container1">
<div class="ws_images"><ul>
<li></li>
<li><a href="http://wowslider.net"></a></li>
<li></li>
</ul></div>
<div class="ws_bullets"><div>
<a href="#" title=""><span>1</span></a>
<a href="#" title=""><span>3</span></a>
<a href="#" title=""><span>4</span></a>
</div></div><div class="ws_script" style="position:absolute;left:-99%"><a
href="http://wowslider.net">wow slider</a> by WOWSlider.com v9.0</div>
<div class="ws_shadow"></div>
</div>

```

```

<script type="text/javascript" src="engine1/wowslider.js"></script>
<script type="text/javascript" src="engine1/script.js"></script>
<!-- End WOWSlider.com BODY section --></div>
</div>

```

```

<div class="container" id="contact" name="contact">
    <div class="row">
        <br>
        <hr>
        <br>
        <br>
        <div class="col-lg-4">
            <h3>Our Contact Information</h3>
            <p><span class="icon icon-home"></span>Address
VCE Ibrahimbagh,HYD<br>
<span class="icon icon-phone"></span>
9347965936 <br>
<span class="icon icon-mobile"></span>
9347965936 <br>
<span class="icon icon-envelop"></span> <a
href="#"> ANUSHA@vce.ac.in</a> <br>
<span class="icon icon-twitter"></span> <a
href="#"> Visit Us On Twitter</a> <br>
<span class="icon icon-facebook"></span> <a
href="#"> Visit Us On facebook</a>
        </p>
    </div><!-- col -->

    <div class="col-lg-4">
        <h3>Reach Us Now</h3>
        <p>Send us a message now and see your dream come
true</p>
        <p>
            <form class="form-horizontal" role="form"
action="http://localhost:8080/final1/realestate-master/sendmessage.php" method="POST">
                <div class="form-group">
                    <label for="name" class="col-lg-4 control-
label"></label>
                    <div class="col-lg-10">
                        <input type="text" class="form-control"
id="text1" name="name" placeholder="Enter Your Name">
                    </div>
                </div>
                <div class="form-group">
                    <label for="email" class="col-lg-4 control-
label"></label>
                    <div class="col-lg-10">
                        <input type="email" class="form-control"
id="text1" name="email" placeholder="Enter Your Email">
                    </div>
                </div>
            </p>
        </div>
    </div>

```

```

        <div class="form-group">
            <label for="phone" class="col-lg-4 control-
label"></label>
            <div class="col-lg-10">
                <input type="text" class="form-control"
id="text1" name="phone" placeholder="Enter Your Phone Number">
            </div>
        </div>

        <div class="form-group">
            <textarea name="message" id="message" required="required"
class="form-control" rows="8" name="message" placeholder="Your Message"></textarea>
        </div>

        <div class="form-group">
            <div class="col-lg-10">
                <button type="submit" name="submit"
class="btn btn-success">SEND</button>
            </div>
        </div>

    </form><!-- form -->
</p>
</div><!-- col -->

    <div class="col-lg-4">
        <h3>We Are Always At Your Service</h3>
        <p>At Vasavi college of engineering , We are
committed to serve you better.</p>
    </div><!-- col -->

</div><!-- row -->

</div><!-- container -->

```

```

</body>
</html>
aboutus.html
<!DOCTYPE html>
<html lang="en-US">
<head>
<meta charset="UTF-8"/>
<meta name="author" content="ANUSHA"/>
<meta name="description" content="SELECTION HOUSE"/>
<meta name="keywords" content="GIVE YOUR KEYWORDS FOR"/>

```



```
<title>ANU-HOUSE</title>
<link rel="stylesheet" type="text/css" href="assets/css/style11.css" />
</head>
<body>
<header class="header">
<div class="wrapper">
<h1>HOUSE RENTAL SYSTEM</h1>
</div>
```

```
</header>
<nav class="menu">
<div class="wrapper">
<ul>
<a href="anuiindex.html"><li>HOME</li></a>
```

```
</ul>
```

```
</div>
```

```
</nav>
<div class="main" >
<div class="wrapper">
<div class="book-house">
<h3>Vasavi College of Engineering</h3>
<br/>
<p>
```

Founded in 1981 by Vasavi Academy of Education, Vasavi College of Engineering represents a rich tradition of excellence in technology-based education. A premier-league institution among the affiliates of Osmania University, Vasavi College of Engineering owes its vision to Sri Pendekanti Venkata Subbaiah, a veteran statesman of Independent India.

Vasavi College of Engineering, in its 39 years of existence, is a reputed institution in the State of Telangana. The college in its pursuit for quality in technical education has earned 3rd ranking in the State and 32nd in the country (source: Hindustan Times on 24th June 2009).

The college offers six UG (Civil, Mechanical, ECE, CSE, EEE and IT) with total sanctioned intake of 780 and 6 PG programmes [ME (ES & VLSI); ME (CE & SP); ME (ADM); ME(PS & PE); M.Tech (CSE)] and MCA with total sanctioned intake of 156].

Located in the sylvan suburbs of Ibrahimbagh in Hyderabad, Vasavi College of Engineering presents a picturesque view flanked by the glorious Golconda Fort. Situated over a sprawling 13.6 acre campus with lush lawns, a beautiful landscape, aesthetic architecture and avant-garde infrastructure, the College epitomizes an exemplary setting for higher learning.

With dedicated efforts of over three decades, Vasavi College of Engineering has emerged into a centre of excellence in engineering education. Building purposive partnerships with the industry, bolstering its wherewithal continually and evolving innovative programmes consistent with changing times, Vasavi College of Engineering strives to maintain its pre-eminent position.

The college has been granted autonomy by the University Grants Commission, New Delhi and Osmania University, Hyderabad for all the programs for a period of six years with effect from 2014-15.

## NAVIGATION

About College

</p>  
</div>

</div>  
</div>

<footer class="footer">  
<div class="wrapper"><p>&copy;<a href="#">House rent</a>.All rights reserved 2020</p>  
</div>

</footer>  
</body>  
</html>

## **SELLERREGISTRATION.PHP**

<!DOCTYPE html>  
<html lang="en">  
<head>  
 <meta charset="utf-8">  
 <meta name="viewport" content="width=device-width, initial-scale=1.0">  
 <meta name="description" content="">  
 <meta name="author" content="MUSA" >  
 <link rel="shortcut icon" href="assets/ico/favicon.png">

<title>Home management system</title>

<!-- Bootstrap core CSS -->  
<link href="assets/css/bootstrap.css" rel="stylesheet">

<!-- Custom styles for this template -->  
<link href="assets/css/main.css" rel="stylesheet">  
<link rel="stylesheet" href="assets/css/icomoon.css">  
<link href="assets/css/animate-custom.css" rel="stylesheet">

<link href='http://fonts.googleapis.com/css?family=Lato:300,400,700,300italic,400italic'  
rel='stylesheet' type='text/css'>  
<link href='http://fonts.googleapis.com/css?family=Raleway:400,300,700' rel='stylesheet'  
type='text/css'>

<script src="assets/js/jquery.min.js"></script>  
 <script type="text/javascript" src="assets/js/modernizr.custom.js"></script>

<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media queries -->

```

<!--[if lt IE 9]>
  <script src="assets/js/html5shiv.js"></script>
  <script src="assets/js/respond.min.js"></script>
<![endif]-->
</head>
<style type="text/css">
  .blair
  {
    float: right;
  }
</style>
<body data-spy="scroll" data-offset="0" data-target="#navbar-main">

<div class="blair">
  <a href="http://localhost:8080/final1/anuiindex.html"><font color="blue"><b><u><font
size="6px;">HOME</font></u></b></font></a>
</div>

<center><h1><font size="5px;">Seller Registration</font></h1></center>
<br>
<br>
  <!-- ===== HEADERWRAP ===== -->
  <div class="">

    <center>

      <form class="" role="form"
action="land_register.php" method="POST">
        <div class="col-lg-10">
          <input type="text" class="form-control"
id="text1" placeholder="Enter Your Full Name" required="required" name="fname">
        </div>
        <br>
        <br>
        <div class="col-lg-10">
          <input type="number" class="form-control"
id="text1" placeholder="Enter Your Phone Number" required="required" name="phone">
        </div>
        <br>
        <br>
        <div class="col-lg-10">
          <input type="email" class="form-control"
id="text1" placeholder="Enter Your Email Address" required="required" name="email">
        </div>
        <br>
        <br>
        <div class="col-lg-10">
          <tr>
            <td>Select Your Gender:</td>
            <td>
              <select name="gender" required="required">

```

```

        <option> Select Gender </option>
        <option> Male </option>
        <option> Female </option>
    </select>
</td>
</tr>
</div>
<br>

<div class="col-lg-10">
    <input type="text" class="form-control"
id="text1" placeholder="Enter Username You Wish To Use" required="required"
name="username">
    </div>
    <br>
    <br>
    <div class="col-lg-10">
        <input type="text" class="form-control"
id="text1" placeholder="Enter Your Location" required="required" name="location">
    </div>
    <br>
    <br>
    <div class="col-lg-10">
        <input type="password" class="form-
control" id="text1" placeholder="Enter Password You Will Use For Login" required="required"
name="password">
    </div>
    <br>
    <br>
    <div class="form-group">
        <div class="col-lg-10">
            <button type="submit" name="submit"
class="btn btn-success">REGISTER</button>
        </div>
    </div>
</form><!-- form -->

</p>
</div><!-- col -->

<!-- ===== GREYWRAP ===== -->
<br>
<br>
<br>
<br>
<div id="footerwrap">
    <div class="container">

```

```

<h4>Created by <a
href="https://www.facebook.com/blairt94/">ANUSHA</a> - Copyright 2020</h4>
</div>
<li> <a href="adminlogin.php" class="smoothScroll"><font
color="red"><b><font color="white">Administrator</font></b></font></a></li>
</div>

```

```

<!-- Bootstrap core JavaScript
===== -->
<!-- Placed at the end of the document so the pages load faster -->

```

```

<script type="text/javascript" src="assets/js/jquery-func.js"></script>
<script type="text/javascript" src="assets/js/bootstrap.min.js"></script>
<script type="text/javascript" src="assets/js/retina.js"></script>
<script type="text/javascript" src="assets/js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="assets/js/smoothscroll.js"></script>

```

```

</body>
</html>

```

### **SELLER-LOGIN.PHP**

```

<!DOCTYPE html>
<html>
<head>
<title></title>
</head>
<style type="text/css">
body
{
background-color: purple;
}
#home
{
float: right;
}
</style>>
<body>
<div id="home">
<a href="http://localhost:8080/final1/anuiindex.html"><font
color="white"><button>HOME</button></font></a>
</div>
<center>
<section id="landlogin">
<div class="container">
<div class="box last">
<div class="row">
<div class="col-sm-6">
<h1>Seller Login</h1>
<div class="status alert alert-success" style="display: none"></div>
<form method="post" action="landlord.php">
<div class="row">
<div class="col-sm-6">

```

```

        <div class="form-group">
            <label>Landlord Username:</label>
            <input type="text" class="form-control" required="required"
name="username" placeholder="Landlord Username">
        </div>
    </div>
    <br />
    <br />
    <div class="col-sm-6">
        <div class="form-group">
            <label>Landlord Password:</label>
            <input type="password" class="form-control" required="required"
name="password" placeholder="landlord Password">
        </div>
        <br />
        <br />
        <div class="form-group">
            <center> <button type="submit" name="login" class="btn btn-primary
btn-lg">LOGIN</button></center>
        </div>
    </div>

</div>

</form>
</div><!--/.col-sm-6-->

```

```

    </div><!--/.col-sm-6-->
</div><!--/.row-->
</div><!--/.box-->
</div><!--/.container-->
</section><!--/#contact-->
</center>
</body>
</html>>

```

### **BUYER-REGISTER.PHP**

```

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <meta name="description" content="">
        <meta name="author" content="MUSA" >
        <link rel="shortcut icon" href="assets/ico/favicon.png">

        <title>real estate management system</title>

        <!-- Bootstrap core CSS -->

```

```

<link href="assets/css/bootstrap.css" rel="stylesheet">

<!-- Custom styles for this template -->
<link href="assets/css/main.css" rel="stylesheet">
<link rel="stylesheet" href="assets/css/icomoon.css">
<link href="assets/css/animate-custom.css" rel="stylesheet">


<link href='http://fonts.googleapis.com/css?family=Lato:300,400,700,300italic,400italic'
rel='stylesheet' type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Raleway:400,300,700' rel='stylesheet'
type='text/css'>


<script src="assets/js/jquery.min.js"></script>
<script type="text/javascript" src="assets/js/modernizr.custom.js"></script>


<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media queries -->
<!--[if lt IE 9]>
<script src="assets/js/html5shiv.js"></script>
<script src="assets/js/respond.min.js"></script>
<![endif]-->
</head>


<body data-spy="scroll" data-offset="0" data-target="#navbar-main">


    <div id="navbar-main">
        <!-- Fixed navbar -->
        <div class="navbar navbar-inverse navbar-fixed-top">
            <div class="container">
                <div class="navbar-header">
                    <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse">
                        <span class="icon icon-shield" style="font-size:30px; color:purple;"></span>
                    </button>
                    <a class="navbar-brand hidden-xs hidden-sm" href="#home"><span class="icon icon-
shield" style="font-size:18px; color:purple;"></span></a>
                </div>
                <div class="navbar-collapse collapse">
                    <ul class="nav navbar-nav">
                        <li><a href="http://localhost:8080/final1/anuiindex.html"
class="smoothScroll"><b><font color="white">Home</font></b></a></li>
                        <li><a href="#contact" class="smoothScroll"><b><font
color="white">Contact</font></b></a></li>

                    </ul><!--/.nav-collapse -->
                </div>
            </div>
        </div>
    </div>

```

```

<div class="container" id="register" name="register">
  <div class="row">
    <br>
    <hr>
    <br>
    <br>
    <div class="">
      <center><h1>Register With Us Now</h1>
      <p>We value our clients and we offer the best services
regarding home properties</p></center>
      <p>
        <center>
          <form class="" role="form"
action="register.php" method="POST">
            <div class="col-lg-10">
              <input type="text" class="form-control"
id="text1" placeholder="Enter Your Full Name" required="required" name="fname">
            </div>
            <br>
            <br>
            <div class="col-lg-10">
              <input type="number" class="form-control"
id="text1" placeholder="Enter Your Phone Number" required="required" name="phone">
            </div>
            <br>
            <br>
            <div class="col-lg-10">
              <input type="email" class="form-control"
id="text1" placeholder="Enter Your Email Address" required="required" name="email">
            </div>
            <br>
            <br>
            <div class="col-lg-10">
              <tr>
                <td>Select Your Gender:</td>
                <td>
                  <select name="gender" required="required">
                    <option> Select Gender </option>
                    <option> Male </option>
                    <option> Female </option>
                  </select>
                </td>
              </tr>
            </div>
            <br>
            <div class="col-lg-10">
              <br>
            </div>
          </form>
        </center>
      </p>
    </div>
  </div>
</div>

```



```

        <input type="text" class="form-control"
id="text1" placeholder="Enter Username You Wish To Use" required="required"
name="username">
        </div>
        <br>
        <br>
        <div class="col-lg-10">
            <input type="text" class="form-control"
id="text1" placeholder="Enter Your Location" required="required" name="location">
        </div>
        <br>
        <br>
        <div class="col-lg-10">
            <input type="password" class="form-
control" id="text1" placeholder="Enter Password You Will Use For Login" required="required"
name="password">
        </div>
        <br>
        <br>
    </tr>

    <div class="form-group">
        <div class="col-lg-10">
            <button type="submit" name="submit"
class="btn btn-success">REGISTER</button>
        </div>
    </div>
</form><!-- form -->

</p>
</div><!-- col -->

</div><!-- row -->

</div><!-- container -->

<div class="container" id="login" name="login">
    <div class="row">
        <br>
        <h1 class="centered">LOGIN NOW</h1>
        <hr>
        <br>
        <br>
        <div class="">
            <p>Login and Book Your Preferred Property
Now</p></center>
        <p>
        <form class="" role="form"
action="account.php" method="POST">

```

```

        <div class="col-lg-10">
            <input type="text" class="form-control"
id="text1" placeholder="Enter Username" name="username">
        </div>
        <br>
        <br>
        <div class="col-lg-10">
            <input type="password" class="form-
control" id="text1" placeholder="Enter Password" name="password">
        </div>
        <br>
        <br>
        <div class="form-group">
            <div class="col-lg-10">
                <center><button type="submit" name="log"
class="btn btn-success">LOGIN</button></center>
            </div>
            <center><a
href="forgot_pass.php"><u>Forgot Password?</u></a></center>
        </div>
    </form><!-- form -->
</p>
</div><!-- col -->

    <div class="col-lg-4">
        <h3>Thank You</h3>
        <p>Thankyou for having an interest in this website..
Always keep in touch.</p>
    </div><!-- col -->

</div><!-- row -->

</div><!-- container -->

<div id="footerwrap">
    <div class="container">
        <h4>Created With Love by <a
href="https://www.facebook.com/blairt94/">ANUSHA</a> - Copyright 2020</h4>
    </div>
    <li><a href="adminlogin.php" class="smoothScroll"><font
color="red"><b><font color="white">Administrator</font></b></font></a></li>
    </div>

<!-- Bootstrap core JavaScript
===== -->
<!-- Placed at the end of the document so the pages load faster -->

<script type="text/javascript" src="assets/js/jquery-func.js"></script>
<script type="text/javascript" src="assets/js/bootstrap.min.js"></script>
<script type="text/javascript" src="assets/js/retina.js"></script>
<script type="text/javascript" src="assets/js/jquery.easing.1.3.js"></script>

```

```

<script type="text/javascript" src="assets/js/smoothscroll.js"></script>

</body>
</html>
ADMIN-LOGIN.PHP
<!DOCTYPE html>
<html>
<head>
  <title></title>
</head>
<style type="text/css">
  body
  {
    background-color: red;
  }
  #home
  {
    float: right;
  }
</style>>
<body>
  <div id="home">
    <a href="http://localhost:8080/final1/anuiindex.html"><font
color="white"><button>HOME</button></font></a>
  </div>
<center><section id="adminlogin">
  <div class="container">
    <div class="box last">
      <div class="row">
        <div class="col-sm-6">
          <h1>Authenticated Administrator</h1>
          <div class="status alert alert-success" style="display: none"></div>
          <form method="post" action="login.php">
            <div class="row">
              <div class="col-sm-6">
                <div class="form-group">
                  <label>Admin Username:</label>
                  <input type="text" class="form-control" required="required"
name="username" placeholder="Admin Username">
                </div>
              </div>
              <br />
              <br />
              <div class="col-sm-6">
                <div class="form-group">
                  <label>Admin Password:</label>
                  <input type="password" class="form-control" required="required"
name="password" placeholder="Admin Password">
                </div>
              </div>
              <br />
              <br />
            </div>
          </form>
        </div>
      </div>
    </div>
  </section>
</center>

```

```

        <div class="form-group">
            <center> <button type="submit" name="login" class="btn btn-primary
btn-lg">LOGIN</button></center>
        </div>
    </div>

</div>

</form>
</div><!--/.col-sm-6-->

```

```

    </div><!--/.col-sm-6-->
</div><!--/.row-->
</div><!--/.box-->
</div><!--/.container-->
</section><!--/#contact-->
</center>
</body>
</html>>

```

### **PROPERTY-MANAGEMENT.PHP**

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-type" content="text/html; charset=utf-8" />
    <title>Admin Home</title>
    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
    <script type="text/javascript">
        function sureToApprove(id){
            if(confirm("Are you sure you want to delete this message?")){
                window.location.href ='delete_msg.php?id='+id;
            }
        }
    </script>
</head>
<body>
<!-- Header -->
<div id="header">
    <div class="shell">

        <?php
            include 'menu.php';
        ?>
    </div>
    <!-- End Main Nav -->
</div>
</div>

```

```

<div id="container">
    <div class="shell">

        <div class="small-nav">
            <a href="index.php">Dashboard</a>
            <span>&gt;</span>
            Client Messages
        </div>

        <br />

        <div id="main">
            <div class="cl">&nbsp;</div>

            <div id="content">

                <div class="box">
                    <!-- Box Head -->
                    <div class="box-head">
                        <h2 class="left">Buyer Messages</h2>
                    </div>

                    <div class="table">
                        <table width="100%" border="0"
cellspacing="0" cellpadding="0">
                            <tr>
                                <th width="13"><input
type="checkbox" class="checkbox" /></th>
                                <th><font
color="purple">Client Name</font></th>
                                <th><font
color="purple">Client Email</font></th>
                                <th><font
color="purple">Client PhoneNo</font></th>
                                <th><font
color="purple">Message Content</font></th>
                                <th width="110"
class="ac">Admin Action</font></th>
                            </tr>
                        </table>
                    </div>
                    <?php
include '../includes/config.php';
$select = "SELECT * FROM
message";
$result = $conn-
while($row = $result-
>query($select);
>fetch_assoc()){
?>

```

```

class="checkbox" /></td>
?></td>
?></td>
?></td>
echo $row['message'] ?></a></h3></td>

<tr>
<td><input type="checkbox"
<td><?php echo $row['name']
<td><?php echo $row['email']
<td><?php echo $row['phone']
<td><h3><a href="#"><?php
href="javascript:sureToApprove(<?php echo $row['msg_id'];?>)" class="ico
del">Delete</a></td>

</tr>
<?php
}
?>
</table>
</div>

</div>
<!-- End Box -->

</div>
<!-- End Content -->

<!-- Sidebar -->
<div id="sidebar">

<!-- Box -->

</div>
</div>
<!-- End Box -->
</div>
<!-- End Sidebar -->

<div class="cl">&nbsp;</div>
</div>
<!-- Main -->
</div>
</div>
<!-- End Container -->

<!-- Footer -->
<div id="footer">
<div class="shell">

```

<span class="left">&copy; <?php echo date("Y");?> Home Management System.</span>

</div>

</div>

<!-- End Footer -->

</body>

</html>

## **BOOKING-REQUESTS.PHP**

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"<http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd>">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-type" content="text/html; charset=utf-8" />

<title>Admin Home</title>

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<script type="text/javascript">

function sureToApprove(id){

if(confirm("Are you sure you want to Approve this request?")){

window.location.href ='approve.php?id='+id;

}

}

function sureToDelete(id){

if(confirm("Are you sure you want to Delete this request?")){

window.location.href ='delete.php?id='+id;

}

}

</script>

</head>

<body>

<!-- Header -->

<div id="header">

<div class="shell">

<?php

include 'menu.php';

?>

</div>

</div>

<div id="container">

<div class="shell">

<div class="small-nav">

<a href="index.php">Dashboard</a>

<span>&gt;</span>

Buyer Requests

<center><h1><font color="green"><a href="studes.php"><u><b>View

buyer Details.</b></u></a></font></h1></center>

</div>

```

<br />

<div id="main">
    <div class="cl">&nbsp;</div>

    <div id="content">

        <div class="box">
            <!-- Box Head -->
            <div class="box-head">
                <h2 class="left">Buyer Requests</h2>

            </div>
            <div class="table">
                <table width="100%" border="0"
cellspacing="0" cellpadding="0">

                    <tr>

                        <th width="13"><input
type="checkbox" class="checkbox" /></th>

                        <th><font
color="purple">Property Id</font></th>

                        <th><font
color="purple">buyer Id</font></th>

                        <th><font
color="purple">Property Cost</font></th>

                        <th><font
color="purple">Booked By</font></th>

                        <th width="110"
class="ac"><font color="purple">Admin Action</font></th>
                    </tr>
                    <?php
include '../includes/config.php';
$select = "SELECT
userbook.houseid,userbook.name,userbook.user_id,houses.house_id,houses.rent_cost,user.fnam
e
FROM
userbook LEFT JOIN houses ON userbook.houseid=houses.house_id LEFT JOIN user ON
userbook.user_id=user.fname";

$result =
mysqli_query($conn,$select) or die(mysqli_error($conn));
while($row = $result-
>fetch_assoc()){

        ?>
        <tr>

```



```

class="checkbox" /></td>
echo $row['houseid'] ?></a></h3></td>

$row['user_id'] ?></a></td>
$row['rent_cost'] ?></a></td>
$row['name'] ?></a></td>

<td><a
href="javascript:sureToApprove(<?php echo $row['houseid'];?>)" class="ico
del">Approve</a><a href="javascript:sureToDelete(<?php echo $row['houseid'];?>)" class="ico
edit">Delete</a></td>

</tr>
<?php
}
?>
</table>

```

```

</div>
<center><h1><a href="clientreport.php"><font
color="blue">View Report</font></h1></center>

```

```

</div>
<!-- End Box -->

```

```

</div>
<!-- End Content -->

```

```

<div class="cl">&nbsp;</div>
</div>
<!-- Main -->
</div>
</div>
<!-- End Container -->

<!-- Footer -->
<div id="footer">
<div class="shell">
<span class="left">&copy; <?php echo date("Y");?> Home Management
System</span>
<span class="right">
Designed by ANUSHA</a>

```

```

        </span>
    </div>
</div>
<!-- End Footer -->

</body>
</html>
VIEW-BUYERS.PHP
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-type" content="text/html; charset=utf-8" />
    <title>Admin Home</title>
    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
    <script type="text/javascript">
        function sureToEdit(id){
            if(confirm("Are you sure you want to Edit this request?")){
                window.location.href ='edit1.php?id='+id;
            }
        }
        function sureToDelete(id){
            if(confirm("Are you sure you want to Delete this request?")){
                window.location.href ='delete1.php?id='+id;
            }
        }
    </script>
</head>
<body>
<!-- Header -->
<div id="header">
    <div class="shell">

        <?php
            include 'menu.php';
        ?>
    </div>
</div>

<div id="container">
    <div class="shell">

        <div class="small-nav">
            <a href="index.php">Dashboard</a>
            <span>&gt;</span>
            Buyer Requests
            <center><h1><font color="green"><a href="studes.php"><u><b>View
Buyer Details.</b></u></a></font></h1></center>
        </div>

        <br />

```

```

<div id="main">
    <div class="cl">&nbsp;</div>

    <div id="content">

        <div class="box">
            <!-- Box Head -->
            <div class="box-head">
                <h2 class="left">Buyer Requests</h2>

            </div>
            <div class="table">
                <table width="100%" border="0"
cellspacing="0" cellpadding="0">

                    <tr>

                        <th width="13"><input
type="checkbox" class="checkbox" /></th>

                        <th><font
color="purple">Buyer Id</font></th>

                        <th><font color="purple">Full
Name</font></th>

                        <th><font
color="purple">Email</font></th>

                        <th><font
color="purple">Phone Number</font></th>

                        <th><font
color="purple">Location</font></th>

                        <th width="110"
class="ac"><font color="purple">Admin Action</font></th>
                    </tr>
                    <?php
include '../includes/config.php';
$select = "SELECT * FROM
user";

$result =
mysqli_query($conn,$select) or die(mysqli_error($conn));
while($row = $result-
>fetch_assoc()){

                    ?>
                    <tr>

                        <td><input type="checkbox"
class="checkbox" /></td>

```

```

echo $row['user_id'] ?></a></h3></td>
<td><h3><a href="#"><?php
$
row['fname'] ?></a></td>
<td><a href="#"><?php echo
$
row['email'] ?></a></td>
<td><a href="#"><?php echo
$
row['phone'] ?></a></td>
<td><a href="#"><?php echo $row['location'] ?></a></td>
<td><a
href="javascript:sureToEdit(<?php echo $row['user_id'];?>)" class="ico del">Edit</a><a
href="javascript:sureToDelete(<?php echo $row['user_id'];?>)" class="ico edit">Delete</a></td>
</tr>
<?php
}
?>
</table>

</div>

</div>
<!-- End Box -->

</div>
<!-- End Content -->

<div class="cl">&nbsp;</div>
</div>
<!-- Main -->
</div>
</div>
<!-- End Container -->

<!-- Footer -->
<div id="footer">
<div class="shell">
<span class="left">&copy; <?php echo date("Y");?> Home Management
System</span>
<span class="right">
Designed by ANUSHA</a>
</span>
</div>
</div>

```

<!-- End Footer -->

</body>

</html>

## **SEARCH.PHP**

<?php

```
require_once('includes/db3.php');
```

```
require_once('includes/functions.php');
```

```
if ($_SERVER['REQUEST_METHOD'] == "POST"){
```

```
    $place = prep_input($_POST['place']);
```

```
    $sql = "INSERT INTO search (place) VALUES (";
```

```
    $sql .= $place. ")";
```

```
if($place!="HYD" && $place!="KODAD"){
```

```
    echo " HOMES ARE AVAILABLE IN HYD AND KODAD ";
```

```
    }
```

```
else
```

```
{
```

```
if($place=="HYD"){
```

```
    if (mysqli_query($conn, $sql)){
```

```
        header("Location:indexhyd.php");
```

```
    }
```

```
}
```

```
if($place=="KODAD"){
```

```
    if (mysqli_query($conn, $sql)){
```

```
        header("Location:indexkdd.php");
```

```
    }
```

```
}
```

```
}
```

```
}
```

```
?>
```

<!DOCTYPE html>

<html lang="en-US">

<head>

<meta charset="UTF-8"/>

<meta name="author" content="ANUSHA"/>

```

<meta name="description" content="SELECTION HOUSE"/>
<meta name="keywords" content="GIVE YOUR KEYWORDS FOR"/>
<title>ANU-HOUSE</title>
<link rel="stylesheet" href="styles/style.css">

</head>
<body bgcolor="lightgreen">
<header class="header">
<div class="wrapper">
<center><h1>HOUSE RENTAL SYSTEM</h1></center>
</div>

</header>
<nav class="menu">
<div class="wrapper">
<ul>
<a href="http://localhost:8080/final1/anuiindex.html"><li>HOME</li></a>

</ul>
</div>

</nav>
<div class="main" >
<div class="wrapper">
<div class="book-house">
<div class="booking-detils">
<center><h3>enter details to search</h3>
<h3>Only houses are available in HYD and KODAD</h3>

<form action="searchanu.php" method="post">
<span class="search">search</span>
<input type="text" name="place" placeholder="enter place HYD or KODAD "/><center><br/>

<center><input type="submit" name="submit" placeholder="SEND"/>
<input type="reset" name="reset" placeholder="RESET"/></center><br>

</form>
</div>
</div>
</div>
</div>
</div>
</body>
</html>

```

## **INDEX-HYD.PHP**

```

<?php
    session_start();
    if($_SESSION['logged'] != 'true'){
        header('location:index.php');}
    require("includes/config.php");

```

```

        $id=$_SESSION['userid'];
        $result = mysqli_query($conn,"SELECT * FROM user WHERE user_id ='$id'") or
die(mysqli_error($conn));
        $test = mysqli_fetch_array($result);
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <title>real estate management system.</title>
    <meta charset="utf-8">
    <meta name="author" content="pixelhint.com">
    <meta name="description" content="La casa free real state fully responsive html5/css3
home page website template"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0, minimum-
scale=1.0" />

    <link rel="stylesheet" type="text/css" href="css/reset.css">
    <link rel="stylesheet" type="text/css" href="css/responsive.css">

    <script type="text/javascript" src="js/jquery.js"></script>
    <script type="text/javascript" src="js/main.js"></script>
    <script type="text/javascript" src="js/main.js"></script>

    <script>
/*$( '#search' ).keyup(function()
{
    var searchterm=$('#search').val();
    if(searchitem!="")
    {
        $.post('search.php',{searchterm:searchterm}, function(data))
        {
            $('#searchresults').html(data);
        });
    }
    else
    {
        $('#searchresults').html("");
    }
});
</script>
</head>
<body>

    <?php
        include 'header3.php';
?>

        <section class="caption">
            <h2 class="caption" style="text-align: center"><font
color="blue">This is The Best Place To Find A Property of Your Choice</font></h2>

```

```

        <h2 class="title"><a href="#">Welcome Client: <?php echo
$test['fname'] . "" ?>! </a></h2>

        <h3 class="properties" style="text-align: center"><font
color="purple">Different Types of Properties At Your Fingertip. Book Now</font></h3>
    </section>
</section><!-- end hero section -->

    <section class="listings">
        <div class="wrapper">
            <ul class="properties_list">
                <?php
                    include 'includes/config.php';
                    $sel = "SELECT * FROM houses WHERE
status = 'Available'";

                    $rs = $conn->query($sel);
                    while($rws = $rs->fetch_assoc()){
if($rws['location']=="hyd" || $rws['location']=="HYD"){

                    ?>
                        <li>
                            <a href="book_House.php?id=<?php echo
$rws['house_id'] ?>">
                                
                                </a>
                                <span class="price"><?php echo
".$rws['rent_cost'];?></span>
                                <div class="property_details">
                                    <h1>
                                        <a href="book_house.php?id=<?php
echo $rws['house_id'] ?>"><?php echo 'Property Type: '.$rws['house_type'];?></a>
                                    </h1>
                                    <h2><font color="purple">Location:</font>
<span class="property_size"><?php echo $rws['location'];?></span></h2>

                                </div>
                            </li>
                        <?php
                    }}
                ?>
            </ul>
        </div>
    </section>
<!-- end listing section -->

```



```
</body>
```

```
</html>
```

## **INDEX-KODAD.PHP**

```
<?php
```

```
    session_start();
```

```
    if($_SESSION['logged'] != 'true'){
```

```
        header('location:index.php');}
```

```
    require("includes/config.php");
```

```
    $id=$_SESSION['userid'];
```

```
    $result = mysqli_query($conn,"SELECT * FROM user WHERE user_id ='$id'") or
```

```
die(mysqli_error($conn));
```

```
    $test = mysqli_fetch_array($result);
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <title>real estate management system.</title>
```

```
    <meta charset="utf-8">
```

```
    <meta name="author" content="pixelhint.com">
```

```
    <meta name="description" content="La casa free real state fully responsive html5/css3  
home page website template"/>
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0, minimum-  
scale=1.0" />
```

```
    <link rel="stylesheet" type="text/css" href="css/reset.css">
```

```
    <link rel="stylesheet" type="text/css" href="css/responsive.css">
```

```
    <script type="text/javascript" src="js/jquery.js"></script>
```

```
    <script type="text/javascript" src="js/main.js"></script>
```

```
    <script type="text/javascript" src="js/main.js"></script>
```

```
    <script>
```

```
    /*$('#search').keyup(function()
```

```
    {
```

```
        var searchterm=$('#search').val();
```

```
        if(searchitem!="")
```

```
        {
```

```
            $.post('search.php',{searchterm:searchterm}, function(data))
```

```
            {
```

```
                $('#searchresults').html(data);
```

```
            });
```

```
        }
```

```
    else
```

```
    {
```

```
        $('#searchresults').html("");
```

```
    }
```

```
    });
```

```

</script>
</head>
<body>
    <?php
        include 'header3.php';
    ?>

    <section class="caption">
        <h2 class="caption" style="text-align: center"><font
color="blue">This is The Best Place To Find A Property of Your Choice</font></h2>
        <h2 class="title"><a href="#">Welcome Client: <?php echo
$test['fname'] . "" ?>! </a></h2>

        <h3 class="properties" style="text-align: center"><font
color="purple">Different Types of Properties At Your Fingertip. Book Now</font></h3>
    </section>
</section><!-- end hero section -->

    <section class="listings">
        <div class="wrapper">
            <ul class="properties_list">
                <?php
                    include 'includes/config.php';
                    $sel = "SELECT * FROM houses WHERE
status = 'Available'";

                    $rs = $conn->query($sel);
                    while($rws = $rs->fetch_assoc()){
if($rws['location']=='kdd" || $rws['location']=='kodad" || $rws['location']=='KODAD" ){

                        ?>
                        <li>
                            <a href="book_House.php?id=<?php echo
$rws['house_id'] ?>">
                                
                                </a>
                                <span class="price"><?php echo
".$rws['rent_cost'];?></span>
                                <div class="property_details">
                                    <h1>
                                        <a href="book_house.php?id=<?php
echo $rws['house_id'] ?>"><?php echo 'Property Type: '.$rws['house_type'];?></a>
                                    </h1>
                                    <h2><font color="purple">Location:</font>
<span class="property_size"><?php echo $rws['location'];?></span></h2>

```

```

        </div>
    </li>
<?php
    }}
?>
</ul>
</div>
</section>
<!-- end listing section -->

```

```

</body>
</html>

```

## **BOOK-HOUSE.PHP**

```

<?php
    session_start();
    if($_SESSION['logged'] != 'true'){
        header('location:index.php');}
    require("includes/config.php");
    $id=$_SESSION['userid'];
    $result = mysqli_query($conn,"SELECT * FROM user WHERE user_id ='$id'")or
die(mysqli_error($conn));
    $test = mysqli_fetch_array($result);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Property Details</title>
    <meta charset="utf-8">
    <meta name="author" content="pixelhint.com">
    <meta name="description" content="La casa free real state fully responsive html5/css3
home page website template"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0, minimum-
scale=1.0" />

    <link rel="stylesheet" type="text/css" href="css/reset.css">
    <link rel="stylesheet" type="text/css" href="css/responsive.css">

    <script type="text/javascript" src="js/jquery.js"></script>
    <script type="text/javascript" src="js/main.js"></script>
</head>
<style>
body
{

}
</style>
<body>

```

```

<div>
    <?php
        include 'headerbook.php';
    ?>
</div>

    <br>
    <br>
<!-- end hero section -->
    <section class="listings">
        <div class="wrapper">
            <ul class="properties_list">
                <?php
                    include 'includes/config.php';
                    $sel = "SELECT * FROM houses WHERE
house_id = '$_GET[id]'";

                    $rs = $conn->query($sel);
                    $rws = $rs->fetch_assoc();
                    $house_id = $rws['house_id'];
                    $status = $rws['status'];
                    $name = $rws['name'];
                    $contact = $rws['contact'];

                ?>
                <li>
                    <a href="">
                        
                    </a>
                    <span class="price"><?php echo
". $rws['rent_cost'];?></span>
                    <div class="property_details">
                        <h1>
                            <a href="book_house.php?id=<?php
echo $rws['house_id'] ?>"><?php echo 'Property Type: ' . $rws['house_type'];?></a>
                        </h1>
                        <h2>Location: <span
class="property_size"><?php echo $rws['location'];?></span></h2>
                        <h3><font color="blue">Property Number:
</font><span class="property_size"><?php echo $rws['house_id'];?></span></h3>
                        <h3><font color="blue">Status: </font><span
class="property_size"><?php echo $rws['status'];?></span></h3>
                        <h3><font color="blue">Seller Name:
</font><span class="property_size"><?php echo $rws['name'];?></span></h3>
                        <h3><font color="blue">Seller Contact:
</font><span class="property_size"><?php echo $rws['contact'];?></span></h3>
                        <h3><a href="bookreq.php?id=<?php echo
$rws['house_id']?>"><font color="green">BOOK</font></a></h3>
                    </div>
                </li>

```

```

<br>
<div id= "contacts">
    <p><u><font color="purple">Our Contacts</font></u></p>
    <p><font size="5px;">Company: </font><font color="purple"><font
size="5px;">ANUSHA@ VCE,IBRAHIMBAGH,HYD</font></font></p>
    <p><font size="5px;">Phone Number: </font><font color="purple"><font
size="5px;">9347965936</font></font></p>
    <p><font size="5px;">Email:</font><font color="purple"><font
size="5px;">ganapavarapuanusha@gmail.com</font></font></p>

<br>
<br>

</div>
</ul>
<h2>Location Descriptions: <span class="property_size"> </span></h2>
<?php echo $rws['location_description'];?>
</div>


</section>    <!-- end listing section -->


</body>
</html>

```


## **Outputs:**

### **HOME PAGE**





## ABOUTUS PAGE



## SELLER-REGISTRATION PAGE:

Home management system x localhost:8080 / 127.0.0.1 / realestate-master/landlord\_reg.php

Seller Registration [HOME](#)

Enter Your Full Name

Enter Your Phone Number

Enter Your Email Address

Select Your Gender:

Enter Your Location

Created by ANUSHA - Copyright 2020  
Administrator

Type here to search

13:25 14-12-2020

## **SELLER-LOGIN PAGE**

localhost:8080/final1/realestate-master/landlordlogin.php

Seller Login [HOME](#)

Landlord Username:

Landlord Password:

Type here to search

13:26 14-12-2020

## **BUYER-REGISTRATION PAGE:**

real estate management system x localhost:8080 / 127.0.0.1 / realo x +

localhost:8080/final1/realestate-master/index.php

Home Contact

### Register With Us Now

We value our clients and we offer the best services regarding home properties

Enter Your Full Name

Enter Your Phone Number

Enter Your Email Address

Select Your Gender:

Enter Your Location

...

REGISTER

### LOGIN NOW

Login and Book Your Preferred Property Now

Enter Your Username

...

LOGIN

[Forgot Password?](#)

Thank You

Thank you for having an interest in this website.

Always keep in touch

Type here to search

13:27 14-12-2020

## ADMIN PAGE:

localhost:8080/final1/realestate- x localhost:8080 / 127.0.0.1 / realo x +

localhost:8080/final1/realestate-master/adminlogin.php

### Authenticated Administrator

Admin Username:

Admin Password:

LOGIN

HOME

Type here to search

13:27 14-12-2020

## ADMIN INDEX PAGE



Admin Home x localhost:8080 / 127.0.0.1 / realo x +

localhost:8080/final1/realstate-master/admin/index.php

## HOME MANAGEMENT SYSTEM

Welcome Administrator | [Log out](#)

Dashboard Property Management Booking Requests View buyers Add New Property Add New sellers Add New buyer

Dashboard > Client Messages

### Buyer Messages

<input type="checkbox"/>	Client Name	Client Email	Client PhoneNo	Message Content	Admin Action
<input type="checkbox"/>	Victor Kieme	kieme@gmail.com	722334455	Hey Admin, Register me to the system. My details are: UVIVPVIWCFVIVCFVVKdVikCVikCVikvdddeugcdweicdvI9DF9F2P9DRF2378FD2YUC7	<a href="#">Delete</a>
<input type="checkbox"/>	Tony	blairman001@gmail.com	715096908	I need a property, I am from USA.	<a href="#">Delete</a>
<input type="checkbox"/>	hjjk hjj	ganapavarapunavya@gmail.com	2147483647	hlo	<a href="#">Delete</a>
<input type="checkbox"/>			0	nm	<a href="#">Delete</a>

© 2020 Home Management System.

Type here to search

13:29 14-12-2020

## PROPERTY-PAGE

Admin Home x localhost:8080 / 127.0.0.1 / realo x +

localhost:8080/final1/realstate-master/admin/house\_management.php





## HOME MANAGEMENT SYSTEM

Welcome Administrator | [Log out](#)

Dashboard Property Management Booking Requests View buyers Add New Property Add New sellers Add New buyer

Dashboard > Property Management


### All Properties

<input type="checkbox"/>	Property id	Property type	Cost	Property Location	Location Description	Maximum Capacity	Property Status	Property Image	Seller Name	Seller Contact	Admin Action
<input type="checkbox"/>	31	House	100,000	Hyd	Good Land	5 Rooms	booked		0	<a href="#">Accept</a> <a href="#">Delete</a> <a href="#">Edit</a>	
<input type="checkbox"/>	32	House	120,000	KODAD	Good	4 Rooms	Available		0	<a href="#">Accept</a> <a href="#">Delete</a> <a href="#">Edit</a>	
<input type="checkbox"/>	33	House	120,000	KODAD	Good	5 Rooms	Available		0	<a href="#">Accept</a> <a href="#">Delete</a> <a href="#">Edit</a>	
<input type="checkbox"/>											


Type here to search

13:29 14-12-2020


## BOOKING REQUESTS PAGE




## SEARCH PAGE




## HYD-HOMES PAGE



## PROPERTY-DESCRIPTION PAGE



## BOOK-HOME PAGE



### **Conclusion:**

The Internet has become a major resource in modern business . This Web application helps user to register individual home or apartment to assist you in finding the perfect rental home or property. Also you can find your next rental from search view in your targeted area. And also it is useful for who are new to the city they can find their dream houses and apartments easily.

### **References:**

- Anne Boehm, Joel Murach, Murach's ASP.NET 4 Web Programming with C# 2010, 4th Edition, Murach, 2010.
- Bryan Syverson, Joel Murach, Murach's SQL Server 2012 for developers, Murach, 2012.
- <http://www.w3schools.com/> HYPERLINK "http://www.w3schools.com/%20HYPERLINK%20%22http://www.w3schools.com/%22"HYPERLINK "http://www.w3schools.com/"

- <http://msdn.microsoft.com/> HYPERLINK  
"http://msdn.microsoft.com/%20HYPERLINK%20%22http://msdn.microsoft.com/%22"HYP  
ERLINK "http://msdn.microsoft.com/"
- <http://agilemodeling.com/> HYPERLINK  
"http://agilemodeling.com/%20HYPERLINK%20%22http://agilemodeling.com/%22"HYPE  
RLINK "http://agilemodeling.com/"
- <http://csharp-video-tutorials.blogspot.co.uk/p/free-dot-net-video-tutorials-for.html>  
  
HYPERLINK "http://csharp-video-tutorials.blogspot.co.uk/p/free-dot-net-video-tutorials-  
HYPERLINK "http://csharp-video-tutorials.blogspot.co.uk/p/free-dot-net-video-tutorials-  
for.html%20HYPERLINK%20%22http://csharp-video-tutorials.blogspot.co.uk/p/free-dot-  
net-video-tutorials-for.html%22"for.html"
- <http://csharp-video-tutorials.blogspot.com/p/free-aspnet-video-tutorial.html> HYPERLINK  
"http://csharp-video-tutorials.blogspot.com/p/free-aspnet-video-  
tutorial.html%20HYPERLINK%20%22http://csharp-video-tutorials.blogspot.com/p/free-  
aspnet-video-tutorial.html%22" HYPERLINK "http://csharp-video-  
tutorials.blogspot.com/p/free-aspnet-video-  
tutorial.html%20HYPERLINK%20%22http://csharp-video-tutorials.blogspot.com/p/free-  
aspnet-video-tutorial.html%22" HYPERLINK "http://csharp-video-  
tutorials.blogspot.com/p/free-aspnet-video-tutorial.html"

<http://csharp-video-tutorials.blogspot.com/p/free-adonet-video-tutorial.html>

HYPERLINK ["http://csharp-video-tutorials.blogspot.com/p/free-adonet-video-tutorial.html"](http://csharp-video-tutorials.blogspot.com/p/free-adonet-video-tutorial.html)