

|   |   |                 |                       |                   |         |
|---|---|-----------------|-----------------------|-------------------|---------|
| <div>Details</div> <div>Fields &amp; Relationships</div> <div>Page Layouts</div> <div>Lightning Record Pages</div> <div>Buttons, Links, and Actions</div> <div>Compact Layouts</div> <div>Field Sets</div> <div>Object Limits</div> <div>Record Types</div> <div>Related Lookup Filters</div> <div>Search Layouts</div> <div>List View Button Layout</div> <div>Restriction Rules</div> <div>Scoping Rules</div> <div>Triggers</div> <div>Flow Triggers</div> <div>Validation Rules</div> | <div>Fields &amp; Relationships</div> <div>8 Items, Sorted by Field Label</div> <div>Quick Find</div> <div>New Deleted Fields Field Dependencies Set History Tracking</div> |                 |                       |                   |         |
|   | FIELD LABEL   | FIELD NAME      | DATA TYPE             | CONTROLLING FIELD | INDEXED |
|   | class   | class__c        | Number(18, 0)         |                   | ▾       |
|   | Created By  | CreatedBy       | Lookup(User)          |                   |         |
|   | Last Modified By  | LastModifiedBy  | Lookup(User)          |                   |         |
|   | marks   | marks__c        | Number(18, 0)         |                   | ▾       |
|   | phone number  | phone_number__c | Phone                 |                   | ▾       |
|   | results   | results__c      | Picklist              |                   | ▾       |
|   | school  | school__c       | Master-Detail(school) |                   | ✓ ▾     |
|   | student Name  | Name            | Text(80)              |                   | ✓ ▾     |

|   |  |                 |                       |                   |         |
|---|--|-----------------|-----------------------|-------------------|---------|
| <div>Details</div> <div>Fields &amp; Relationships</div> <div>Page Layouts</div> <div>Lightning Record Pages</div> <div>Buttons, Links, and Actions</div> <div>Compact Layouts</div> <div>Field Sets</div> <div>Object Limits</div> <div>Record Types</div> <div>Related Lookup Filters</div> <div>Search Layouts</div> <div>List View Button Layout</div> <div>Restriction Rules</div> <div>Scoping Rules</div> <div>Triggers</div> <div>Flow Triggers</div> <div>Validation Rules</div> | <div>Fields &amp; Relationships</div> <div>8 Items, Sorted by Field Label</div> <div><input type="text" value="Quick Find"/></div> <div>New Deleted Fields Field Dependencies Set History Tracking</div> |                 |                       |                   |         |
|   | FIELD LABEL  | FIELD NAME      | DATA TYPE             | CONTROLLING FIELD | INDEXED |
|   | class  | class__c        | Number(18, 0)         |                   | ▾       |
|   | Created By   | CreatedBy       | Lookup(User)          |                   |         |
|   | Last Modified By   | LastModifiedBy  | Lookup(User)          |                   |         |
|   | marks  | marks__c        | Number(18, 0)         |                   | ▾       |
|   | phone number   | phone_number__c | Phone                 |                   | ▾       |
|   | results  | results__c      | Picklist              |                   | ▾       |
|   | school   | school__c       | Master-Detail(school) |                   | ✓ ▾     |
|   | student Name   | Name            | Text(80)              |                   | ✓ ▾     |

school  
New Custom Field

Help for this Page

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label

Field Name

Description

Help Text

Required ☐ Always require a value in this field in order to save a record

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Default Value

Show Formula Editor

Use formula syntax. Enclose text and picklist value API names in double quotes: ("the\_text"). Include numbers without quotes: (24). Show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadata.Type\_\_mdt.RecordAPINameField\_\_c

Previous Next Cancel



Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Details

Description

API Name  
parent\_\_c

Custom  
✓

Singular Label  
parent

Plural Label  
parents

Enable Reports  
✓

Track Activities

Track Field History

Deployment Status  
Deployed

Help Settings  
Standard salesforce.com Help Window

EditDelete



### student

## New Custom Field

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

**Data Type**

☒ None Selected

Select one of the data types below.

☐ Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☐ Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

☐ Checkbox

Allows users to select a True (checked) or False (unchecked) value.

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☐ Date

Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☐ Email

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ Number

Allows users to enter any number. Leading zeros are removed.

Permission Set  
principal permission

## Permission Set Overview

|                                |                          |                  |                                   |
|--------------------------------|--------------------------|------------------|-----------------------------------|
| Description                    |                          | API Name         | principal_permission              |
| License                        |                          | Namespace Prefix |                                   |
| Session Activation Required    | <input type="checkbox"/> | Created By       | Anvesh Kanne, 17/10/2023, 7:47 am |
| Permission Set Groups Added To | 0                        | Last Modified By | Anvesh Kanne, 17/10/2023, 7:47 am |

## Apps

### Assigned Apps

**Assigned Apps**  
Settings that specify which apps are visible in the app menu

### Assigned Connected Apps

**Assigned Connected Apps**  
Settings that specify which connected apps are visible in the app menu

### Object Settings

**Object Settings**  
Permissions to access objects and fields, and settings such as tab availability

### App Permissions

Permissions to perform app-specific actions, such as "Manage Call Centers"

## Apex Class Access

Permissions to execute Apex classes

### Visualforce Page Access

**Visualforce Page Access**  
Permissions to execute Visualforce pages

### External Data Source Access

### External Data Source Access

Permissions to authenticate against external data sources

### Flow Access

### Flow Access

Permissions to execute Flows

### Named Credential Access

**Named Credential Access**  
Permissions to authenticate against named credentials

External Credential Principal Access

Permissions to authenticate with external credential principal mappings

### Custom Permissions

**Custom Permissions**  
Permissions to access custom processes and apps

### Custom Metadata Types

### Permissions to access custom metadata types

### Custom Settings Definitions

Permissions to access custom settings

student Custom Field class [Validation Rules](#) (0)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

|                           |                                   |             |                                   |
|---------------------------|-----------------------------------|-------------|-----------------------------------|
| Field Information         |                                   |             |                                   |
| Field Label               | class                             | Object Name | student                           |
| Field Name                | class                             | Data Type   | Number                            |
| API Name                  | class__c                          |             |                                   |
| Description               |                                   |             |                                   |
| Help Text                 |                                   |             |                                   |
| Data Owner                |                                   |             |                                   |
| Field Usage               |                                   |             |                                   |
| Data Sensitivity Level    |                                   |             |                                   |
| Compliance Categorization |                                   |             |                                   |
| Created By                | Anvesh Kanne, 17/10/2023, 7:26 am | Modified By | Anvesh Kanne, 17/10/2023, 7:26 am |

|                 |                          |
|-----------------|--------------------------|
| General Options |                          |
| Required        | <input type="checkbox"/> |
| Unique          | <input type="checkbox"/> |
| External ID     | <input type="checkbox"/> |
| AI Prediction   | <input type="checkbox"/> |
| Default Value   |                          |

|                |    |
|----------------|----|
| Number Options |    |
| Length         | 18 |
| Decimal Places | 0  |

Validation Rules [New](#) [Validation Rules Help](#) (?)

No validation rules defined.

[Back To Top](#) Always show me [more records per related list](#)



Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

|                           |                                   |
|---------------------------|-----------------------------------|
| Field Information         |                                   |
| Field Label               | marks                             |
| Field Name                | marks                             |
| API Name                  | marks__c                          |
| Description               |                                   |
| Help Text                 |                                   |
| Data Owner                |                                   |
| Field Usage               |                                   |
| Data Sensitivity Level    |                                   |
| Compliance Categorization |                                   |
| Created By                | Anvesh Kanne, 17/10/2023, 7:28 am |
| Modified By               | Anvesh Kanne, 17/10/2023, 7:28 am |

|                 |                          |
|-----------------|--------------------------|
| General Options |                          |
| Required        | <input type="checkbox"/> |
| Unique          | <input type="checkbox"/> |
| External ID     | <input type="checkbox"/> |
| AI Prediction   | <input type="checkbox"/> |
| Default Value   |                          |

|                |    |
|----------------|----|
| Number Options |    |
| Length         | 18 |
| Decimal Places | 0  |

|                              |  |
|------------------------------|--|
| Validation Rules             |  |
| No validation rules defined. |  |

Help for this Page 

[Back to parent](#)

Validation Rules (0)

### Custom Field Definition Detail

[Edit](#)
[Set Field-Level Security](#)
[View Field Accessibility](#)
[Where is this used?](#)

| Field Information         |                                   |   |
|---------------------------|-----------------------------------|---|
| Field Label               | address                           | Object Name <u>parent</u>                     |
| Field Name                | address                           | Data Type <u>Text Area</u>                    |
| API Name                  | address__c                        |   |
| Description               |                                   |   |
| Help Text                 |                                   |   |
| Data Owner                |                                   |   |
| Field Usage               |                                   |   |
| Data Sensitivity Level    |                                   |   |
| Compliance Categorization |                                   |   |
| Created By                | Anvesh Kanne, 17/10/2023, 7:32 am | Modified By Anvesh Kanne, 17/10/2023, 7:32 am |

### General Options

Required

Default Value

### Validation Rules

New

Validation Rules Help ?

No validation rules defined.

[^ Back To Top](#)

Always show me  more records per related list

[Back to student](#)

Validation Rules [5]

[Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

### Field Information

|                           |                                   |             |                                   |
|---------------------------|-----------------------------------|-------------|-----------------------------------|
| Field Label               | results                           | Object Name | student                           |
| Field Name                | results                           | Data Type   | Picklist                          |
| API Name                  | results__c                        |             |                                   |
| Description               |                                   |             |                                   |
| Help Text                 |                                   |             |                                   |
| Data Owner                |                                   |             |                                   |
| Field Usage               |                                   |             |                                   |
| Data Sensitivity Level    |                                   |             |                                   |
| Compliance Categorization |                                   |             |                                   |
| Created By                | Anvesh Kanne, 17/10/2023, 7:24 am | Modified By | Anvesh Kanne, 17/10/2023, 7:24 am |

### General Options

| Required | Default Value |
|----------|---------------|
|          |               |

### Picklist Options

Restrict picklist to the values defined in the value set ☒

Controlling Field Now

### Picklist Values Used

|                                     |               |
|-------------------------------------|---------------|
| Active and inactive picklist values | 2 (1,000 max) |
|-------------------------------------|---------------|

### Field Dependencies

No dependencies defined.

### Validation Rules

No validation rules defined.

|   |  |                 |                       |                   |         |
|---|--|-----------------|-----------------------|-------------------|---------|
| <div>Details</div> <div>Fields &amp; Relationships</div> <div>Page Layouts</div> <div>Lightning Record Pages</div> <div>Buttons, Links, and Actions</div> <div>Compact Layouts</div> <div>Field Sets</div> <div>Object Limits</div> <div>Record Types</div> <div>Related Lookup Filters</div> <div>Search Layouts</div> <div>List View Button Layout</div> <div>Restriction Rules</div> <div>Scoping Rules</div> <div>Triggers</div> <div>Flow Triggers</div> <div>Validation Rules</div> | <div>Fields &amp; Relationships</div> <div>8 Items, Sorted by Field Label</div> <div><input type="text" value="Quick Find"/></div> <div>New Deleted Fields Field Dependencies Set History Tracking</div> |                 |                       |                   |         |
|   | FIELD LABEL  | FIELD NAME      | DATA TYPE             | CONTROLLING FIELD | INDEXED |
|   | class  | class__c        | Number(18, 0)         |                   | ▾       |
|   | Created By   | CreatedBy       | Lookup(User)          |                   |         |
|   | Last Modified By   | LastModifiedBy  | Lookup(User)          |                   |         |
|   | marks  | marks__c        | Number(18, 0)         |                   | ▾       |
|   | phone number   | phone_number__c | Phone                 |                   | ▾       |
|   | results  | results__c      | Picklist              |                   | ▾       |
|   | school   | school__c       | Master-Detail(school) |                   | ✓ ▾     |
|   | student Name   | Name            | Text(80)              |                   | ✓ ▾     |







- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout
- Restriction Rules
- Scoping Rules
- Triggers
- Flow Triggers
- Validation Rules

school

## New Custom Field

Help for this Page

Step 2 of 4

Step 2. Enter the details

Previous Next Cancel

Field Label

Field Name

Description

Help Text

Required ☐ Always require a value in this field in order to save a record

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Default Value

Show Formula Editor

Use formula syntax. Enclose text and picklist value API names in double quotes: ("the\_text"). Include numbers without quotes: (24). Show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadata.Type\_\_mdt.RecordAPINameField\_\_c

Previous Next Cancel

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Details

Description

API Name  
school\_\_c

Custom  
✓

Singular Label  
school

Plural Label  
schools

Enable Reports  
✓

Track Activities

Track Field History

Deployment Status  
Deployed

Help Settings  
Standard salesforce.com Help Window

EditDelete

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Details

Description

API Name  
student\_\_c

Custom  
✓

Singular Label  
student

Plural Label  
students

Enable Reports  
✓

Track Activities

Track Field History

Deployment Status  
Deployed

Help Settings  
Standard salesforce.com Help Window

EditDelete

### Details

### Description

API Name

school\_c

Custom

✓

Singular Lab

school

Plural Label

schools

|      |        |
|------|--------|
| Edit | Delete |
|------|--------|



Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Details

Description

API Name  
parent\_\_c

Custom  
✓

Singular Label  
parent

Plural Label  
parents

Enable Reports  
✓

Track Activities

Track Field History

Deployment Status  
Deployed

Help Settings  
Standard salesforce.com Help Window

EditDelete