

Setting up SendKit: from signup to first send

Cold email has one honest constraint: new mailboxes need about two weeks of warm-up before they can send real volume. Setup on SendKit is designed around that. You build the shell on day one, warm up while you prepare, and launch on schedule instead of three weeks late.

Step 1: create your workspace

A workspace is your container for everything: mailboxes, leads, sequences, and campaigns. From your account, click **New workspace**, name it, and invite any teammates who need access. It takes about two minutes.

- **Sending for your own company:** one workspace is enough. Keep everything in one place.
- **Running an agency:** create a separate workspace per client. Each workspace keeps that client's mailboxes, leads, and campaign data completely apart, and you control who sees what per workspace.
- Workspaces are unlimited on every plan, including the \$99 Essential plan. An agency running 20 clients pays one subscription, and the \$499 Pro plan and up unlocks white-label, so clients see your domain, logo, and branding instead of SendKit.

Step 2: get mailboxes, three routes

Your workspace is empty until it has mailboxes. Pick the route that matches what you already have.

- **Buy inside SendKit.** The simplest route if you are starting fresh. Pick Google or Outlook, choose how many mailboxes and domains you need, and check out. For Google mailboxes, SendKit provisions a dedicated Google Cloud client ID for your account, which takes 10 to 20 minutes. Wait it out. Refreshing, retrying, or re-adding the mailbox usually just delays provisioning.
- **Import from InboxKit.** Paste in an InboxKit API key and SendKit auto-detects your InboxKit mailboxes and pulls them in, with no manual entry per mailbox. Common for agencies that buy infrastructure from InboxKit and run campaigns from SendKit.
- **Connect existing mailboxes via SMTP.** Migrating an existing setup, such as Google Workspace or a custom provider? Go to Mailboxes, click **Connect existing**, and enter your SMTP credentials (plus IMAP for receiving replies). SendKit verifies the connection and pulls the mailbox in.

Step 3: warm up while you build

Warm-up starts automatically the moment mailboxes are added, and runs in the background for roughly two weeks. Use that window to do the rest of the setup in parallel: work out your mailbox math, import and validate your leads, write your first sequence, and set your campaign settings, most of which stay on auto. Around day 14, launch, and replies start coming in from there.

THE FIRST-SESSION CHECKLIST

- **Day 0:** create the workspace, add mailboxes by one of the three routes. Warm-up starts on its own.
- **Day 0 to 14:** mailbox math, lead import and validation, sequence, settings. All done while warm-up runs.
- **Day ~14:** launch. Every mailbox runs on its own isolated dedicated IP, and health scores are shown as they really are, so you can trust the timeline.

However your mailboxes come in, nobody else's sending behavior shares an IP with yours. The two-minute workspace step is the only thing standing between you and the day-0 checklist.

[Create your workspace →](#)