

## SENDKIT DOCS

# Subsequences and follow-up flows

Subsequences are follow-up templates that fire automatically inside a campaign. Here is what triggers one, why its delay is set at the campaign level, and what to use instead when timing needs to flex lead by lead.

## What triggers a subsequence

A subsequence is a follow-up message template that fires automatically based on a lead's sentiment or a tag applied to their reply. For example, if a lead replies and gets tagged as interested, you can set up a subsequence so a follow-up template goes out automatically without you writing it by hand. It is built in the same sequence editor as your main campaign steps, so it lives alongside your primary email flow rather than as a separate tool.

## Delays are set at the campaign level

The wait time before a subsequence fires is a campaign-level setting, not something you set per lead. Every lead who triggers a given subsequence in that campaign waits the same delay before the follow-up sends. This keeps the sequence editor simple and predictable: one delay setting per subsequence, applied consistently across every lead who qualifies.

## When you need per-lead timing

If follow-up timing needs to vary lead by lead, for example waiting longer for a lead who mentioned they are travelling versus one who asked for a callback tomorrow, a campaign-level subsequence delay cannot express that. This is what the AI reply agent's follow-ups-only mode is for. Instead of a single fixed delay, the agent reads each conversation's context and times its follow-up based on what that specific lead actually said, then drafts or sends according to your confidence threshold.

### Subsequences

Consistent, sentiment-triggered follow-ups across a whole campaign, on one shared delay.

[SAME DELAY](#), [EVERY LEAD](#)

### Reply agent, follow-ups only

Timing that flexes per conversation, based on what each lead actually said.

[PER-LEAD TIMING](#)

### WHY THIS WORKS ON SENDKIT

The AI reply agent reads each conversation individually, so when a fixed campaign-level delay is not precise enough, you get per-lead timing without writing a new subsequence for every scenario.

### Add an interested-tag subsequence

Open your sequence editor, tag replies as interested, and set a follow-up subsequence with its delay at the campaign level.

[Open your sequence editor](#)