

IEDC Holy Grace Academy of Engineering

Master Design System & Creative Direction Bible

Version: 1.0.0

Status: Production Reference

Author: Lead Creative Director & Frontend Architect


1. Executive Summary & Philosophy

1.1 Mission Statement

The Innovation & Entrepreneurship Development Cell (IEDC) at Holy Grace Academy of Engineering, Mala, is not merely an extracurricular college club—it is a high-velocity incubator for future founders, engineers, and technological leaders.

The digital presence must reject every cliché of traditional academic websites: no cluttered navigation, no saturated corporate blues, no rigid Bootstrap grids, and no stock photography of students staring at laptops.

This website functions as the **digital operating system of an elite innovation ecosystem**. It communicates authority, precision, and forward-thinking ambition.



1.2 Design Pillars

1. **Apple's Elegance:** Every element feels intentionally weighted, meticulously spaced, and crafted with physical presence.

2. **Nothing's Futuristic Minimalism:** Technical transparency, subtle engineering grids, and honest monospaced typography that honor the underlying hardware and logic.
3. **Linear's Precision Clarity:** High-density typography, micro-interactions with immediate feedback, and sharp structural alignment.
4. **Vercel's Speed & Simplicity:** Deep monochromatic contrast, stark typography, zero unnecessary decoration, and instant visual comprehension.

2. Brand Anti-Patterns (The "Never" List)

|

| **Category** | **Forbidden Element** | **Reason for Prohibition** |

| **Color** | Bright multi-color gradients | Dilutes brand authority and looks amateurish. |

| **Color** | Standard Corporate Blue (#0066CC) | Associated with bureaucratic, outdated institution portals. |

| **UI Effects** | Heavy Blur / Glassmorphism | Causes performance degradation and visual ambiguity; feels dated. |

| **UI Effects** | Neon / Cyberpunk Accents | Lacks maturity; signals hype rather than engineering rigour. |

| **Layout** | Bootstrap 12-Column Cards | Generic, predictable layout rhythm that feels off-the-shelf. |

| **Motion** | Parallax scroll / Random floating icons | Distracts from content consumption and feels gimmicky. |

| **Imagery** | Cheerful stock student photography | Destroys authenticity; fails to capture true builder culture. |

3. Visual Identity & Color System

The visual identity relies on **Deep Darkness, Monochromatic Layering, and Tactile Warmth**. Rather than using pure black (#000000) everywhere—which creates harsh optical contrast and visual fatigue—we build depth using precise grey steps with a warm, subterranean undertone.

```
+-----+
| CANVAS (L0)   #070708 [Pitch Black / Deep Charcoal Base]   |
| +-----+ |
| | SURFACE L1   #0F0F12 [Subtle Raised Panel / Section Base] | | | |
| | +-----+ | |
| | | SURFACE L2  #18181C [Interactive Cards / Focused Containers] | | |
| | | +-----+ | | |
```

```
| ||| SURFACE L3 #222228 [Popovers / Floating Menus / Tooltips] ||| |
| || +-----+ || |
| | +-----+ | |
| +-----+ |
+-----+
```

3.1 Surface Architecture (Layering System)

- **Layer 0 (Canvas Base):** #070708 — The infinite dark canvas representing depth and focus.
- **Layer 1 (Subterranean Panels):** #0F0F12 — Base for distinct content groupings and layout breaks.
- **Layer 2 (Interactive Cards):** #18181C — Resting state for clickable, interactive containers.
- **Layer 3 (Elevated Surfaces):** #222228 — Modals, floating island docks, and dropdown menus.
- **Layer 4 (Highlight Overlay):** #2C2C34 — Active/hover states for interactive surfaces.

3.2 Accent & Monochrome Palette

- **Signal White (Primary Text):** #F4F4F6 (95% luminance) — Crisp legibility without blinding glare.
- **Muted Steel (Secondary Text):** #8E8E9A (55% luminance) — Supporting descriptions, metadata, and labels.
- **Faint Slate (Tertiary Text/Borders):** #3F3F4A (25% luminance) — Structural outlines, subtle dividers, and disabled states.
- **Tactile Amber (Primary Accent):** #FF6B00 — Inspired by industrial warning lights and vacuum tubes. Used strictly for focus indicators, primary call-to-actions, and live status lights (max 5% of visual layout).
- **Phosphor Green (Live Metric Accent):** #10B981 — Strictly reserved for active deployments, live events, and operational status indicators.

3.3 Semantic Color Tokens

| Token Name | Hex Value | Purpose & Rationale |

| --bg-canvas | #070708 | Main site background; provides maximum contrast for text. |

| --bg-surface-rest | #121215 | Default card background; establishes baseline elevation. |

| --bg-surface-hover | #1C1C22 | Card hover state; communicates immediate tactile feedback. |

| --border-subtle | #1F1F26 | Default card and section division borders; invisible until focused. |

| --border-strong | #333340 | Hover border state; highlights spatial geometry. |

| --text-heading | #F4F4F6 | Display headers and key metrics. |

| --text-body | #A0A0AB | Long-form reading text; tuned for contrast ratio compliance (WCAG AAA). |

| --accent-amber | #FF6B00 | High-value actions, primary button fills, key visual accents. |

4. Typography System

Typography must read like an engineering manual published by a high-end design house. We combine a ultra-precise Variable Neo-Grotesque with a sharp Monospaced font for technical telemetry.

DISPLAY & HEADINGS	TECHNICAL & METRICS
Font: Inter Display / SF Pro	Font: JetBrains Mono / SF Mono
Tracking: Tight (-0.03em)	Tracking: Normal to Wide (+0.05em)
Weight: SemiBold to Medium	Weight: Regular to Medium
Style: Editorial, Commanding	Style: Technical, Precise

4.1 Typeface Selection

- **Primary Typeface:** Inter Display or SF Pro Display
Why: Neutral, hyper-legible, flawless geometric proportions, variable weight capabilities.
- **Technical / Monospace Typeface:** JetBrains Mono or SF Mono
Why: Uncompromising alignment, clear character distinction (0 vs O), authentic developer/engineering feel.

4.2 Modular Type Scale

| **Scale Role** | **Size (px)** | **Rem** | **Line Height** | **Tracking** | **Font Weight** | **Usage** |

| **Hero Display** | 72px | 4.5rem | 1.05 | -0.035em | 600 (SemiBold) | Main homepage hook statement |

| **H1 Display** | 48px | 3.0rem | 1.10 | -0.030em | 600 (SemiBold) | Major section headlines |

| **H2 Section** | 32px | 2.0rem | 1.20 | -0.020em | 500 (Medium) | Subsection headers, feature titles |

| **H3 Title** | 22px | 1.375rem | 1.30 | -0.010em | 500 (Medium) | Card titles, module headers |

| **Body Large** | 18px | 1.125rem | 1.50 | -0.005em | 400 (Regular) | Key intro paragraphs, hero descriptions |

| **Body Regular** | 15px | 0.9375rem | 1.60 | 0.000em | 400 (Regular) | General body copy,

documentation |

| **Caption Mono** | 13px | 0.8125rem | 1.40 | +0.030em | 400 (Mono) | Metadata, dates, status badges, code |

| **Micro Mono** | 11px | 0.6875rem | 1.30 | +0.050em | 500 (Mono Upper) | Micro tags, spatial coordinates, labels |

5. Spatial System & Engineering Grid

The visual rhythm is anchored by a strict **8px Spatial Scale** overlaid with a faint **Engineering Architectural Grid**.

```
+-- Engineering Grid Pattern -----+
| +-----+ +-----+ +-----+ |
| |         | |         | |         | |
| | 8px Module | | 24px Gutter | | 8px Module | |
| |         | |         | |         | |
| +-----+ +-----+ +-----+ |
+-----+
```

5.1 Spatial Scale (Padding & Margins)

- space-1: 4px — Micro adjustments, tight tag padding.
- space-2: 8px — Default element separation, icon-to-text gap.
- space-3: 12px — Compact internal component padding.
- space-4: 16px — Standard card internal padding.
- space-6: 24px — Card margins, grid gaps.
- space-8: 32px — Grouping containers, card padding for large displays.
- space-12: 48px — Sub-section spacing.
- space-16: 64px — Major section spacing.
- space-24: 96px — Hero section spacing, macro spatial separation.
- space-32: 128px — Massive page transition buffers.

5.2 The Subtle Engineering Grid System

- **Grid Infrastructure:** Background rendered with thin, 1px lines at 32px intervals.
- **Line Color:** rgba(255, 255, 255, 0.03) resting; increases to rgba(255, 255, 255, 0.07) under cursor proximity.
- **Intersection Marks:** At grid line intersections, subtle crosshair markers (+) rendered in monospaced characters at rgba(255, 255, 255, 0.1).
- *Why:* Gives the impression of an active CAD workspace or technical blueprint without obstructing readable content.

6. Depth, Geometry & Border Architecture

Standard shadows look artificial on dark websites. Depth must be defined through **Luminance Separation, Micro-Borders, and Soft Precision Glows**.

```
[ Hovered Border: 1px Solid #333340 ]
+-----+ /\
|           | |
| Interactive Card Elevation (L2) | | 1px Accent Hairline
| Background: #18181C           | |
|           | \ /
+-----+
[ Soft Ambient Shadow: 0 20px 40px rgba(0,0,0,0.6) ]
```

6.1 Border Radius Tokens

- **radius-none:** 0px — Used for structural dividers, full-width section breaks.
- **radius-sm:** 4px — Badges, inline code blocks, micro buttons.
- **radius-md:** 8px — Standard inputs, action buttons, small cards.
- **radius-lg:** 12px — Main feature cards, modal dialogs.
- **radius-xl:** 20px — Floating navigation dock, major hero callouts.
- **radius-full:** 9999px — Status dots, avatar frames, pill tags.

6.2 Elevation & Stroke Rules

- **Default Card Stroke:** 1px solid `rgba(255, 255, 255, 0.07)`
- **Hover Card Stroke:** 1px solid `rgba(255, 255, 255, 0.18)`
- **Active / Focused Stroke:** 1px solid `#FF6B00`
- **Ambient Shadow (Resting):** 0 4px 20px -2px `rgba(0, 0, 0, 0.5)`
- **Ambient Shadow (Hovered):** 0 20px 40px -4px `rgba(0, 0, 0, 0.8)`, 0 0 30px 0 `rgba(255, 107, 0, 0.05)` (Subtle directional glow).

7. Component Language & UI Blueprint

Every UI component must feel like a precision tool—engineered with zero fluff.

```
+--- Floating Island Navigation Dock -----+
| [Logo] | Overview Incubations Projects Events | [Join Cell] |
+-----+
Height: 48px | Radius: 20px | Blur: 16px | Background: #0F0F12 (80%)
```

7.1 Navigation Architecture

- **Type:** Floating Island Dock, centered at the top or bottom of the viewport.
- **Dimensions:** 48px height, 16px horizontal padding per item.
- **Surface:** #0F0F12 at 85% opacity with 16px backdrop blur.
- **Border:** 1px solid rgba(255, 255, 255, 0.08).
- **Interactions:** Hovering over nav items creates a subtle white background pill (rgba(255, 255, 255, 0.06)) that smoothly glides between items using spring dynamics.

7.2 Interactive Card Philosophy

- **Structure:** No solid grey fill without purpose. Cards feature an absolute-positioned top hairline border gradient (rgba(255,255,255,0.12) to transparent).
- **Padding:** 24px internal padding standard.
- **Content Hierarchy:**
 1. *Top:* Monospace category micro-tag + status indicator dot.
 2. *Middle:* Bold display title + concise 2-line summary description.
 3. *Bottom:* Action indicator (e.g., EXPLORE_PROJECT -> in monospace font).

7.3 Button System

PRIMARY ACTION BUTTON

```
+-----+
| [>] LAUNCH INCUBATION PROGRAM | -> Fill: #FF6B00 | Text: #000000 | Weight: 600
+-----+
```

SECONDARY TACTILE BUTTON

```
+-----+
| [+] EXPLORE ECOSYSTEM | -> Fill: #18181C | Border: 1px #333340 | Text: #F4F4F6
+-----+
```

- **Primary Button:**
 - Background: #FF6B00 (Tactile Amber)
 - Text Color: #070708 (Deep Charcoal, high contrast weight)
 - Hover Effect: Background scale shift + text shadow accent; zero vertical position jump.
- **Secondary Button:**
 - Background: #18181C
 - Border: 1px solid rgba(255, 255, 255, 0.12)
 - Text Color: #F4F4F6
 - Hover Effect: Border color transitions to rgba(255, 255, 255, 0.3).

8. Motion Language & Micro-Interactions

Motion must feel **weightless, snappy, and continuous**. Animations must never force the user

to wait; they exist purely to communicate spatial relationships and state changes.

TRANSITION TIMING CURVES

Fast / Snap Curves (UI Feedback):

[0.16, 1, 0.3, 1] - Ultra-fast entrance, zero bounce.

Spring Mechanics (Hover Docks & Modals):

Stiffness: 300 | Damping: 30 | Mass: 0.8

8.1 Motion Parameters

- **Micro-Interactions (Button press, state toggles):**
 - *Duration:* 120ms - 150ms
 - *Easing:* cubic-bezier(0.16, 1, 0.3, 1) (Custom Quintic Out)
- **Surface Transitions (Hover expansions, tab switches):**
 - *Duration:* 200ms - 250ms
 - *Easing:* cubic-bezier(0.25, 1, 0.5, 1)
- **Page Orchestration (Entrance transitions):**
 - *Duration:* 400ms - 500ms
 - *Easing:* cubic-bezier(0.16, 1, 0.3, 1) staggered by 40ms per element.

8.2 The Hover Philosophy

- **No Vertical Elevation Leaps:** Elements should not jump upwards by 10px on hover—this breaks architectural rhythm.
- **Tactile Internal Lighting:** Hovering on a card illuminates the border line nearest to the cursor and increases background brightness by 4%.
- **Cursor Tracking Gradient:** Subtle 300px radial gradient follows the pointer inside cards (rgba(255, 255, 255, 0.03) focus glow).

9. Photography, Imagery & Iconography

9.1 Photography Art Direction

- **Tone:** Cinematic, low-key lighting, high-contrast, technical.
- **Subject Matter:** Authentic moments of engineering—close-ups on circuit designs, whiteboards filled with system architecture, late-night hackathon coding sessions, hardware prototyping.
- **Color Grade:** Desaturated by -30%, deep shadows pushed toward warm slate, highlights retained crisp white. Zero artificial oversaturated filter effects.
- **Framing:** Tight, dramatic focal lengths (50mm / 85mm look) with selective depth of field.

PHOTOGRAPHY TONE GUIDE


[X] FORBIDDEN: Bright, evenly lit stock photos of smiling people pointing at clean laptops.
[O] MANDATORY: High-contrast, moody shots of real hardware, code on curved monitors, intense discussions around architectural blueprints.

9.2 Iconography Rules

- **Type:** Geometric, 1.5px stroke weight, sharp terminal join points.
- **Library Alignment:** Feather / Lucide icon set base, customized for uniform stroke consistency.
- **Behavior:** Icons render in --text-body color; shift to --accent-amber or --text-heading on parent component focus.

10. Information Architecture & Page Orchestration

The website flows as a continuous narrative rather than disconnected pages.



10.1 Section-by-Section Orchestration

Section 01: Hero Matrix

- **Headline:** "WE BUILD THE FUTURE INCUBATOR." (Large 72px Display Typography).
- **Subtext:** "The official Innovation & Entrepreneurship Development Cell of Holy Grace Academy of Engineering. Turning technical brilliance into high-growth ventures."
- **Telemetry Bar:** Monospace live ticker showing: [ACTIVE INCUBATIONS: 14] [FUNDING RAISED: ₹2.4M] [PATENTS FILED: 06].

Section 02: The Incubation Engine

- **Format:** Horizontal interactive workflow diagram showing how a student idea progresses to a registered startup.
- **Nodes:** 01. RAW DISCOVERY -> 02. HARDWARE / SOFTWARE PROTOTYPING -> 03. IEDC SEED FUNDING -> 04. MARKET LAUNCH.

Section 03: Hardware & Startup Vault

- **Format:** Asymmetric project grid featuring real inventions built at Holy Grace Academy.
- **Card Specs:** Hovering reveals dynamic telemetry (Tech stack, team leads, project status, live demo button).

Section 04: Hackathons & Agenda

- **Format:** Precision timeline list with live countdown timers rendered in monospaced font for upcoming pitch days and technical workshops.

11. Performance, Accessibility & Responsive Rules

11.1 Performance Guidelines

- **Core Web Vitals Metric Goals:**
 - **Largest Contentful Paint (LCP):** < 1.2s
 - **First Input Delay (FID) / INP:** < 50ms
 - **Cumulative Layout Shift (CLS):** 0.00
- **Asset Management:** Zero uncompressed PNGs/JPEGs; all visual assets delivered in Next-Gen WebP/AVIF formats with pre-computed aspect ratio containers to prevent visual layout shifts.

11.2 Accessibility Standards (WCAG 2.1 AA Compliance)

- **Contrast Ratios:** All body copy strictly maintains a minimum contrast ratio of 7:1 against dark canvas backgrounds.

- **Focus Ring Indicator:** Keyboard focus navigation triggers an unambiguous 2px amber outline (#FF6B00) with a 4px offset gap.
- **Motion Reduction:** Fully respects prefers-reduced-motion. Complex spring physics automatically fallback to simple opacity fades for sensitive users.

11.3 Responsive Breakpoint System

BREAKPOINT MATRIX

Mobile (320px - 639px) -> Single Column | Hidden Grid Overlay | Fixed Bottom Nav

Tablet (640px - 1023px) -> Dual Column | Compact Padding | Top Floating Nav

Desktop (1024px - 1439px) -> 12-Col Grid | Full Grid Overlay | Floating Top Dock

Ultra-Wide (1440px+) -> Max-Width Container (1280px) Centered

12. Design System Tokens (Specification Document)

[COLOR TOKENS]

```
--color-canvas: #070708
--color-surface-l1: #0F0F12
--color-surface-l2: #18181C
--color-surface-l3: #222228
--color-accent-amber: #FF6B00
--color-text-heading: #F4F4F6
--color-text-body: #8E8E9A
--color-text-muted: #3F3F4A
```

[SPACING TOKENS]

```
--space-2: 8px
--space-4: 16px
--space-6: 24px
--space-8: 32px
--space-12: 48px
--space-16: 64px
--space-24: 96px
```

[TYPOGRAPHY TOKENS]

```
--font-sans: 'Inter Display', -apple-system, BlinkMacSystemFont, sans-serif
--font-mono: 'JetBrains Mono', monospace
--scale-hero: 4.5rem
--scale-h1: 3.0rem
--scale-h2: 2.0rem
--scale-body: 0.9375rem
--scale-mono: 0.8125rem
```

[BORDER TOKENS]

--border-width-standard: 1px
--border-color-subtle: rgba(255, 255, 255, 0.07)
--border-color-hover: rgba(255, 255, 255, 0.18)
--border-color-focus: #FF6B00

[RADIUS TOKENS]

--radius-sm: 4px
--radius-md: 8px
--radius-lg: 12px
--radius-xl: 20px
--radius-pill: 9999px

13. Summary Directive for Design & Frontend Engineers

When implementing this system:

1. **Always default to subtraction:** If a visual element (shadow, gradient, border, icon) does not clarify information or direct user focus, delete it.
2. **Prioritize spatial alignment over visual fluff:** The alignment of monospace labels, grid borders, and content typography does 90% of the visual work.
3. **Respect physical friction:** Interactive components must give immediate, tactile visual feedback upon hover and click.
4. **Build for high-density information:** Keep line heights tight on display headers and generous on body copy. Use monospace tags generously to categorize all engineering artifacts.