

## Lecture 32

## **Code Optimizations**

Awanish Pandey

Department of Computer Science and Engineering Indian Institute of Technology Roorkee

April 23, 2025



• Criteria for code improving transformation



- Criteria for code improving transformation
  - ▶ Preserve the meaning



- Criteria for code improving transformation
  - ▶ Preserve the meaning
  - Must speed up the program



- Criteria for code improving transformation
  - ▶ Preserve the meaning
  - Must speed up the program
  - Must be worth the effort



- Criteria for code improving transformation
  - ▶ Preserve the meaning
  - Must speed up the program
  - ▶ Must be worth the effort
  - ► The analysis must be fast




- Criteria for code improving transformation
  - Preserve the meaning
  - Must speed up the program
  - ▶ Must be worth the effort
  - ► The analysis must be fast
- Local transformation: within basic blocks



- Criteria for code improving transformation
  - Preserve the meaning
  - Must speed up the program
  - Must be worth the effort
  - ► The analysis must be fast
- Local transformation: within basic blocks
- Global transformation: across basic blocks



## Impact of Code Optimization



April 23, 2025

3/6

## **Common SubExpression Elimination**

# OPTIMIZED CODE: BLOCK B5

$$t_6 = 4 * i$$

$$\mathsf{X} = \mathsf{a}[\mathsf{t}_6]$$

$$t_8 = 4 * j$$
  
 $t_9 = a[t_8]$ 

$$a[t_6] = t_9$$

$$a[t_8] = X$$



#### **Global CSE**

```
t_6 = 4 * i
X = a[t_6]
t_9 = a[t_4]
a[t_6] = t_9
a[t_4] = X
goto L
```



#### **Global CSE**

$$t_6 = 4 * i$$
 $X = a[t_6]$ 
 $t_9 = a[t_4]$ 
 $a[t_6] = t_9$ 
 $a[t_4] = X$ 
goto L

$$t_6 = 4 * i$$
  
 $X = a[t_6]$   
 $a[t_6] = t_5$   
 $a[t_4] = X$   
goto L



#### **Global CSE**

$$t_6 = 4 * i$$
 $X = a[t_6]$ 
 $t_9 = a[t_4]$ 
 $a[t_6] = t_9$ 
 $a[t_4] = X$ 
goto L

$$t_6 = 4 * i$$
 $X = a[t_6]$ 
 $a[t_6] = t_5$ 
 $a[t_4] = X$ 
goto L

$$X = t_3$$
 $a[t_2] = t_5$ 
 $a[t_4] = X$ 
goto L



• Common Sub Expression Elimination



- Common Sub Expression Elimination
- Copy Propagation



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used
  - ▶ Decision statement whose true and false targets are same



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used
  - Decision statement whose true and false targets are same
  - Decision statement whose boolean expression can be computed at compile time



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used
  - ▶ Decision statement whose true and false targets are same
  - Decision statement whose boolean expression can be computed at compile time
- Code Motion



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used
  - Decision statement whose true and false targets are same
  - Decision statement whose boolean expression can be computed at compile time
- Code Motion
- Loop Unrolling



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used
  - Decision statement whose true and false targets are same
  - Decision statement whose boolean expression can be computed at compile time
- Code Motion
- Loop Unrolling
- Loop Jamming



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used
  - ▶ Decision statement whose true and false targets are same
  - ▶ Decision statement whose boolean expression can be computed at compile time
- Code Motion
- Loop Unrolling
- Loop Jamming
- Loop Unswitching



- Common Sub Expression Elimination
- Copy Propagation
- Constant Folding
- Dead Code elimination
  - Code unreachable from any path
  - Code producing a value not used
  - ▶ Decision statement whose true and false targets are same
  - Decision statement whose boolean expression can be computed at compile time
- Code Motion
- Loop Unrolling
- Loop Jamming
- Loop Unswitching
- Induction Variable Simplification

