Week 10 lab 10 import java aut +; import jana aut event *

import jana aut event *

class Pialog B extends Dialog implement Action, Dialog B (France parent, String tittle) Danision div; Super (parent, title, face); dix · (Dinision) parent; Setlayout (new Flow Layout C)); set size C 400, 150); add Cnew Labels (div. mg)); add C b = new Bulton ("Ok")). b. addActionhistener (this); public upid action Performed (Action Frent ac) dispose (); public class Division entends France imperments Acts Pertfield nun, nun2, nun3; Button bl: String rug = a ". public Division () Bethayout (new FlowLayout C)).
Label munip = new label (entember! ", label PIGHT) Label. number : ", label ("Numbers: ", label!

EBGA

b1 = new Button C " Downte"); Label results: new Label ("lesult: ", Label-RIGHT). ound = new Pentfield (12); num2 = new Textfield (12). Totall - new Textfield C12) add (numb); add (muni); add Crumze); add (humz): add (b); add (results); add Crowlle); hum! add Actionhistener (this); num 2. add Action Listener (this) b) add Action histories (this); add Windows Listener (new Window Adapter () Public Usid mindow Closing C Window Event we) & System exit(0); public usid action Penjarmed (Action Event ac) if (! (num. getlent() · equals ("")) && (Circuis get l'enté) int n= Integer. parse Ent (neural get Fort ()).
int y > Integer parse Put (neural get Fort ()).
int 2:

ĔĎĠij Calch (Numberformat Exception . c) meg: "" + e; result set Text (" "). Dialogh d= new Dialogh (this, "Error"), d seelusible (time); catch C. Anthropic Exception e) result set (e11). Dialog B d = new Dialog B(Huy, "Error") disetlimble (true):

nieg : "Number Fields should NOT be ENPTY! occult sel Fent (""); d. sethinible Ghu): public would pount (Grapulice of) relute settent (mg). public Static upid main (String argy [])

Division a = new Division() a set fire (new Dinemaion (800, 2001); a. setlitte (" Int-diuxion"); a set hiribre (true).