



- Reddit:







- Threads:






- Stackoverflow:




6 Comments
Add a comment
Greedy Coder Over a year ago
Thanks for that.But it is just throwing up the content without parsing it.Then I found this : nateeagle.com/2011/08/31/jekyll-not-parsing-includes. Let me get back after doing some debugging
0 Reply
GregL Over a year ago
What content are you referring to? Is what is in the js-css.html file just some HTML <script src="..."></script> and <link type="text/css" href="..." rel="stylesheet"> tags?
0 Reply
Greedy Coder Over a year ago
Here is what I did. 1) Put all script,link tags in the js-css.html file inside the _includes folder 2) Using {% include js-css.html %} in head section of my html files to include 3) Did jekyll serve.And the includes is just printed out like HTML i.e it is not getting parsed.What am I doing wrong here?
0 Reply
Greedy Coder Over a year ago
I am not using any jekyll templates.Just using it for disqus and 404 error pages so far.I use a direct HTML template to write content and not markdow,not sure how that will fit in here.
0 Reply
GregL Over a year ago
I haven't used Jekyll myself, sorry. But this page looks promising.
0 Reply
Add a comment

- VOZ


N
namtuocdem16
Senior Member
Friday at 11:09 PM
#1
Mình cần tư vấn build pc 20m trở lại để treo khoảng 10tab giả lập thôi ạ, nếu vậy thì có cần card rời ko hay chỉ cần card on board là đủ ạ?
HLW
Hoàng Long Workstation
Senior Member
Today at 9:26 AM
#2
namtuocdem16 said:
Mình cần tư vấn build pc 20m trở lại để treo khoảng 10tab giả lập thôi ạ, nếu vậy thì có cần card rời ko hay chỉ cần card on board là đủ ạ?
Cần card rời nhé